



**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
 УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

**КАРАНТИННЫЕ ОБЪЕКТЫ, РЕГУЛИРУЕМЫЕ В
 МЕКСИКЕ И ИХ СИНОНИМЫ**

Дата актуализации: апрель 2013

| АББРЕВИАТУРЫ | НАУЧНОЕ НАИМЕНОВАНИЕ | СИНОНИМЫ | УЧЕНЫЙ, КОТОРЫЙ ОПИСАЛ |
|--------------|------------------------------------|----------------------------------|------------------------------|
| КЛЕЩИ | | | |
| ERPHGO | <i>Acalitus gossypii</i> | | Banks |
| ERPHGO | | <i>Eriophyes gossypii</i> | Banks |
| ERPHGO | | <i>Eryophyes gossypii</i> | |
| ERPHGO | | <i>Aceria gossypii</i> | |
| ERPHGO | | <i>Cecidophyes gossypii</i> | |
| ACARSI | <i>Acarus siro</i> | | Linnaeus |
| ACARSI | | <i>Acarus siro var. farinae</i> | Linnaeus, 1758 |
| ACARSI | | <i>Aleurobius farinae</i> | Koch (ex DeGeer y Linnaeus) |
| ACARSI | | <i>Tyroglyphus farinae</i> | Latreille, 1796 |
| ACARSI | | <i>Tyroglyphus siro</i> | Lat. sensu Robin, 1860 |
| ACEISH | <i>Aceria sheldoni</i> | | (Erwing) |
| ACEISH | | <i>Eriophyes sheldoni</i> | Ewing |
| ACEITU | <i>Aceria tulipae</i> | | (Keifer, 1938) |
| ACEITU | | <i>Eriophyes tulipae</i> | Keifer, 1938 |
| VASAFL | <i>Aculus fockeui</i> | | Nalepa y Trouessart |
| VASAFL | | <i>Aculus cornutus</i> | Banks |
| VASAFL | | <i>Phyllocoptes cornutus</i> | |
| VASAFL | | <i>Phyllocoptes fockeui</i> | |
| VASAFL | | <i>Vasates cornutus</i> | Banks |
| VASAFL | | <i>Vasates fockeui</i> | Nalepa y Trouessart |
| TETRVI | <i>Amphitetranychus viennensis</i> | | (Zacher) |
| TETRVI | | <i>Tetranychus viennensis</i> | Zacher |
| TETRVI | | <i>Amphitetranychus crataegi</i> | (Hirst) |
| TETRVI | | <i>Apotetranychus longipenis</i> | Ugarov and Nikolskii |
| TETRVI | | <i>Epitetranychus viennensis</i> | Zacher |
| TETRVI | | <i>Tetranychus crataegi</i> | Hirst |
| TETRVI | | <i>Apotetranychus virginis</i> | Ugarov |
| BRVPAU | <i>Brevipalpus californicus</i> | | (Banks, 1904) |
| BRVPAU | | <i>Brevipalpus australis</i> | Baker, 1949 |
| BRVPAU | | <i>Hystripalpus californicus</i> | Mitrofanov y Strunkova, 1979 |
| BRVPAU | | <i>Tenuipalpus australis</i> | Tucker, 1926 |
| BRVPAU | | <i>Tenuipalpus californicus</i> | Banks, 1904 |
| BRVPAU | | <i>Tenuipalpus vitis</i> | Womersley, 1940 |
| BRVPAU | | <i>Brevipalpus confusis</i> | Baker, 1949 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|----------------------------------|--|------------------|
| BRVPAU | | <i>Brevipalpus browningi</i> | Baker, 1949 |
| BRVPAU | | <i>Brevipalpus woglumi</i> | McGregor, 1949 |
| BRVPPH | <i>Brevipalpus phoenicis</i> | | (Geijskes, 1936) |
| BRVPPH | | <i>Tenuipalpus phoenicis</i> | Geijskes, 1939 |
| BRVPPH | | <i>Brevipalpus pseudocuneatus</i> | Baker, 1949 |
| BRVPPH | | <i>Brevipalpus yothersi</i> | Baker, 1949 |
| BRVPPH | | <i>Brevipalpus macbridei</i> | Baker, 1949 |
| BRVPPH | | <i>Brevipalpus papayensis</i> | Baker, 1949 |
| ERPHPI | <i>Eriophyes pyri</i> | | (Pagenstecher) |
| ERPHPI | | <i>Phytoptus pyri</i> | Pagenstecher |
| EUTEOR | <i>Eutetranychus orientalis</i> | | Klein |
| EUTEOR | | <i>Anychus orientalis</i> | |
| EUTEOR | | <i>Anychus ricini</i> | |
| EUTEOR | | <i>Eutetranychus monodi</i> | Andre |
| EUTEOR | | <i>Eutetranychus sudanicus</i> | Elbadry |
| EUTEOR | | <i>Eutetranychus anneckeii</i> | Meyer |
| EUTEOR | | <i>Anychus latus</i> | |
| EUTEOR | | <i>Eutetranychus latus</i> | |
| OLIGCO | <i>Oligonychus coffeae</i> | | (Nietner) |
| OLIGCO | | <i>Metatetranychus bioculatus</i> | (Wood-Mason) |
| OLIGCO | | <i>Oligonychus bioculatus</i> | |
| OLIGCO | | <i>Paratetranychus bioculatus</i> | |
| OLIGCO | | <i>Tetranychus bioculatus</i> | Wood-Mason |
| OLIGCO | | <i>Acarus coffeae</i> Nietner | |
| OLIGCO | | <i>Oligonychus merwei</i> | Tucker |
| OLIGCO | | <i>Paratetranychus terminalis</i> | Sayed |
| TARSPA | <i>Phytonemus pallidus</i> | | (Banks) |
| TARSPA | | <i>Tarsonemus pallidus</i> | Banks, 1899 |
| TARSPA | | <i>Steneotarsonemus pallidus</i> | (Banks) |
| TARSPA | | <i>Steneotarsonemus fragariae</i> | (Zimmerman) |
| TARSPA | | <i>Tarsonemus fragariae</i> | Zimmerman, 1905 |
| TARSPA | | <i>Tarsonemus destructor</i> | Reuter, 1906 |
| HEMTLA | <i>Polyphagotarsonemus latus</i> | | Banks |
| HEMTLA | | <i>Hemitarsonemus latus</i> | Banks |
| HEMTLA | | <i>Tarsonemus translucens</i> | (Green) |
| HEMTLA | | <i>Hemitarsonemus translucens</i> | |
| HEMTLA | | <i>Polyphagotarsonemus translucens</i> | |
| HEMTLA | | <i>Tarsonemus latus</i> | |
| HEMTLA | | <i>Tarsonemus phaseoli</i> | |
| TARSLA | <i>Steneotarsonemus laticeps</i> | | (Halbert) |
| TARSLA | | <i>Tarsonemus laticeps</i> | |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|------------------|--|--|---|
| TARSLA | | <i>Tarsonemus approximatus narcissi</i> | |
| TARSLA | | <i>Tarsonemus hydrocephalus</i> | |
| ВОДОРОСЛИ | | | |
| CGEVI | <i>Cephaleuros virescens</i> | | KQnze |
| CGEVI | | <i>Cephaleuros mycoidea</i> | Karsten |
| CGEVI | | <i>Cephaleuros parasiticus</i> | Karsten |
| CGEVI | | <i>Mycoidea parasitica</i> | Cunningham |
| CGEVI | | <i>Cephaleuros densus</i> | Kunze ex E. M. Fries |
| CGEVI | | <i>Phycopeltis hawaiiensis</i> | J.W. King |
| БАКТЕРИИ | | | |
| PSDMAC | <i>Acidovorax avenae subsp. citrulli</i> | | (Schaad et al., 1978) Willems et al., 1992 |
| PSDMAC | | <i>Acidovorax avenae pv. citrulli</i> | |
| PSDMAC | | <i>Pseudomonas pseudoalcaligenes subsp. citrulli</i> | Schaad et al., 1978 |
| PSDMAC | | <i>Pseudomonas avenae subsp. citrulli</i> | (Schaad et al., 1978) Hu et al., 1991 |
| PSDMAV | <i>Acidovorax avenae subsp. avenae</i> | | (Manns, 1909) Willems et al., 1992 |
| PSDMAV | | <i>Pseudomonas avenae</i> | Manns, 1909 |
| PSDMAV | | <i>Pseudomonas alboprecipitans</i> | Rosen, 1922 |
| PSDMAV | | <i>Xanthomonas rubrilineans</i> | (Lee et al., 1925) Starr y Burkholder, 1942 |
| PSDMAV | | <i>Bacillus avenae</i> | (Manns, 1909) Burgvits, 1935 |
| PSDMAV | | <i>Bacterium alboprecipitans</i> | (Rosen, 1922) Elliott, 1930 |
| PSDMAV | | <i>Bacterium avenae</i> | (Manns, 1909) |
| PSDMAV | | <i>Bacterium setariae</i> | Okabe, 1934 |
| PSDMAV | | <i>Chlorobacter setariae</i> | (Okabe, 1934) Patel y Kulkarni, 1951 |
| PSDMAV | | <i>Phytobacterium alboprecipitans</i> | (Rosen, 1922) Magrou y Prevot, 1948 |
| PSDMAV | | <i>Phytomonas alboprecipitans</i> | (Rosen, 1922) Bergey et al., 1930 |
| PSDMAV | | <i>Phytomonas avenae</i> | (Manns, 1909) Bergey et al., 1930 |
| PSDMAV | | <i>Phytomonas setariae</i> | (Okabe, 1934) Burkholder, 1939 |
| PSDMAV | | <i>Chlorobacter setariae</i> | (Okabe, 1934) |
| PSDMAV | | <i>Phytomonas rubrilineans</i> | Lee et al., 1925 |
| PSDMAV | | <i>Bacterium rubrilineans</i> | (Lee et al., 1925) Elliott, 1930 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|---|
| PSDMAV | | <i>Pseudomonas avenae</i> subsp. <i>avenae</i> | Manns, 1909 |
| PSDMAV | | <i>Xanthomonas rubrilineans</i> var. <i>indicus</i> | Summanwar y Bhide, 1962 |
| PSDMAV | | <i>Pseudomonas setariae</i> | (Okabe, 1934) Savulescu, 1947 |
| PSDMAV | | <i>Pseudomonas rubrilineans</i> | (Lee et al., 1925) Stapp, 1928 |
| ACVRAC | <i>Acidovorax avenae</i> subsp. <i>cattleyae</i> | | (Pavarino, 1911) Willems et al., 1992 |
| ACVRAC | | <i>Pseudomonas cattleyae</i> | (Pavarino, 1911) Savulescu, 1947 |
| ACVRAC | | <i>Bacillus cattleyae</i> | (Pavarino, 1911) Stapp, 1928 |
| ACVRAC | | <i>Bacterium cattleyae</i> | Pavarino, 1911 |
| ACVRAC | | <i>Phytobacterium cattleyae</i> | (Pavarino, 1911) Magrou y Prevot, 1948 |
| ACVRAC | | <i>Phytomonas cattleyae</i> | (Pavarino, 1911) Ark y Thomas, 1946 |
| ERWIRU | <i>Brenneria rubrifaciens</i> | | (Wilson et al., 1967) Hauben et al., 1999 |
| ERWIRU | | <i>Erwinia rubrifaciens</i> | Wilson et al., 1967 |
| ERWIRU | | <i>Erwinia amylovora</i> var. <i>rubrifaciens</i> | (Wilson et al., 1967) Dye, 1968 |
| PSDMAD | <i>Burkholderia andropogonis</i> | | (Smith, 1911) Gillis et al., 1995 |
| PSDMAD | | <i>Pseudomonas andropogonis</i> | (Smith, 1911) Stapp, 1928 |
| PSDMAD | | <i>Pseudomonas stizolobii</i> | (Wolf, 1920) Stapp, 1935 |
| PSDMAD | | <i>Aplanobacter stizolobii</i> | Wolf, 1920 |
| PSDMAD | | <i>Bacterium andropogonis</i> | Smith, 1911 |
| PSDMAD | | <i>Bacterium stizolobii</i> | (Wolf, 1920) McCulloch, 1920 |
| PSDMAD | | <i>Bacterium woodsii</i> | Smith, 1911 |
| PSDMAD | | <i>Phytobacterium andropogonis</i> | (Smith, 1911) Magrou y Prevot, 1948 |
| PSDMAD | | <i>Phytobacterium stizolobii</i> | (Wolf, 1920) Magrou y Prevot, 1948 |
| PSDMAD | | <i>Phytobacterium woodsii</i> | (Smith, 1911) Magrou y Prevot, 1948 |
| PSDMAD | | <i>Phytomonas andropogonis</i> | (Smith, 1911) Bergey et al., 1930 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|---|
| PSDMAD | | <i>Phytomonas stizolobii</i> | (Wolf, 1920) Bergey et al., 1930 |
| PSDMAD | | <i>Phytomonas woodsii</i> | (Smith, 1911) Bergey et al., 1930 |
| PSDMAD | | <i>Pseudomonas andropogonis</i> pv. <i>Stizolobii</i> | (Wolf, 1920) Palleroni, 1984 |
| PSDMAD | | <i>Pseudomonas woodsii</i> | (Smith, 1911) Stevens, 1925 |
| PSDMCA | <i>Burkholderia caryophylli</i> | | (Burkholder, 1942) Yabuuchi et al., 1993 |
| PSDMCA | | <i>Pseudomonas caryophylli</i> | (Burkholder, 1942) Starr y Burkholder, 1942 |
| PSDMCA | | <i>Phytomonas caryophylli</i> | Burkholder, 1942 |
| PSDMCE | <i>Burkholderia cepacia</i> | | (ex Burkholder) Yabuuchi et al., 1993 |
| PSDMCE | | <i>Pseudomonas cepacia</i> | (ex Burkholder) Palleroni y Holmes, 1981 |
| PSDMCE | | <i>Pseudomonas kingii</i> | Jonsson, 1970 |
| PSDMCE | | <i>Pseudomonas multivorans</i> | Stanier et al., 1966 |
| PSDMGA | <i>Burkholderia gladioli</i> pv. <i>alliicola</i> | | (Burkholder 1942) comb. nov. |
| PSDMGA | | <i>Pseudomonas gladioli</i> pv. <i>alliicola</i> | (Burkholder, 1942) Young et al., 1978 |
| PSDMGA | | <i>Phytomonas alliicola</i> | Burkholder, 1942 |
| PSDMGA | | <i>Pseudomonas alliicola</i> | (Burkholder, 1942) Starr y Burkholder, 1942 |
| PSDMGD | <i>Burkholderia gladioli</i> pv. <i>gladioli</i> | | (Severini, 1913) Yabuuchi et al., 1993 |
| PSDMGD | | <i>Pseudomonas gladioli</i> | Severini, 1913 |
| PSDMGD | | <i>Bacterium gladioli</i> | (Severini, 1913) Elliott, 1930 |
| PSDMGD | | <i>Bacterium marginatum</i> | McCulloch, 1921 |
| PSDMGD | | <i>Chlorobacter marginatus</i> | (McCulloch, 1921) Patel y Kulkarni, 1951 |
| PSDMGD | | <i>Phytomonas gladioli</i> | (Severini, 1913) Magrou, 1937 |
| PSDMGD | | <i>Phytomonas marginata</i> | (McCulloch, 1921) Bergey et al., 1923 |
| PSDMGD | | <i>Pseudomonas marginata</i> | (McCulloch, 1921) Stapp, 1928 |
| PSDMGM | <i>Burkholderia glumae</i> | | (Kurita y Tabei, 1967) Urakami et al., 1994 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|---|
| PSDMGM | | <i>Pseudomonas glumae</i> | Kurita y Tabei, 1967 |
| LIBEAS | <i>Candidatus Liberibacter asiaticus</i> | | Jagoueix, Bove y Garnier |
| LIBEAS | | <i>Liberobacter asiaticum [Candidatus]</i> | Monique Garnier |
| LIBEAS | | <i>Candidatus Liberobacter asiaticum</i> | Jagoueix et al., 1994 |
| LIBEAS | | <i>Liberibacter asiaticus [Candidatus]</i> | |
| CORBIN | <i>Clavibacter michiganensis subsp. insidiosus</i> | | (McCulloch, 1925) Davis et al., 1984 |
| CORBIN | | <i>Corynebacterium michiganense pv. insidiosum</i> | (McCulloch, 1925) Dye y Kemp, 1977 |
| CORBIN | | <i>Corynebacterium michiganense subsp. insidiosum</i> | (McCulloch, 1925) Carlson y Vidaver, 1982 |
| CORBIN | | <i>Corynebacterium insidiosum</i> | (McCulloch, 1925) Jensen, 1934 |
| CORBIN | | <i>Aplanobacter insidiosus</i> | McCulloch, 1925 |
| CORBIN | | <i>Bacterium insidiosum</i> | (McCulloch, 1925) Stapp, 1928 |
| CORBIN | | <i>Burkholderiella insidiosa</i> | (McCulloch, 1925) Sauvulescu, 1947 |
| CORBIN | | <i>Erwinia insidiosa</i> | (McCulloch, 1925) Jensen, 1934 |
| CORBIN | | <i>Mycobacterium insidiosum</i> | (McCulloch, 1925) Krasil'nikov, 1941 |
| CORBIN | | <i>Phytomonas insidiosa</i> | (McCulloch, 1925) Bergey et al., 1930 |
| CORBMI | <i>Clavibacter michiganensis subsp. michiganensis</i> | | (Smith, 1910) Davis et al., 1984 |
| CORBMI | | <i>Corynebacterium michiganense pv. michiganense</i> | (Smith, 1910) Dye y Kemp, 1977 |
| CORBMI | | <i>Bacterium michiganense</i> | Smith, 1910 |
| CORBMI | | <i>Pseudomonas michiganense</i> | (Smith, 1910) Stevens, 1913 |
| CORBMI | | <i>Aplanobacter michiganensis</i> | (Smith, 1910) Smith, 1914 |
| CORBMI | | <i>Corynebacterium michiganense subsp. michiganense</i> | (Smith, 1910) Carlson y Vidaver, 1982 |
| CORBMI | | <i>Erwinia michiganensis</i> | (Smith, 1910) Jensen, 1934 |
| CORBMI | | <i>Erwinia michiganense</i> | (Smith, 1910) Jensen, 1934 |
| CORBMI | | <i>Mycobacterium michiganense</i> | (Smith, 1910) Krasil'nikov, 1941 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|---|
| CORBMI | | <i>Phytomonas michiganensis</i> | (Smith, 1910) Bergey et al., 1923 |
| CORBMI | | <i>Pseudomonas michiganensis</i> | (Smith, 1910) Stevens, 1913 |
| CORBMI | | <i>Corynebacterium michiganense</i> | (Smith, 1910) Jensen, 1934 |
| CORBNE | <i>Clavibacter michiganensis</i> subsp. <i>nebraskensis</i> | | (Vidaver y Mandel, 1974) Davis et al., 1984 |
| CORBNE | | <i>Corynebacterium michiganense</i> pv. <i>nebraskense</i> | (Vidaver y Mandel, 1974) Dye y Kemp, 1977 |
| CORBNE | | <i>Corynebacterium michiganense</i> subsp. <i>nebraskense</i> | (Vidaver y Mandel, 1974) Carlson y Vidaver, 1982 |
| CORBNE | | <i>Corynebacterium nebraskense</i> | Vidaver y Mandel, 1974 |
| CORBSE | <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> | | (Spieckermann y Kotthoff, 1914) Dye y Kemp |
| CORBSE | | <i>Corynebacterium michiganense</i> pv. <i>sepedonicum</i> | (Spieckermann y Kotthoff, 1914) Dye y Kemp, 1977 |
| CORBSE | | <i>Corynebacterium michiganense</i> subsp. <i>sepedonicum</i> | (Spieckermann y Kotthoff, 1914) Carlson y Vidaver, 1982 |
| CORBSE | | <i>Corynebacterium sepedonicum</i> | (Spieckermann y Kotthoff, 1914) Skaptason y Burk., 1942 |
| CORBSE | | <i>Aplanobacter sepedonicus</i> | (Spieckermann y Kotthoff, 1914) Smith, 1920 |
| CORBSE | | <i>Bacterium sepedonicum</i> | Spieckermann y Kotthoff, 1914 |
| CORBSE | | <i>Mycobacterium sepedonicum</i> | (Spieckermann y Kotthoff, 1914) Krasil'nikov, 1949 |
| CORBSE | | <i>Phytomonas sepedonica</i> | (Spieckermann y Kotthoff, 1914) Magrou, 1937 |
| CORBSE | | <i>Pseudobacterium sepedonicum</i> | (Spieckermann y Kotthoff, 1914) Krasil'nikov, 1949 |
| CORBTE | <i>Clavibacter michiganensis</i> subsp. <i>tessellarius</i> | | (Carlson y Vidaver, 1982) Davis et al., 1984 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|--|---|
| CORBTE | | <i>Corynebacterium michiganense</i> subsp. <i>tessellarius</i> | Carlson y Vidaver, 1982 |
| CORBFL | <i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> | | (Hedges, 1922) Collins y Jones, 1983 |
| CORBFL | | <i>Corynebacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> | (Hedges, 1922) Dowson, 1942 |
| CORBFL | | <i>Pseudomonas flaccumfaciens</i> | (Hedges, 1922) Stevens, 1925 |
| CORBFL | | <i>Phytomonas flaccumfaciens</i> | (Hedges, 1922) Bergey et al., 1923 |
| CORBFL | | <i>Bacterium flaccumfaciens</i> | Hedges, 1922 |
| CORBPO | <i>Curtobacterium flaccumfaciens</i> pv. <i>poinsettiae</i> | | (Starr y Pirone, 1942) Collins y Jones, 1983 |
| CORBPO | | <i>Corynebacterium flaccumfaciens</i> pv. <i>poinsettiae</i> | (Starr y Pirone, 1942) Dye y Kemp, 1977 |
| CORBPO | | <i>Corynebacterium flaccumfaciens</i> subsp. <i>poinsettiae</i> | (Starr y Pirone, 1942) Carlson y Vidaver, 1982 |
| CORBPO | | <i>Corynebacterium poinsettiae</i> | (Starr y Pirone, 1942) Burkholder, 1948 |
| CORBPO | | <i>Bacterium poinsettiae</i> | (Starr y Pirone, 1942) Hauduroy et al., 1953 |
| CORBPO | | <i>Phytomonas poinsettiae</i> | Starr y Pirone, 1942 |
| ERWICH | <i>Dickeya chrysanthemi</i> | | (Burkholder et al., 1953) Samson et al., 2005 |
| ERWICH | | <i>Erwinia carotovora</i> f.sp. <i>parthenii</i> | Starr |
| ERWICH | | <i>Erwinia carotovora</i> f.sp. <i>zeae</i> | Sabet |
| ERWICH | | <i>Erwinia carotovora</i> var. <i>chrysanthemi</i> | (Burkholder et al., 1953) Dye |
| ERWICH | | <i>Erwinia chrysanthemi</i> | Burkholder et al., 1953 |
| ERWICH | | <i>Erwinia chrysanthemi</i> | (Burkholder et al., 1953) Young et al., 1978 |
| ERWICH | | <i>Erwinia dieffenbachiae</i> | MacFadden |
| ERWICH | | <i>Erwinia maydis</i> | Starr |
| ERWICH | | <i>Erwinia paradisiaca</i> | Fernandez y Lopez |
| ERWICH | | <i>Pectobacterium carotovorum</i> f. sp. <i>chrysanthemi</i> | (Burkholder et al., 1953) Dowson |
| ERWICH | | <i>Pectobacterium carotovorum</i> var. <i>chrysanthemi</i> | (Burkholder et al., 1953) Graham y Dowson |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------|---|--|
| ERWICH | | <i>Pectobacterium carotovorum</i> var. <i>graminorum</i> | Dowson y Hayward |
| ERWICH | | <i>Pectobacterium chrysanthemi</i> | (Burkholder et al., 1953) Brenner et al., 1973 |
| ERWICH | | <i>Pectobacterium chrysanthemi</i> pv. <i>zeae</i> | (Sabet) Brenner et al. |
| ERWICH | | <i>Pectobacterium parthenii-dianthicola</i> | Hellmers |
| ERWICD | <i>Dickeya dianthicola</i> | | Samson et al., 2005 |
| ERWICD | | <i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> | (Hellmers, 1958) Dickey, 1979 |
| ERWICD | | <i>Erwinia carotovora</i> f.sp. <i>dianthicola</i> | (Hellmers, 1958) Bakker, 1957 |
| ERWICD | | <i>Erwinia carotovora</i> f.sp. <i>parthenii</i> | (Jones, 1901) Starr |
| ERWICD | | <i>Erwinia carotovora</i> subsp. <i>chrysanthemi</i> | (Burkholder et al., 1953) Dye, 1969 |
| ERWICD | | <i>Erwinia chrysanthemi</i> pv. <i>dianthi</i> | Alivizatos, 1979 |
| ERWICD | | <i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> | (Hellmers, 1958) Dickey, 1979 |
| ERWICD | | <i>Erwinia parthenii</i> var. <i>dianthicola</i> | (Hellmers, 1958) Bakker y Scholten, 1961 |
| ERWICD | | <i>Pectobacterium chrysanthemi</i> | (Burkholder et al., 1953) Brennor et al., 1973 |
| ERWICD | | <i>Pectobacterium chrysanthemi</i> pv. <i>dianthicola</i> | (Hellmers, 1958) Young et al., 2004 |
| ERWICD | | <i>Pectobacterium parthenii</i> var. <i>dianthicola</i> | Hellmers, 1958 |
| ERWIPA | <i>Dickeya paradisiaca</i> | | (Fernandez y Lopez, 1970) Samson et al., 2005 |
| ERWIPA | | <i>Brenneria paradisiaca</i> | (Fernandez y Lopez, 1970) Hauben et al., 1999 |
| ERWIPA | | <i>Erwinia carotovora</i> var. <i>paradisiaca</i> | Victoria y Barros, 1969 |
| ERWIPA | | <i>Erwinia chrysanthemi</i> pv. <i>paradisiaca</i> | (Victoria y Barros, 1969) Dickey y Victoria, 1980 |
| ERWIPA | | <i>Erwinia musae</i> | Warren, 1972 |
| ERWIPA | | <i>Erwinia paradisiaca</i> | Fernandez y Lopez, 1970 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|--|
| ERWIPA | | <i>Erwinia paradisiaca</i> | (Victoria y Barros, 1969) Fernandez y Lopez, 1970 |
| ERWIZE | <i>Dickeya zaeae</i> | | Samson et al., 2005 |
| ERWIZE | | <i>Erwinia chrysanthemi pv. zaeae</i> | (Sabet, 1954) Victoria et al., 1975 |
| ERWIZE | | <i>Bacterium carotovorum f.sp. zaeae</i> | Sabet, 1954 |
| ERWIZE | | <i>Erwinia carotovora</i> | (Jones, 1901) Bergey et al., 1923 |
| ERWIZE | | <i>Erwinia carotovora f.sp. zaeae</i> | Sabet, 1954 |
| ERWIZE | | <i>Erwinia chrysanthemi corn pathotype</i> | Dye, 1969 |
| ERWIZE | | <i>Erwinia maydis</i> | Kelman et al., 1957 |
| ERWIZE | | <i>Pectobacterium carotovorum f.sp. zaeae</i> | (Sabet, 1901) Dowson, 1957 |
| ERWIZE | | <i>Pectobacterium carotovorum var. graminarum</i> | Dowson y Hayward, 1960 |
| ERWIZE | | <i>Pectobacterium chrysanthemi pv. zaeae</i> | Kelman, 1974 |
| ERWIC1 | <i>Erwinia chrysanthemi pv. chrysanthemi</i> | | (Burkholder et al., 1953) Dye, 1969 |
| ERWIC1 | | <i>Erwinia carotovora subsp. chrysanthemi</i> | (Burkholder et al., 1953) Dye, 1969 |
| ERWIC1 | | <i>Pectobacterium carotovorum f.sp. chrysanthemi</i> | (Burkholder et al., 1953) Dowson, 1957 |
| ERWIC1 | | <i>Pectobacterium carotovorum var. chrysanthemi</i> | (Burkholder et al., 1953) Graham y Dowson, 1960 |
| ERWIC1 | | <i>Pectobacterium chrysanthemi</i> | (Burkholder et al., 1953) Brenner et al., 1973 |
| ERWIC1 | | <i>Pectobacterium parthenii</i> | (Starr) Hellmers |
| ERWIC1 | | <i>Pectobacterium parthenii var. dianthicola</i> | Hellmers, 1958 |
| ERWIHG | <i>Erwinia herbicola pv. gypsophilae</i> | | (Brown, 1934) Miller et al., 1981 |
| ERWIHG | | <i>Erwinia herbicola f.sp. gypsophilae</i> | (Brown, 1934) Miller et al., 1981 |
| ERWIHG | | <i>Agrobacterium gypsophilae</i> | (Brown, 1934) Starr y Weiss, 1943 |
| ERWIHG | | <i>Bacterium gypsophilae</i> | Brown, 1934 |
| ERWIHG | | <i>Phytomonas gypsophilae</i> | (Brown, 1934) Magrou, 1937 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|--|--|
| ERWIHG | | <i>Pseudomonas gypsophilae</i> | (Brown, 1934) Stapp, 1935 |
| ERWIHG | | <i>Xanthomonas gypsophilae</i> | |
| ERWITR | <i>Erwinia tracheiphila</i> | | (Smith, 1895) |
| ERWITR | | <i>Erwinia amylovora var. tracheiphila</i> | (Smith, 1895) Dye, 1968 |
| ERWITR | | <i>Bacillus tracheiphilus</i> | Smith, 1895 |
| ERWITR | | <i>Bacillus tracheiphilus f.sp. cucumis</i> | |
| ERWITR | | <i>Bacterium tracheiphilum</i> | (Smith, 1895) Chester, 1897 |
| CLABXY | <i>Leifsonia xyli subsp. xyli</i> | | (Davis et al., 1984) Evtushenko et al., 2000 |
| CLABXY | | <i>Clavibacter xyli subsp. xyli</i> | Davis et al., 1984 |
| CLABXY | | <i>Clavibacter xyli</i> | Davis et al., 1984 |
| ERWIST | <i>Pantoea stewartii</i> | | (Smith, 1898) Mergaert et al., 1993 |
| ERWIST | | <i>Erwinia stewartii</i> | (Smith, 1898) Dye, 1963 |
| ERWIST | | <i>Pantoea stewartii subsp. stewartii</i> | (Smith, 1898) Mergaert et al., 1993 |
| ERWIST | | <i>Xanthomonas stewartii</i> | (Smith, 1898) Dowson, 1939 |
| ERWIST | | <i>Aplanobacter stewartii</i> | (Smith, 1898) McCulloch, 1918 |
| ERWIST | | <i>Bacillus stewartii</i> | (Smith, 1898) Holland, 1920 |
| ERWIST | | <i>Bacterium stewartii</i> | (Smith, 1898) Smith, 1905 |
| ERWIST | | <i>Phytomonas stewartii</i> | (Smith, 1898) Bergey et al., 1923 |
| ERWIST | | <i>Pseudobacterium stewartii</i> | (Smith, 1898) Krasil'nikov, 1949 |
| ERWIST | | <i>Pseudomonas stewartii</i> | Smith, 1898 |
| ERWIAT | <i>Pectobacterium atrosepticum</i> | | (van Hall, 1902) Gardan et al., 2003 |
| ERWIAT | | <i>Erwinia carotovora pv. atroseptica</i> | (van Hall, 1902) Dye, 1978 |
| ERWIAT | | <i>Erwinia carotovora subsp. atroseptica</i> | (van Hall, 1902) Dye, 1969 |
| ERWIAT | | <i>Erwinia carotovora var. atroseptica</i> | (van Hall, 1902) Dye, 1969 |
| ERWIAT | | <i>Erwinia atroseptica</i> | (van Hall, 1902) Jennison, 1923 |
| ERWIAT | | <i>Bacillus phytophthora</i> | Appel, 1902 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| ERWIAT | | <i>Pectobacterium carotovorum</i> var. <i>atrosepticum</i> | (van Hall, 1902) Graham y Dowson, 1960 |
| ERWIAT | | <i>Erwinia phytophthora</i> | (Appel, 1902) Bergey et al., 1934 |
| ERWIAT | | <i>Pectobacterium phytophthorum</i> | (Appel, 1902) Waldee, 1945 |
| ERWIAT | | <i>Bacterium carotovorum</i> | (Jones) Lehmann y Neumann/Burgwitz |
| ERWIAT | | <i>Erwinia carotovora</i> | (Jones) Holl./Berg. |
| ERWIAT | | <i>Erwinia dahliae</i> | (Hori y Bokura) Magrou |
| ERWIAT | | <i>Erwinia melonis</i> | (Giddings) Bergey et al. |
| ERWIAT | | <i>Pectobacterium carotovorum</i> | (Jones) Waldee |
| ERWIAT | | <i>Pectobacterium carotovorum</i> var. <i>carotovorum</i> | |
| ERWIAT | | <i>Bacterium phytophthorum</i> | (Appel, 1902) Lehmann y Neumann, 1927 |
| ERWIAT | | <i>Bacterium melanogenum</i> | |
| ERWIAT | | <i>Bacterium carotovorum</i> var. <i>atrosepticum</i> | (van Hall, 1902) Hellmers y Dowson, 1953 |
| ERWIAT | | <i>Bacterium atrosepticum</i> | (van Hall, 1902) Lehmann y Neumann, 1927 |
| ERWIAT | | <i>Bacillus melanogenes</i> | Pethybridge y Murphy, 1911 |
| ERWIAT | | <i>Bacillus atrosepticus</i> | |
| ERWIAT | | <i>Erwinia papayaee</i> | |
| ERWIAT | | <i>Erwinia caricae</i> | |
| ERWICG | <i>Pectobacterium</i> <i>carnegieanum</i> | | (Standring, 1942) Brenner et al., 1973 |
| ERWICG | | <i>Erwinia carnegieana</i> | Standring, 1942 |
| ERWICA | <i>Pectobacterium</i> <i>carotovorum</i> subsp. <i>carotovorum</i> | | (Jones, 1901) Hauben et al., 1999 |
| ERWICA | | <i>Erwinia carotovora</i> subsp. <i>carotovora</i> | (Jones, 1901) Bergey et al., 1923 |
| ERWICA | | <i>Aplanobacter cepivorus</i> | (Delacroix, 1906) Elliot, 1930 |
| ERWICA | | <i>Bacillus alliariae</i> | Omori, 1896 |
| ERWICA | | <i>Bacillus apii</i> | (Brizi, 1897) Migula, 1900 |
| ERWICA | | <i>Bacillus apiovorus</i> | Walmauld, 1914 |
| ERWICA | | <i>Bacillus aroideae</i> | Townsend, 1904 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---|
| ERWICA | | <i>Bacillus betivorus</i> | Takimoto, 1931 |
| ERWICA | | <i>Bacillus carotovorus</i> | Jones, 1901 |
| ERWICA | | <i>Bacillus carotovorus var. konjac</i> | |
| ERWICA | | <i>Bacillus cepivorus</i> | Delacroix, 1906 |
| ERWICA | | <i>Bacillus croci</i> | Mizusawa, 1923 |
| ERWICA | | <i>Bacillus dahliae</i> | (Hori y Bokura) Hori, 1911 |
| ERWICA | | <i>Bacillus hyacinthi</i> | Migula, 1900 |
| ERWICA | | <i>Bacillus hyacinthi septicus</i> | Heinz, 1889 |
| ERWICA | | <i>Bacillus melonis</i> | Giddings, 1910 |
| ERWICA | | <i>Bacillus oleraceae</i> | Harrison, 1904 |
| ERWICA | | <i>Bacillus omnivorus</i> | van Hall, 1902 |
| ERWICA | | <i>Bacillus papaveris</i> | Ayyar, 1927 |
| ERWICA | | <i>Bacillus solanisaprus</i> | Harrison, 1907 |
| ERWICA | | <i>Bacterium alliariae</i> | (Omori, 1896) Krasil'nikov, 1949 |
| ERWICA | | <i>Bacterium apii</i> | Brizi, 1897 |
| ERWICA | | <i>Bacterium apiovorum</i> | (Walmael, 1914) Burgvits, 1935 |
| ERWICA | | <i>Bacterium aroideae</i> | (Townsend, 1904) Stapp, 1928 |
| ERWICA | | <i>Bacterium betivorum</i> | (Takimoto, 1931) Burgvits, 1935 |
| ERWICA | | <i>Bacterium carotovorum</i> | (Jones, 1901) Lehmann y Neumann, 1927 |
| ERWICA | | <i>Bacterium carotovorum var. aroideae</i> | (Townsend, 1904) Heellmers y Dowson, 1953 |
| ERWICA | | <i>Bacterium cepae</i> | Passalacqua, 1930 |
| ERWICA | | <i>Bacterium cepivorum</i> | (Delacroix, 1906) Stapp, 1928 |
| ERWICA | | <i>Bacterium croci</i> | (Mizusawa, 1923) Burgvits, 1935 |
| ERWICA | | <i>Bacterium dahliae</i> | (Hori y Bokura) Burgvits, 1935 |
| ERWICA | | <i>Bacterium destructans</i> | (Potter, 1899) Nakata et al. |
| ERWICA | | <i>Bacterium hyacinthi septicum</i> | (Heinz, 1889) Chester, 1897 |
| ERWICA | | <i>Bacterium melonis</i> | (Giddings, 1910) Lehmann y Neumann, 1927 |
| ERWICA | | <i>Bacterium nadsonii</i> | (Lobik) Burgvits, 1935 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | |
|--------|---|--|
| ERWICA | <i>Bacterium oleraceae</i> | (Harrison, 1904) Burgvits, 1935 |
| ERWICA | <i>Bacterium omnivorum</i> | (van Hall, 1902) Burgvits, 1935 |
| ERWICA | <i>Bacterium papaveris</i> | (Ayyar, 1927) Burgvits, 1935 |
| ERWICA | <i>Bacterium solanisaprum</i> | (Harrison, 1904) Lehmann y Neumann, 1927 |
| ERWICA | <i>Chromobacterium cytolyticum</i> | (Chester, 1938) Krasil'nikov, 1949 |
| ERWICA | <i>Chromobacterium papaveris</i> | (Ayyar, 1927) Krasil'notthoff, 1914 |
| ERWICA | <i>Erwinia alliariae</i> | (Omori, 1896) Magrou, 1937 |
| ERWICA | <i>Erwinia aroideae</i> | (Townsend, 1904) Bergey et al., 1923 |
| ERWICA | <i>Erwinia betivora</i> | (Takimoto, 1931) Magrou, 1937 |
| ERWICA | <i>Erwinia carotovora f.sp. carotovora</i> | |
| ERWICA | <i>Erwinia carotovora pv. carotovora</i> | (Jones, 1901) Bergey et al., 1923 |
| ERWICA | <i>Erwinia carotovora subsp. carotovora</i> | (Jones, 1901) Bergey et al., 1923 |
| ERWICA | <i>Erwinia carotovora var. aroideae</i> | Volcani, 1959 |
| ERWICA | <i>Erwinia carotovora var. carotovora</i> | |
| ERWICA | <i>Erwinia carotovora var. konjac</i> | Nakata, 1934 |
| ERWICA | <i>Erwinia cepivora</i> | (Delacroix, 1906) Oishi, 1953 |
| ERWICA | <i>Erwinia croci</i> | (Mizusawa, 1923) Magrou, 1937 |
| ERWICA | <i>Erwinia cytolytica</i> | Chester, 1938 |
| ERWICA | <i>Erwinia dahliae</i> | |
| ERWICA | <i>Erwinia destructans</i> | (Potter, 1899) Oishi, 1953 |
| ERWICA | <i>Erwinia hyacinthi septica</i> | (Heinz, 1889) Magrou, 1937 |
| ERWICA | <i>Erwinia melonis</i> | (Giddings, 1910) Bergey et al., 1923 |
| ERWICA | <i>Erwinia oleraceae</i> | (Harrison, 1904) Bergey et al., 1923 |
| ERWICA | <i>Erwinia papaveris</i> | (Ayyar, 1927) Magrou, 1937 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|--|---|
| ERWICA | | <i>Erwinia solanisapra</i> | (Harrison, 1904) Bergey et al., 1923 |
| ERWICA | | <i>Pectobacterium aroideae</i> | (Townsend, 1904) Waldee, 1945 |
| ERWICA | | <i>Pectobacterium betivorum</i> | (Takimoto, 1931) Patel y Kulkarni, 1951 |
| ERWICA | | <i>Pectobacterium carotovorum</i> | (Jones, 1901) Waldee, 1945 |
| ERWICA | | <i>Pectobacterium carotovorum f.sp. aroideae</i> | |
| ERWICA | | <i>Pectobacterium carotovorum var. aroideae</i> | (Townsend, 1904) Dowson, 1957 |
| ERWICA | | <i>Pectobacterium cytolyticum</i> | (Chester, 1938) Patel y Kulkarni, 1951 |
| ERWICA | | <i>Pectobacterium delphinii</i> | Waldee, 1945 |
| ERWICA | | <i>Pectobacterium melonis</i> | (Giddings, 1910) Waldee, 1945 |
| ERWICA | | <i>Phytobacterium destructans</i> | (Potter, 1899) Magrou y Prevot, 1948 |
| ERWICA | | <i>Phytomonas cepivora</i> | (Delacroix, 1906) Magrou, 1937 |
| ERWICA | | <i>Phytomonas destructans</i> | (Potter, 1899) Bergey et al., 1930 |
| ERWICA | | <i>Proteus nadsonii</i> | Lobik, 1915 |
| ERWICA | | <i>Pseudomonas destructans</i> | Potter, 1899 |
| ERWICY | <i>Pectobacterium cypripedii</i> | | (Hori, 1911) Brenner et al., 1973 |
| ERWICY | | <i>Erwinia cypripedii</i> | (Hori, 1911) Bergey et al., 1923 |
| ERWICY | | <i>Bacillus cypripedii</i> | Hori, 1911 |
| ERWICY | | <i>Bacterium cypripedii</i> | (Hori, 1911) Burgvits, 1935 |
| ERWICY | | <i>Erwinia carotovora var. cypripedii</i> | (Hori, 1911) Dye, 1969 |
| PSDMCI | <i>Pseudomonas cichorii</i> | | (Swingle, 1925) Stapp, 1928 |
| PSDMCI | | <i>Pseudomonas endiviae</i> | Kotte, 1930 |
| PSDMCI | | <i>Bacterium cichorii</i> | (Swingle, 1925) Elliott, 1930 |
| PSDMCI | | <i>Bacterium endiviae</i> | Kotte, 1930 |
| PSDMCI | | <i>Bacterium formosanum</i> | Okabe, 1935 |
| PSDMCI | | <i>Chlorobacter cichorii</i> | (Swingle, 1925) Patel y Kulkarni, 1951 |
| PSDMCI | | <i>Phytomonas cichorii</i> | Swingle, 1925 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--|--|--|
| PSDMCI | | <i>Phytomonas endiviae</i> | (Kotte, 1930) Clara, 1934 |
| PSDMCI | | <i>Pseudomonas formosanum</i> | (Okabe, 1935) Krasil'nikov, 1949 |
| PSDMCI | | <i>Pseudomonas papaveris</i> | Lelliott y Wallace, 1955 |
| PSDMCI | | <i>Pseudomonas papaveris</i> | (Takimoto) Okabe y Goto, 1955 |
| PSDMFL | <i>Pseudomonas fluorescens</i> | | (Trevisan, 1889) Migula, 1895 |
| PSDMFL | | <i>Bacillus fluorescens</i> | Trevisan, 1889 |
| PSDMFL | | <i>Bacillus caulinivorus</i> | Prillieux y Delacroix, 1890 |
| PSDMFL | | <i>Bacillus fluorescens liquefaciens</i> | |
| PSDMFL | | <i>Bacterium fluorescens</i> | (Trevisan, 1889) Lehman y Neumann, 1896 |
| PSDMFL | | <i>Pseudomonas caulinivora</i> | (Prillieux y Delacroix, 1890) Krasil'nikov, 1942 |
| PSDMMS | <i>Pseudomonas marginalis</i> pv. <i>marginalis</i> | | (Brown, 1918) Stevens, 1925 |
| PSDMMS | | <i>Bacterium marginale</i> | Brown, 1918 |
| PSDMMS | | <i>Bacterium intybi</i> | (Swingle, 1925) Elliott, 1930 |
| PSDMMS | | <i>Chlorobacter intybi</i> | (Swingle, 1925) Patel y Kulkarni, 1951 |
| PSDMMS | | <i>Chlorobacter marginale</i> | (Brown, 1918) Patel y Kulkarni, 1951 |
| PSDMMS | | <i>Phytomonas intybi</i> | Swingle, 1925 |
| PSDMMS | | <i>Phytomonas marginalis</i> | (Brown, 1918) Bergey et al., 1923 |
| PSDMMS | | <i>Phytomonas marginale</i> | (Brown, 1918) Bergey et al., 1923 |
| PSDMMS | | <i>Pseudomonas intybi</i> | (Swingle, 1925) Stapp, 1928 |
| PSDMGL | <i>Pseudomonas savastanoi</i> pv. <i>glycinea</i> | | (Coerper, 1919) Gardan et al., 1992 |
| PSDMGL | | <i>Pseudomonas glycinea</i> | Coerper, 1919 |
| PSDMGL | | <i>Pseudomonas glycinea</i> var. <i>japonica</i> | (Takimoto) Magrou, 1937 |
| PSDMGL | | <i>Pseudomonas syringae</i> pv. <i>glycinea</i> | (Coerper, 1919) Young et al., 1978 |
| PSDMSA | <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> | | (ex Smith, 1908) Gardan et al., 1992 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--|---|--|
| PSDMSA | | <i>Pseudomonas savastanoi</i> | Smith y Petri, 1908 |
| PSDMSA | | <i>Pseudomonas syringae pv. Savastanoi</i> | (Smith, 1908) Young et al., 1978 |
| PSDMSA | | <i>Pseudomonas syringae subsp. Savastanoi</i> | (ex Smith, 1908) Janse, 1982 |
| PSDMSA | | <i>Agrobacterium savastanoi</i> | (Smith, 1908) Starr y Weiss, 1943 |
| PSDMSA | | <i>Agrobacterium tonellianum</i> | (Ferraris, 1926) Starr y Weiss, 1943 |
| PSDMSA | | <i>Bacterium savastanoi</i> | Smith, 1908 |
| PSDMSA | | <i>Bacterium tonellianum</i> | Ferraris, 1926 |
| PSDMSA | | <i>Phytomonas savastanoi</i> | (Smith, 1908) Bergey et al., 1923 |
| PSDMSA | | <i>Phytomonas tonelliana</i> | (Ferraris, 1926) Adam y Pugsley, 1934 |
| PSDMSA | | <i>Pseudomonas oleae</i> | (Arcangeli) Duggar, 1909 |
| PSDMSA | | <i>Pseudomonas syringae subsp. savastanoi</i> <i>pv. Oleae</i> | Janse, 1981 |
| PSDMSA | | <i>Pseudomonas tonelliana</i> | (Ferraris, 1926) Burkholder, 1948 |
| PSDMPT | <i>Pseudomonas syringae</i> <i>pv.</i> <i>aptata</i> | | (Brown y Jamieson, 1913) Young et al., 1978 |
| PSDMPT | | <i>Pseudomonas aptata</i> | (Brown y Jamieson, 1913) Stevens, 1925 |
| PSDMPT | | <i>Bacterium aptatum</i> | Brown y Jamieson 1913 |
| PSDMPT | | <i>Chlorobacter aptatus</i> | (Brown y Jamieson, 1913) Patel y Kulkarni, 1951 |
| PSDMPT | | <i>Phytomonas aptata</i> | (Brown y Jamieson, 1913) Bergey et al., 1923 |
| PSDMAT | <i>Pseudomonas syringae</i> <i>pv.</i> <i>atrofaciens</i> | | (McCulloch, 1920) Young et al., 1978 |
| PSDMAT | | <i>Pseudomonas atrofaciens</i> | (McCulloch, 1920) Stevens |
| PSDMAT | | <i>Bacterium atrofaciens</i> | McCulloch, 1920 |
| PSDMAT | | <i>Phytomonas atrofaciens</i> | (McCulloch, 1920) Bergey et al., 1923 |
| PSDMDE | <i>Pseudomonas syringae</i> <i>pv.</i> <i>delphinii</i> | | (Smith, 1904) Young et al., 1978 |
| PSDMDE | | <i>Pseudomonas delphinii</i> | (Smith, 1904) Stapp, 1928 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| PSDMDE | | <i>Bacillus delphinii</i> | Smith, 1904 |
| PSDMDE | | <i>Bacterium delphinii</i> | (Smith, 1904) Bryan, 1924 |
| PSDMDE | | <i>Chlorobacter delphinii</i> | (Smith, 1904) Patel y Kulkarni, 1951 |
| PSDMDE | | <i>Phytomonas delphinii</i> | (Smith, 1904) Bergey et al., 1930 |
| PSDMGC | <i>Pseudomonas syringae</i> pv. <i>garcae</i> | | (Amaral et al., 1956) Young et al., 1978 |
| PSDMGC | | <i>Pseudomonas garcae</i> | Amaral et al., 1956 |
| PSDMLA | <i>Pseudomonas syringae</i> pv. <i>lachrymans</i> | | (Smith y Bryan, 1915) Young et al., 1978 |
| PSDMLA | | <i>Pseudomonas lachrymans</i> | (Smith y Bryan, 1915) Carsner, 1918 |
| PSDMLA | | <i>Bacillus lachrymans</i> | (Smith y Bryan, 1915) Holland, 1920 |
| PSDMLA | | <i>Bacterium burgeri</i> | (Potebnja) Burgvits, 1935 |
| PSDMLA | | <i>Bacterium lachrymans</i> | Smith y Bryan, 1915 |
| PSDMLA | | <i>Chlorobacter lachrymans</i> | (Smith y Bryan, 1915) Patel y Kulkarni, 1951 |
| PSDMLA | | <i>Phytomonas lachrymans</i> | (Smith y Bryan, 1915) Bergey et al., 1923 |
| PSDMLA | | <i>Pseudomonas burgeri</i> | (Potebnja) Korobko y Nikiforuk, 1972 |
| PSDMLA | | <i>Pseudomonas lachrymans</i> f. <i>cucumis</i> | Gorlenko, 1961 |
| PSDMMC | <i>Pseudomonas syringae</i> pv. <i>maculicola</i> | | (McCulloch, 1911) Young et al., 1978 |
| PSDMMC | | <i>Pseudomonas maculicola</i> | (McCulloch, 1911) Stevens, 1913 |
| PSDMMC | | <i>Bacterium macullochianum</i> | Burgvits, 1935 |
| PSDMMC | | <i>Bacterium maculicola</i> | McCulloch, 1911 |
| PSDMMC | | <i>Bacterium maculicola</i> var. <i>japonicum</i> | Takimoto, 1931 |
| PSDMMC | | <i>Phytomonas maculicola</i> | (McCulloch, 1911) Bergey et al., 1923 |
| PSDMMP | <i>Pseudomonas syringae</i> pv. <i>morsprunorum</i> | | (Wormald, 1931) Young et al., 1978 |
| PSDMMP | | <i>Pseudomonas mors-prunorum</i> | Wormald, 1931 |
| PSDMMP | | <i>Agrobacterium mors-prunorum</i> | (Wormald, 1931) Savulescu, 1947 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---------------------------------|--|
| PSDMMP | | <i>Bacterium mors-prunorum</i> | (Wormald, 1931) Wormald, 1932 |
| PSDMMP | | <i>Phytomonas mors-prunorum</i> | (Wormald, 1931) Wormald, 1932 |
| PSDMPR | <i>Pseudomonas syringae</i> pv. <i>primulae</i> | | (Ark y Gardner, 1936) Young et al., 1978 |
| PSDMPR | | <i>Pseudomonas primulae</i> | (Ark y Gardner, 1936) Starr y Burkholder, 1942 |
| PSDMPR | | <i>Chlorobacter primulae</i> | (Ark y Gardner, 1936) Patel y Kulkarni, 1951 |
| PSDMPR | | <i>Phytomonas primulae</i> | Ark y Gardner, 1936 |
| PSDMSS | <i>Pseudomonas syringae</i> pv. <i>sesami</i> | | (Malkoff, 1906) Young et al., 1978 |
| PSDMSS | | <i>Pseudomonas sesami</i> | Malkoff, 1906 |
| PSDMSS | | <i>Bacterium sesami</i> | (Malkoff, 1906) Nakata, 1927 |
| PSDMSS | | <i>Bacterium sesamicola</i> | Takimoto, 1927 |
| PSDMSS | | <i>Chlorobacter sesami</i> | (Malkoff, 1906) Patel y Kulkarni, 1951 |
| PSDMSS | | <i>Phytomonas sesami</i> | (Malkoff, 1906) Kovachevski, 1930 |
| PSDMSS | | <i>Phytomonas sesamicola</i> | (Takimoto, 1927) Magrou, 1937 |
| PSDMSY | <i>Pseudomonas syringae</i> pv. <i>syringae</i> | | van Hall, 1902 |
| PSDMSY | | <i>Pseudomonas syringae</i> | van Hall, 1902 |
| PSDMSY | | <i>Bacillus cerasi</i> | (Griffin, 1911) Holland, 1920 |
| PSDMSY | | <i>Bacillus gummis</i> | (Comes, 1884) Trevisan, 1889 |
| PSDMSY | | <i>Bacillus matthiolae</i> | (Briosi y Pavarino, 1912) Stapp, 1928 |
| PSDMSY | | <i>Bacillus spongiosus</i> | Aderhold y Ruhland, 1905 |
| PSDMSY | | <i>Bacterium cerasi</i> | (Griffin, 1911) Elliott, 1930 |
| PSDMSY | | <i>Bacterium citrarefaciens</i> | Lee, 1917 |
| PSDMSY | | <i>Bacterium citriputeale</i> | Smith 1913 |
| PSDMSY | | <i>Bacterium gummis</i> | Comes, 1884 |
| PSDMSY | | <i>Bacterium hibisci</i> | Nakada y Takimoto, 1923 |
| PSDMSY | | <i>Bacterium holci</i> | Kendrick, 1926 |
| PSDMSY | | <i>Bacterium matthiolae</i> | Briosi y Pavarino, 1912 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| PSDMSY | | <i>Bacterium nectarophilum</i> | Dodge, 1917 |
| PSDMSY | | <i>Bacterium prunicola</i> | (Wormald, 1930) Burgvitz, 1935 |
| PSDMSY | | <i>Bacterium rimaefaciens</i> | (Koning, 1938) Dowson, 1939 |
| PSDMSY | | <i>Bacterium spongiosum</i> | (Aderhold y Ruhland, 1905) Elliott, 1930 |
| PSDMSY | | <i>Bacterium syringae</i> | (van Hall, 1902) Smith 1905 |
| PSDMSY | | <i>Bacterium trifoliorum</i> | Jones et al., 1923 |
| PSDMSY | | <i>Bacterium utiformica</i> | (Clara, 1932) Burgvits, 1935 |
| PSDMSY | | <i>Bacterium vignae</i> | Gardner y Kendrick, 1923 |
| PSDMSY | | <i>Bacterium vignae var. leguminophilum</i> | (Burkholder, 1930) Burgvits, 1935 |
| PSDMSY | | <i>Bacterium viridifaciens</i> | Tisdale y Williams, 1923 |
| PSDMSY | | <i>Chlorobacter syringae</i> | (van Hall, 1902) Patel y Kulkarni, 1951 |
| PSDMSY | | <i>Phytomonas cerasi</i> | (Griffin, 1911) Bergey et al., 1930 |
| PSDMSY | | <i>Phytomonas cerasi var. prunicola</i> | (Wilson, 1933) Burkholder, 1939 |
| PSDMSY | | <i>Phytomonas citrarefaciens</i> | (Lee, 1917) Bergey et al., 1923 |
| PSDMSY | | <i>Phytomonas citriputealis</i> | (Smith, 1913) Bergey et al., 1930 |
| PSDMSY | | <i>Phytomonas hibisci</i> | (Nakada y Takamoto, 1923) Bergey et al., 1930 |
| PSDMSY | | <i>Phytomonas holci</i> | (Kendrick, 1926) Bergey et al., 1930 |
| PSDMSY | | <i>Phytomonas matthiolae</i> | (Briosi y Pavarino, 1912) Bergey et al., 1930 |
| PSDMSY | | <i>Phytomonas nectarophila</i> | (Dodge, 1917) Bergey et al., 1930 |
| PSDMSY | | <i>Phytomonas prunicola</i> | Wormald, 1930 |
| PSDMSY | | <i>Phytomonas rimaefaciens</i> | (Koning, 1938) Dowson, 1943 |
| PSDMSY | | <i>Phytomonas spongiosa</i> | (Aderhold y Ruhland, 1905) Magrou, 1937 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|--|
| PSDMSY | | <i>Phytomonas syringae</i> | (van Hall, 1902) Bergey et al., 1930 |
| PSDMSY | | <i>Phytomonas trifoliorum</i> | (Jones et al., 1923) Burkholder, 1926 |
| PSDMSY | | <i>Phytomonas utiformica</i> | (Clara, 1932) Clara, 1934 |
| PSDMSY | | <i>Phytomonas vignae</i> | (Gardner y Kendrick, 1923) Bergey et al. 1923 |
| PSDMSY | | <i>Phytomonas vignae var. leguminophila</i> | Burkholder, 1930 |
| PSDMSY | | <i>Phytomonas viridifaciens</i> | (Tisdale y Williams, 1923) Bergey et al., 1925 |
| PSDMSY | | <i>Pseudomonas cerasi</i> | Griffin, 1911 |
| PSDMSY | | <i>Pseudomonas cerasi var. prunicola</i> | Wilson, 1933 |
| PSDMSY | | <i>Pseudomonas citrarefaciens</i> | (Lee, 1917) Stevens, 1925 |
| PSDMSY | | <i>Pseudomonas citriputealis</i> | (Smith, 1913) Stevens, 1925 |
| PSDMSY | | <i>Pseudomonas hibisci</i> | (Nakada y Takimoto, 1923) Stapp, 1928 |
| PSDMSY | | <i>Pseudomonas holci</i> | Kendrick, 1926 |
| PSDMSY | | <i>Pseudomonas matthiolae</i> | (Briosi y Pavarino, 1912) Dowson, 1943 |
| PSDMSY | | <i>Pseudomonas nectarophila</i> | (Dodge, 1917) Clara, 1932 |
| PSDMSY | | <i>Pseudomonas oryzicola</i> | Klement, 1955 |
| PSDMSY | | <i>Pseudomonas prunicola</i> | Wormald, 1930 |
| PSDMSY | | <i>Pseudomonas spongiosa</i> | (Aderhold y Ruhland, 1905) Kolkwitz, 1915 |
| PSDMSY | | <i>Pseudomonas syringae f.sp. prunicola</i> | (Wormald, 1930) Dowson, 1949 |
| PSDMSY | | <i>Pseudomonas syringae pv. japonica</i> | (Mukoo, 1955) Dye et al., 1980 |
| PSDMSY | | <i>Pseudomonas trifoliorum</i> | Jones et al., 1923 |
| PSDMSY | | <i>Pseudomonas utiformica</i> | Clara, 1932 |
| PSDMSY | | <i>Pseudomonas vignae</i> | Gardner y Kendrick, 1923 |
| PSDMSY | | <i>Pseudomonas vignae var. leguminophila</i> | (Burkholder, 1930) Magrou y Prevot, 1948 |
| PSDMSY | | <i>Pseudomonas viridifaciens</i> | Tisdale y Williams, 1923 |
| PSDMSY | | <i>Bacterium cerasi var. prunicola</i> | |
| PSDMSY | | <i>Pseudomonas cerasi f.sp. pyri</i> | |
| PSDMSY | | <i>Pseudomonas cerasi var. pyri</i> | |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--|--|--|
| PSDMTM | <i>Pseudomonas syringae</i> pv. <i>tomato</i> | | (Okabe) Young et al. |
| PSDMTM | | <i>Pseudomonas tomato</i> | (Okabe) Alstatt |
| PSDMTM | | <i>Bacterium tomato</i> | Okabe |
| PSDMVF | <i>Pseudomonas viridiflava</i> | | (Burkholder, 1930) Dowson, 1939 |
| PSDMVF | | <i>Phytomonas viridiflava</i> Burkholder 1930 | Burkholder, 1930 |
| PSDMVF | | <i>Bacterium viridiflavum</i> (Burkholder) Burgvits 1935 | (Burkholder, 1930) Burgvits, 1935 |
| PSDMVF | | <i>Chlorobacter viridiflavus</i> (Burkholder) Patel & Kulkarni 1951 | (Burkholder, 1930) Patel y Kulkarni, 1951 |
| PSDMXA | <i>Pseudomonas xanthochlora</i> | | (Schuster) Stapp, 1928 |
| PSDMXA | | <i>Pseudomonas syringae</i> pv. <i>xanthoclora</i> | |
| PSDMSO | <i>Ralstonia solanacearum</i> | | (Smith, 1896) Yabuuchi et al., 1996 |
| PSDMSO | | <i>Pseudomonas solanacearum</i> | (Smith, 1896) Smith, 1914 |
| PSDMSO | | <i>Bacillus solanacearum</i> | Smith, 1896 |
| PSDMSO | | <i>Bacillus musarum</i> | Zeman, 1921 |
| PSDMSO | | <i>Bacillus nicotianae</i> | Uyeda, 1904 |
| PSDMSO | | <i>Bacillus sesami</i> | Malkoff, 1906 |
| PSDMSO | | <i>Bacillus musae</i> | Rorer, 1911 |
| PSDMSO | | <i>Bacterium solanacearum</i> | (Smith, 1896) Chester, 1897 |
| PSDMSO | | <i>Bacterium solanacearum</i> var. <i>asiatica</i> | (Smith, 1914) Magrou, 1937 |
| PSDMSO | | <i>Bacterium solanacearum</i> var. <i>asiaticum</i> | Smith, 1914 |
| PSDMSO | | <i>Burkholderia solanacearum</i> | (Smith, 1896) Yabuuchi et al., 1992 |
| PSDMSO | | <i>Chromobacterium nicotianae</i> | (Uyeda, 1904) Krasil'nikov, 1949 |
| PSDMSO | | <i>Erwinia nicotianae</i> | (Uyeda, 1904) Bergey et al., 1923 |
| PSDMSO | | <i>Erwinia solanacearum</i> | (Smith, 1896) Holland, 1920 |
| PSDMSO | | <i>Phytobacterium solanacearum</i> | (Smith, 1896) Patel y Kulkarni, 1951 |
| PSDMSO | | <i>Phytomonas ricini</i> | Archibald, 1927 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------------|---|---|
| PSDMSO | | <i>Phytoponas solanacearum</i> | (Smith, 1896) Bergey et al., 1923 |
| PSDMSO | | <i>Phytoponas solanacearum var. asiatica</i> | (Smith, 1914) Stapp, 1928 |
| PSDMSO | | <i>Pseudomonas batatae</i> | Cheng y Faan, 1962 |
| PSDMSO | | <i>Pseudomonas ricini</i> | (Archibald, 1927) Robbs, 1954 |
| PSDMSO | | <i>Pseudomonas solanacearum var. asiatica</i> | (Smith, 1914) Smith, 1928 |
| PSDMSO | | <i>Pseudomonas tectonae</i> | Roldan y Andres, 1953 |
| PSDMSO | | <i>Xanthomonas solanacearum</i> | (Smith, 1896) Dowson, 1943 |
| PSDMSO | | <i>Xanthomonas solanacearum var. asiatica</i> | (Smith, 1914) Elliott, 1951 |
| PSDMS2 | <i>Ralstonia solanacearum raza 2</i> | | (Smith, 1896) Yabuuchi et al., 1996 |
| PSDMS2 | | <i>Pseudomonas solanacearum raza 2</i> | (Smith, 1896) Smith, 1914 |
| PSDMS2 | | <i>Burkholderia solanacearum raza 2</i> | (Smith, 1896) Yabuuchi et al., 1992 |
| PSDMS3 | <i>Ralstonia solanacearum raza 3</i> | | (Smith, 1896) Yabuuchi et al., 1996 |
| PSDMS3 | | <i>Pseudomonas solanacearum raza 3</i> | (Smith, 1896) Smith, 1914 |
| PSDMS3 | | <i>Burkholderia solanacearum raza 3</i> | (Smith, 1896) Yabuuchi et al., 1992 |
| AGRBTU | <i>Rhizobium radiobacter</i> | | (Beijerinck y van Delden, 1902) Young et al., 2001 |
| AGRBTU | | <i>Agrobacterium tumefaciens</i> | (Smith y Townsend, 1907) Conn, 1942 |
| AGRBTU | | <i>Agrobacterium radiobacter</i> | (Beijerinck y van Delden, 1902) Conn, 1942 |
| AGRBTU | | <i>Agrobacterium radiobacter subsp. tumefaciens</i> | (Smith y Townsend, 1907) De Ley et al., 1966 |
| AGRBTU | | <i>Bacillus ampelopsorae</i> | De Toni y Trevisan, 1889 |
| AGRBTU | | <i>Bacillus radiobacter</i> | Beijerinck y van Delden, 1902 |
| AGRBTU | | <i>Bacillus tumefaciens</i> | (Smith y Townsend, 1907) Holland, 1920 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------|--|---|
| AGRBTU | | <i>Bacterium radiobacter</i> | (Beijerinck y van Delden, 1907) Lohnis, 1904 |
| AGRBTU | | <i>Bacterium tumefaciens</i> | Smith y Townsend, 1907 |
| AGRBTU | | <i>Phytomonas tumefaciens</i> | (Smith y Townsend, 1907) Berkeley et al., 1923 |
| AGRBTU | | <i>Polymonas tumefaciens</i> | (Smith y Townsend, 1907) Lieske, 1928 |
| AGRBTU | | <i>Pseudomonas radiobacter</i> | (Beijerinck y van Delden, 1902) Krasil'nikov, 1949 |
| AGRBTU | | <i>Pseudomonas tumefaciens</i> | (Smith y Townsend, 1907) Duggar, 1909 |
| AGRBTU | | <i>Rhizobium radiobacter</i> | (Beijerinck y van Delden, 1902) Pribram, 1933 |
| AGRBTU | | <i>Agrobacterium tumefaciens biotype 1</i> | |
| AGRBTU | | <i>Agrobacterium tumefaciens biovar 1</i> | |
| AGRBTU | | <i>Agrobacterium sp. biovar 1</i> | |
| AGRBRH | <i>Rhizobium rhizogenes</i> | | (Riker et al., 1930) Young et al., 2001 |
| AGRBRH | | <i>Agrobacterium rhizogenes</i> | (Riker et al., 1930) Conn, 1942 |
| AGRBRH | | <i>Bacterium rhizogenes</i> | Riker et al., 1930 |
| AGRBRH | | <i>Erwinia rhizogenes</i> | (Riker et al., 1930) Dowson, 1957 |
| AGRBRH | | <i>Phytomonas rhizogenes</i> | Riker et al., 1930 |
| AGRBRH | | <i>Agrobacterium biovar 2</i> | (Riker et al., 1930) Conn, 1942 |
| AGRBRH | | <i>Agrobacterium radiobacter</i> | (Beijerinck y Van Delden, 1902) Kerr et al., 1978 |
| AGRBRH | | <i>Agrobacterium tumefaciens biovar 2</i> | |
| AGRBRH | | <i>Agrobacterium tumefaciens biotype 2</i> | |
| CORBFA | <i>Rhodococcus fascians</i> | | (Tilford, 1936) Goodfellow, 1984 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|--|
| CORBFA | | <i>Corynebacterium fascians</i> | (Tilford, 1936) Dowson, 1942 |
| CORBFA | | <i>Bacterium fascians</i> | (Tilford, 1936) Lacey, 1939 |
| CORBFA | | <i>Phytomonas fascians</i> | Tilford, 1936 |
| CORBFA | | <i>Pseudobacterium fascians</i> | (Tilford, 1936) Krasil'nikov, 1949 |
| CORBFA | | <i>Rhodococcus rubropertinctus</i> | |
| STRESC | <i>Streptomyces scabiei</i> | | (ex Thaxter, 1892) Lambert y Loria, 1989 |
| STRESC | | <i>Streptomyces scabies</i> | (Thaxter, 1892) Waksman y Henrici, 1948 |
| STRESC | | <i>Streptomyces scabies</i> | (ex Thaxter, 1892) Lambert y Loria, 1989 |
| STRESC | | <i>Oospora scabies</i> | Thaxter, 1892 |
| STRESC | | <i>Actinomyces scabies</i> | (Thaxter, 1892) GQssow, 1914 |
| XANTAB | <i>Xanthomonas albilineans</i> | | (Ashby, 1929) Dowson, 1943 |
| XANTAB | | <i>Agrobacterium albilineans</i> | (Ashby, 1929) Savulescu, 1947 |
| XANTAB | | <i>Bacterium albilineans</i> | Ashby 1929 |
| XANTAB | | <i>Phytomonas albilineans</i> | (Ashby, 1929) Magrou, 1937 |
| XANTAB | | <i>Pseudomonas albilineans</i> | (Ashby, 1929) Krasil'nikov, 1949 |
| XANTAB | | <i>Xanthomonas albilineans var. paspali</i> | Orian, 1962 |
| XANTPR | <i>Xanthomonas arboricola</i> pv. <i>pruni</i> | | (Smith, 1903) Vauterin et al. |
| XANTPR | | <i>Xanthomonas pruni</i> | (Smith, 1903) Dawson |
| XANTPR | | <i>Pseudomonas pruni</i> | Smith, 1903 |
| XANTPR | | <i>Bacillus pruni</i> | (Smith, 1903) Holland, 1920 |
| XANTPR | | <i>Bacterium cerasi wraggi</i> | (Sackett, 1925) Elliott, 1930 |
| XANTPR | | <i>Bacterium pruni</i> | (Smith, 1903) Smith, 1905 |
| XANTPR | | <i>Phytomonas cerasi wraggi</i> | Sackett 1925 |
| XANTPR | | <i>Phytomonas pruni</i> | (Smith, 1903) Bergey et al., 1923 |
| XANTPR | | <i>Pseudomonas cerasi wraggi</i> | Sackett 1925 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| XANTPR | | <i>Xanthomonas campestris</i> pv. <i>pruni</i> | (Smith, 1903) Dye |
| XANTAL | <i>Xanthomonas axonopodis</i> pv. <i>alfalfa</i> | | (Riker et al., 1935) Vauterin et al., 1995 |
| XANTAL | | <i>Xanthomonas alfalfa</i> | (Riker et al., 1935) Do ws on , 1943 |
| XANTAL | | <i>Bacterium alfalfa</i> | Riker et al., 1935 |
| XANTAL | | <i>Phytomonas alfalfa</i> | Riker et al., 1935 |
| XANTAL | | <i>Pseudomonas alfalfa</i> | Riker et al., 1935 |
| XANTAL | | <i>Xanthomonas campestris</i> pv. <i>alfalfa</i> | (Riker et al., 1935) Dye, 1978 |
| XANTAL | | <i>Xanthomonas phaseoli</i> f.sp. <i>alfalfa</i> | (Riker et al., 1935) Sabet, 1959 |
| XANTBE | <i>Xanthomonas axonopodis</i> pv. <i>begoniae</i> | | (Takimoto 1934) Vauterin et al. 1995 |
| XANTBE | | <i>Xanthomonas campestris</i> pv. <i>begoniae</i> | (Takimoto, 1934) Dye, 1978 |
| XANTBE | | <i>Aplanobacter flavabegoniae</i> | (Wieringa, 1935) Hauduroy et al., 1953 |
| XANTBE | | <i>Bacterium begoniae</i> | Takimoto, 1934 |
| XANTBE | | <i>Bacterium flavozonatum</i> | McCulloch, 1937 |
| XANTBE | | <i>Bacterium takimotoi</i> | Okabe, 1949 |
| XANTBE | | <i>Phytomonas begoniae</i> | (Takimoto, 1934) Burkholder, 1939 |
| XANTBE | | <i>Phytomonas flavabegoniae</i> | Wieringa, 1935 |
| XANTBE | | <i>Pseudomonas begoniae</i> | (Takimoto, 1934) Stapp, 1938 |
| XANTBE | | <i>Xanthomonas begoniae</i> | (Takimoto, 1934) Dowson, 1939 |
| XANTBE | | <i>Xanthomonas flavabegoniae</i> | (Wieringa, 1935) Magrou y Prevot, 1948 |
| XANTBE | | <i>Xanthomonas flava-begoniae</i> | (Wieringa, 1935) Magrou y Prevot, 1948 |
| XANTBE | | <i>Xanthomonas flavozonata</i> | (McCulloch, 1937) Dowson, 1939 |
| XANTBE | | <i>Xanthomonas flavozonata</i> | (McCulloch, 1937) Dowson, 1939 |
| XANTCI | <i>Xanthomonas axonopodis</i> pv. <i>citri</i> | | (Hasse, 1915) Vauterin et al., 1995 |
| XANTCI | | <i>Pseudomonas citri</i> | Hasse, 1915 |
| XANTCI | | <i>Bacillus citri</i> | (Hasse, 1915) Holland, 1920 |
| XANTCI | | <i>Bacterium citri</i> | (Hasse, 1915) Dodge, 1916 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|---|
| XANTCI | | <i>Phytomonas citri</i> | (Hasse, 1915) Bergey et al., 1923 |
| XANTCI | | <i>Xanthomonas axonopodis</i> pv. <i>aurantifolii</i> | Vauterin et al., 1995 |
| XANTCI | | <i>Xanthomonas campestris</i> pv. <i>aurantifolii</i> | Gabriel et al., 1989 |
| XANTCI | | <i>Xanthomonas campestris</i> pv. <i>citri</i> | (Hasse, 1915) Dye, 1978 |
| XANTCI | | <i>Xanthomonas citri</i> | (ex Hasse, 1915) Gabriel et al., 1989 |
| XANTCI | | <i>Xanthomonas citri</i> f.sp. <i>aurantifolia</i> | Namekata y Oliveira, 1972 |
| XANTDF | <i>Xanthomonas axonopodis</i> pv. <i>dieffenbachiae</i> | | (McCulloch y Pirone, 1939) Vauterin et al., 1995 |
| XANTDF | | <i>Xanthomonas dieffenbachiae</i> | (McCulloch y Pirone, 1939) Dowson, 1943 |
| XANTDF | | <i>Bacterium dieffenbachiae</i> | McCulloch y Pirone, 1939 |
| XANTDF | | <i>Phytomonas dieffenbachiae</i> | McCulloch y Pirone, 1939 |
| XANTDF | | <i>Xanthomonas campestris</i> pv. <i>dieffenbachiae</i> | (McCulloch y Pirone, 1939) Dye, 1978 |
| XANTDF | | <i>Xanthomonas campestris</i> pv. <i>syngonii</i> | Dickey y Zumoff, 1987 |
| XANTPN | <i>Xanthomonas axonopodis</i> pv. <i>poinsettiicola</i> | | (Patel et al., 1951) Vauterin et al., 1995 |
| XANTPN | | <i>Xanthomonas poinsettiicola</i> | Patel et al., 1951 |
| XANTPN | | <i>Xanthomonas poinsettiae</i> | Patel et al., 1951 |
| XANTPN | | <i>Xanthomonas pulcherrimae</i> | Quimio, 1974 |
| XANTPN | | <i>Xanthomonas ricini</i> f.sp. <i>poinsettiicola</i> | (Patel et al., 1951) Sabet et al. |
| XANTPN | | <i>Xanthomonas campestris</i> pv. <i>poinsettiicola</i> | (Patel et al., 1951) Dye, 1978 |
| XANTVA | <i>Xanthomonas axonopodis</i> pv. <i>vasculorum</i> | | (Cobb, 1893) Vauterin et al., 1995 |
| XANTVA | | <i>Xanthomonas campestris</i> pv. <i>vasculorum</i> | (Cobb, 1893) Dye, 1978 |
| XANTVA | | <i>Xanthomonas vasculorum</i> | (Cobb, 1893) Dowson, 1939 |
| XANTVA | | <i>Bacillus vasculorum</i> | Cobb, 1893 |
| XANTVA | | <i>Bacterium vasculorum</i> | (Cobb, 1893) Migula, 1900 |
| XANTVA | | <i>Phytomonas vasculara</i> | (Cobb, 1893) Bergey |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---------------------------------------|
| XANTVA | | <i>Phytomonas vasculorum</i> | (Cobb, 1893) Bergey et al., 1923 |
| XANTVA | | <i>Pseudomonas vasculorum</i> | (Cobb, 1893) Smith, 1901 |
| XANTCA | <i>Xanthomonas campestris</i> | | (Pammel, 1895) Dowson, 1939 |
| XANTCA | | <i>Bacillus campestris</i> | Pammel, 1895 |
| XANTCA | | <i>Bacterium campestre</i> | (Pammel, 1895) Smith, 1897 |
| XANTCA | | <i>Phytomonas campestris</i> | (Pammel, 1895) Bergey et al., 1923 |
| XANTCA | | <i>Pseudomonas campestris</i> | (Pammel, 1895) Smith |
| XANTAR | <i>Xanthomonas campestris</i> pv. <i>armoraciae</i> | | (McCulloch, 1929) Dye, 1978 |
| XANTAR | | <i>Bacterium campestre</i> var. <i>armoraciae</i> | McCulloch, 1929 |
| XANTAR | | <i>Phytomonas campestris</i> var. <i>armoraciae</i> | (McCulloch, 1929) Bergey et al., 1930 |
| XANTAR | | <i>Pseudomonas campestris</i> var. <i>armoraciae</i> | (McCulloch, 1929) Krasil'nikov, 1949 |
| XANTAR | | <i>Xanthomonas armoraciae</i> | (McCulloch, 1929) Burkholder, 1959 |
| XANTCC | <i>Xanthomonas campestris</i> pv. <i>campestris</i> | | (Pammel, 1895) Dowson, 1939 |
| XANTCC | | <i>Bacillus campestris</i> | Pammel, 1895 |
| XANTCC | | <i>Bacterium campestre</i> | (Pammel, 1895) Smith, 1897 |
| XANTCC | | <i>Phytomonas campestris</i> | (Pammel, 1895) Bergey et al., 1923 |
| XANTCC | | <i>Pseudomonas campestris</i> | (Pammel, 1895) Smith |
| XANTSE | <i>Xanthomonas campestris</i> pv. <i>sesami</i> | | (Sabet y Dowson, 1960) Dye, 1978 |
| XANTSE | | <i>Xanthomonas sesami</i> | Sabet y Dowson, 1960 |
| XANTCU | <i>Xanthomonas cucurbitae</i> | | (Bryan, 1926) Vauterin et al., 1995 |
| XANTCU | | <i>Bacterium cucurbitae</i> | Bryan, 1926 |
| XANTCU | | <i>Phytomonas cucurbitae</i> | (Bryan, 1926) Bergey et al., 1930 |
| XANTCU | | <i>Pseudomonas cucurbitae</i> | (Bryan, 1926) Stapp, 1935 |
| XANTCU | | <i>Xanthomonas cucurbitae</i> | (Bryan, 1926) Dowson, 1939 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|--|
| XANTCU | | <i>Xanthomonas campestris</i> pv. <i>cucurbitae</i> | (Bryan, 1926) Dye, 1978 |
| XANTCR | <i>Xanthomonas hortorum</i> pv. <i>carotae</i> | | (Kendrick, 1934) Vauterin et al., 1995 |
| XANTCR | | <i>Xanthomonas campestris</i> pv. <i>carotae</i> | (Kendrick, 1934) Dye, 1978 |
| XANTCR | | <i>Xanthomonas carotae</i> | (Kendrick, 1934) Dowson, 1939 |
| XANTCR | | <i>Phytomonas carotae</i> | Kendrick, 1934 |
| XANTCR | | <i>Bacterium carotae</i> | (Kendrick, 1934) Burgwitz, 1936 |
| XANTCR | | <i>Pseudomonas carotae</i> | Kendrick, 1935 |
| XANTHE | <i>Xanthomonas hortorum</i> pv. <i>hederae</i> | | (Arnaud, 1920) Vauterin et al., 1995 |
| XANTHE | | <i>Xanthomonas campestris</i> pv. <i>hederae</i> | (Arnaud, 1920) Dye, 1978 |
| XANTHE | | <i>Xanthomonas hederae</i> | (Arnaud, 1920) Dowson, 1939 |
| XANTHE | | <i>Bacterium hederae</i> | Arnaud, 1920 |
| XANTHE | | <i>Phytomonas hederae</i> | (Arnaud, 1920) Burkholder y Guterman, 1932 |
| XANTHE | | <i>Pseudomonas hederae</i> | (Arnaud, 1920) Krasil'nikov, 1949 |
| XANTPE | <i>Xanthomonas hortorum</i> pv. <i>pelargonii</i> | | (Brown, 1923) Vauterin et al., 1995 |
| XANTPE | | <i>Xanthomonas campestris</i> pv. <i>pelargonii</i> | (Brown, 1923) Dye, 1978 |
| XANTPE | | <i>Xanthomonas pelargonii</i> | (Brown, 1923) Starr y Burkholder, 1942 |
| XANTPE | | <i>Bacterium geranii</i> | (Burkholder, 1937) Dowson, 1939 |
| XANTPE | | <i>Bacterium pelargonii</i> | Brown, 1923 |
| XANTPE | | <i>Phytomonas geranii</i> | Burkholder, 1937 |
| XANTPE | | <i>Phytomonas pelargonii</i> | (Brown, 1923) Bergey et al., 1930 |
| XANTPE | | <i>Pseudomonas geranii</i> | (Burkholder, 1937) Krasil'nikov, 1949 |
| XANTPE | | <i>Pseudomonas pelargonii</i> | (Brown, 1923) Stevens, 1925 |
| XANTPE | | <i>Xanthomonas geranii</i> | (Burkholder, 1937) Dowson, 1939 |
| XANTPE | | <i>Xanthomonas sesami</i> | Sabet y Dowson, 1960 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---|
| XANTHY | <i>Xanthomonas hyacinthi</i> | | (Wakker, 1883) Vauterin et al., 1995 |
| XANTHY | | <i>Xanthomonas hyacinthi</i> | (Wakker, 1883) Dowson, 1939 |
| XANTHY | | <i>Xanthomonas campestris</i> pv. <i>hyacinthi</i> | (Wakker, 1883) Dye, 1978 |
| XANTHY | | <i>Bacterium hyacinthi</i> | Wakker, 1883 |
| XANTHY | | <i>Bacillus hyacinthi</i> | (Wakker, 1883) Trevisan, 1889 |
| XANTHY | | <i>Phytomonas hyacinthi</i> | (Wakker, 1883) Bergey et al., 1923 |
| XANTHY | | <i>Pseudomonas hyacinthi</i> | (Wakker, 1883) Smith, 1897 |
| XANTOR | <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> | | (Ishiyama, 1922) Swings et al., 1990 |
| XANTOR | | <i>Pseudomonas oryzae</i> | Ishiyama, 1922 |
| XANTOR | | <i>Xanthomonas campestris</i> pv. <i>oryzae</i> | (Ishiyama, 1922) Dye, 1978 |
| XANTOR | | <i>Xanthomonas itoana</i> | (Tachinai) Dowson |
| XANTOR | | <i>Xanthomonas kresek</i> | Schure, 1953 |
| XANTOR | | <i>Xanthomonas oryzae</i> | (Ishiyama, 1922) Swings et al., 1990 |
| XANTOR | | <i>Xanthomonas translucens</i> f. sp. <i>oryzae</i> | Jones et al.; Dowson; Ishiyama; Pordesimo |
| XANTOR | | <i>Bacterium oryzae</i> | (Uyeda y Ishiyama) Nak., 1928 |
| XANTOR | | <i>Phytomonas oryzae</i> | (Ishiyama, 1922) Magrou, 1937 |
| XANTTO | <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> | | (Fang et al., 1957) Swings et al., 1990 |
| XANTTO | | <i>Xanthomonas campestris</i> pv. <i>oryzicola</i> | (Fang et al., 1957) Dye, 1978 |
| XANTTO | | <i>Xanthomonas oryzicola</i> | Fang et al., 1957 |
| XANTTO | | <i>Xanthomonas translucens</i> f. sp. <i>oryzicola</i> | (Fang et al., 1957) Bradbury, 1971 |
| XANTCE | <i>Xanthomonas translucens</i> pv. <i>cerealis</i> | | (Hagborg, 1942) Vauterin et al., 1995 |
| XANTCE | | <i>Pseudomonas translucens</i> var. <i>cerealis</i> | (Hagborg, 1942) Krasil'nikov, 1949 |
| XANTCE | | <i>Xanthomonas cerealis</i> | Katznelson y Sutton, 1951 |
| XANTCE | | <i>Xanthomonas translucens</i> f. sp. <i>cerealis</i> | Hagborg, 1942 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-----------------|---|--|---|
| XANTCE | | <i>Xanthomonas campestris</i> pv. <i>cerealis</i> | (Hagborg, 1942) Dye, 1978 |
| XANTVE | <i>Xanthomonas vesicatoria</i> | | (Dodge, 1920) Dowson, 1939 |
| XANTVE | | <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> | (Dodge, 1920) Dye, 1978 |
| XANTVE | | <i>Pseudomonas vesicatoria</i> | (Dodge, 1920) Stevens, 1925 |
| XANTVE | | <i>Bacterium exitiosum</i> | Gardner y Kendrick, 1921 |
| XANTVE | | <i>Bacterium vesicatorium</i> | Dodge, 1920 |
| XANTVE | | <i>Phytomonas exitiosa</i> | (Gardner y Kendrick, 1921) Berkeley et al., 1923 |
| XANTVE | | <i>Phytomonas vesicatoria</i> | (Dodge, 1920) Berkeley et al., 1930 |
| XANTVE | | <i>Pseudomonas exitiosa</i> | Gardner y Kendrick, 1921 |
| XANTVE | | <i>Pseudomonas gardneri</i> | Sutic, 1957 |
| XANTVE | | <i>Pseudomonas gardneri</i> var. <i>capsici</i> | Sutic, 1957 |
| XANTVE | | <i>Xanthomonas axonopodis</i> pv. <i>vesicatoria</i> | (Dodge, 1920) Vauterin et al., 1995 |
| XYLEFF | <i>Xylella fastidiosa</i> subsp. <i>fastidiosa</i> | | (Wells et al., 1987) |
| XYLEFF | | <i>Xylella fastidiosa</i> | Wells et al., 1987 |
| XYLEFM | <i>Xylella fastidiosa</i> subsp. <i>multiplex</i> | | (Wells et al., 1987) |
| XYLEFM | | <i>Xylella fastidiosa</i> | Wells et al., 1987 |
| XYLEFP | <i>Xylella fastidiosa</i> subsp. <i>pauca</i> | | (Wells et al., 1987) |
| XYLEFP | | <i>Xylella fastidiosa</i> | Wells et al., 1987 |
| XANTAM | <i>Xylophilus ampelinus</i> | | (Panagopoulos, 1969) Willems et al., 1987 |
| XANTAM | | <i>Xanthomonas ampelina</i> | Panagopoulos, 1969 |
| PLLSDO | <i>Potato leaflet stunt disease</i> | | |
| PLLSDO | | <i>Potato leaflet stunt disease</i> | |
| PLLSDO | | <i>Potato leaflet stunt agent</i> | |
| PLLSDO | | <i>Potato leaflet stunt agent</i> | |
| ХРОМИСТЫ | | | |
| BREMLA | <i>Bremia lactucae</i> | | Regel, 1843 |
| BREMLA | | <i>Botrytis gangliformis</i> | Berkeley, 1846 |
| BREMLA | | <i>Bremia centaureae</i> | Sydow, 1923 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|----------------------------------|
| BREMLA | | <i>Bremia gangliformis</i> | (Berkeley) Shaw, 1949 |
| BREMLA | | <i>Peronospora gangliformis</i> | (Berkeley) de Bary, 1863 |
| BREMLA | | <i>Peronospora gangliformis</i> | Tulasne, 1854 |
| BREMLA | | <i>Peronospora ganglioniformis</i> | (Berkeley) Tulasne, 1854 |
| PEROLE | <i>Pero fascia lepidii</i> | | (McAlpine, 1895) Constant., 2002 |
| PEROLE | | <i>Peronospora lepidii</i> | (McAlpine, 1895) Wilson, 1914 |
| PEROLE | | <i>Peronospora parasitica var. lepidii</i> | McAlpine, 1895 |
| PRSCMA | <i>Perenosclerospora maydis</i> | | (Raciborski, 1897) Shaw, 1978 |
| PRSCMA | | <i>Peronospora maydis</i> | Raciborski, 1897 |
| PRSCMA | | <i>Sclerospora javanica</i> | Palm, 1918 |
| PRSCMA | | <i>Sclerospora maydis</i> | (Raciborski, 1897) Butler, 1913 |
| PRSCMA | | <i>Sclerospora maydis</i> | Butler y Bisby |
| PRSCP | <i>Perenosclerospora philippinensis</i> | | (Weston) Shaw, 1978 |
| PRSCP | | <i>Sclerospora maydis</i> | Reinking, 1918 |
| PRSCP | | <i>Sclerospora philippinensis</i> | Weston, 1920 |
| PRCSA | <i>Perenosclerospora sacchari</i> | | (Miyake) Shirai y Hara, 1927 |
| PRCSA | | <i>Sclerospora sacchari</i> | Miyake, 1912 |
| PRCSA | | <i>Sclerospora sorghi-vulgaris</i> | Mundk. 1951 |
| PEROFS | <i>Peronospora farinosa f.sp. chenopodii</i> | | Byford |
| PEROFS | | <i>Peronospora effusa</i> | (Grev., 1824) Rabenh., 1854 |
| PEROFA | <i>Peronospora farinosa f.sp. spinaciae</i> | | Byford |
| PEROFA | | <i>Botrytis effusa</i> | Grev., 1824 |
| PEROFA | | <i>Botrytis farinosa</i> | Fries, 1832 |
| PEROFA | | <i>Peronospora effusa</i> | (Grev., 1824) Rabenh., 1854 |
| PEROFA | | <i>Peronospora farinosa</i> | (Fries) Fries, 1849 |
| PEROFA | | <i>Peronospora spinaciae</i> | Laubert |
| PHYTCC | <i>Phytophthora cactorum</i> | | (Lebert y Cohn) Schroter, 1886 |
| PHYTCC | | <i>Peronospora cactorum</i> | Lebert y Cohn, 1870 |
| PHYTCC | | <i>Peronospora cactorum</i> | Lebert y Cohn, 1875 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---|
| PHYTCC | | <i>Phloeophthora cactorum</i> | (Lebert y Cohn) Wilson, 1914 |
| PHYTCC | | <i>Phytophthora fagi</i> | Hartig, 1876 |
| PHYTCC | | <i>Phytophthora omnivora</i> | de Bary, 1881 |
| PHYTCC | | <i>Phytophthora paeoniae</i> | Cooper y Porter 1928 |
| PHYTCP | <i>Phytophthora capsici</i> | | Leonian, 1922 |
| PHYTCP | | <i>Phytophthora parasitica</i> var. <i>Capsici</i> | (Leonian, 1922) Sarej., 1936 |
| PHYTCP | | <i>Phytophthora hydrophila</i> | Curzi, 1927 |
| PHYTCP | | <i>Phytophthora mexicana</i> | Hotson y Hartge, 1923 |
| PHYTCR | <i>Phytophthora cryptogea</i> | | Pethybridge y Lafferty, 1919 |
| PHYTCR | | <i>Pythiomorpha oryzae</i> | Ito y Nagai, 1931 |
| PHYTCR | | <i>Phytophthora oryzae</i> | (Ito y Nagai) Waterh., 1958 |
| PHYTER | <i>Phytophthora erythroseptica</i> var. <i>erythroseptica</i> | | (Waterhouse, 1963) |
| PHYTER | | <i>Phytophthora erythroseptica</i> | Pethybridge (1913) |
| PHYTER | | <i>Phytophthora himalayensis</i> | Dastur, 1948 |
| PHYTFR | <i>Phytophthora fragariae</i> | | Hickman, 1940 |
| PHYTFR | | <i>Phytophthora fragariae</i> var. <i>fragariae</i> | Hickman |
| PHYTIN | <i>Phytophthora infestans</i> | | (Montagne) de Bary, 1876 |
| PHYTIN | | <i>Botrytis infestans</i> | Montagne, 1845 |
| PHYTIN | | <i>Peronospora infestans</i> | (Montagne) Caspary, 1854 |
| PHYTIN | | <i>Peronospora infestans</i> | (Montagne) de Bary, 1863 |
| PHYTMG | <i>Phytophthora megakarya</i> | <i>Phytophthora megakara</i> | Brasier y Griffin, 1979 |
| PHYTRI | <i>Phytophthora richardiae</i> | | Buisman, 1927 |
| PHYTRI | | <i>Phytophthora cryptogea</i> var. <i>richardiae</i> | (Buisman, 1927) Ashby, 1929 |
| PHYTFU | <i>Phytophthora rubi</i> | | (Wilcox y Duncan, 1993) Man in't Veld, 2007 |
| PHYTFU | | <i>Phytophthora fragariae</i> var. <i>rubi</i> | Wilcox y Duncan, 1993 |
| PHYTMS | <i>Phytophthora sojae</i> | | Kaufmann y Gerdemann, 1958 |
| PHYTMS | | <i>Phytophthora megasperma</i> f.sp. <i>glycinea</i> | Kuan y Erwin |
| PHYTMS | | <i>Phytophthora megasperma</i> <i>glycines</i> | Kuan y Erwin, 1980 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|------------------|--|---|----------------------------------|
| PHYTMS | | <i>Phytophthora megasperma var. sojae</i> | Hildebr., 1959 |
| PHYTMS | | <i>Phytophthora sojae f.sp. glycines</i> | Faris et al. |
| PHYTMS | | <i>Phytophthora sojae glycines</i> | Faris et al. |
| PLASHA | <i>Plasmopara halstedii</i> | | (Farlow) Berlese y de Toni, 1888 |
| PLASHA | | <i>Peronospora halstedii</i> | Farlow, 1882 |
| PLASHA | | <i>Plasmopara helianthi</i> | Novotel'nova, 1960 |
| PYTHMY | <i>Pythium myriotylum</i> | | Drechsler, 1930 |
| PYTHMY | | <i>Pythium polyandrum</i> | van Hall-Meded., 1925 |
| PYTHMY | | <i>Nematosporangium polyandron</i> | Sideris, 1931 |
| PYTHSL | <i>Pythium splendens</i> | | Braun, 1925 |
| PYTHSL | | <i>Globisporangium splendens</i> | (Braun) Uzuhashi et al., 2010 |
| PYTHSL | | <i>Pythium splendens var. hawaiianum</i> | Sideris, 1932 |
| SCPCHRZ | <i>Sclerotophthora rayssiae var. zae</i> | | Payak y Renfro, 1967 |
| SCPCHRZ | | <i>Sclerotophthora rayssiae var. zae</i> | Kenneth et al. |
| SCPCHRZ | | <i>Sclerotophthora rayssiae f.sp. zae</i> | |
| МОЛЛИКУТЫ | | | |
| ARW000 | <i>Apple rubbery wood phytoplasma</i> | | |
| ARW000 | | <i>Apple rubbery wood disease</i> | |
| ARW000 | | <i>Apple rubbery wood MLO</i> | |
| ARW000 | | <i>Apple rubbery wood virus</i> | |
| ARW000 | | <i>Pyrusvirus molliens</i> | |
| ARW000 | | <i>Quince bark necrosis virus</i> | |
| ARW000 | | <i>Quince yellow blotch agent</i> | |
| ARW000 | | <i>Quince yellow blotch virus</i> | |
| PHYP01 | <i>Aster yellows phytoplasma group</i> | | |
| PHYP01 | | <i>Aster yellows phytoplasma</i> | |
| PHYP01 | | <i>Alstroemeria decline</i> | |
| PHYP01 | | <i>American aster yellows</i> | |
| PHYP01 | | <i>Anemone virescence</i> | |
| PHYP01 | | <i>Blueberry stunt</i> | |
| PHYP01 | | <i>Broccoli phyllody</i> | |
| PHYP01 | | <i>Bunias phyllody</i> | |
| PHYP01 | | <i>Cactus virescence</i> | |
| PHYP01 | | <i>Calendula virescence</i> | |
| PHYP01 | | <i>Cardaria phyllody</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| PHYP01 | | <i>Carrot proliferation</i> | |
| PHYP01 | | <i>Chlorantie</i> | |
| PHYP01 | | <i>Chrysanthemum yellows</i> | |
| PHYP01 | | <i>Clover phyllody</i> | |
| PHYP01 | | <i>Columbine virescence</i> | |
| PHYP01 | | <i>Cyclamen virescence</i> | |
| PHYP01 | | <i>Diplotaxis virescence</i> | |
| PHYP01 | | <i>Dogfennel yellows</i> | |
| PHYP01 | | <i>Dogwood stunt</i> | |
| PHYP01 | | <i>Dwarf western aster yellows</i> | |
| PHYP01 | | <i>Eastern aster yellows</i> | |
| PHYP01 | | <i>Eggplant dwarf</i> | |
| PHYP01 | | <i>Erigeron yellows</i> | |
| PHYP01 | | <i>European aster yellows</i> | |
| PHYP01 | | <i>Gladiolus virescence</i> | |
| PHYP01 | | <i>Grapevine yellows</i> | |
| PHYP01 | | <i>Hydrangea phyllody and virescence</i> | |
| PHYP01 | | <i>Ipomoea obscura witches' broom</i> | |
| PHYP01 | | <i>Italian cabbage yellows</i> | |
| PHYP01 | | <i>Italian lettuce yellows</i> | |
| PHYP01 | | <i>Kale phyllody</i> | |
| PHYP01 | | <i>Larkspur virescence</i> | |
| PHYP01 | | <i>Lotus yellows</i> | |
| PHYP01 | | <i>Maize bushy stunt</i> | |
| PHYP01 | | <i>Mallow yellows</i> | |
| PHYP01 | | <i>Marguerite yellows</i> | |
| PHYP01 | | <i>Maryland aster yellows</i> | |
| PHYP01 | | <i>Mitsuba witches' broom</i> | |
| PHYP01 | | <i>Monarda yellows</i> | |
| PHYP01 | | <i>Mulberry dwarf</i> | |
| PHYP01 | | <i>Multiplier disease</i> | |
| PHYP01 | | <i>New England aster yellows</i> | |
| PHYP01 | | <i>New Jersey aster yellows</i> | |
| PHYP01 | | <i>Oenothera virescence</i> | |
| PHYP01 | | <i>Onion yellows and virescence</i> | |
| PHYP01 | | <i>Papaver virescence</i> | |
| PHYP01 | | <i>Parsley yellows</i> | |
| PHYP01 | | <i>Paulownia witches' broom</i> | |
| PHYP01 | | <i>Periwinkle little leaf</i> | |
| | | <i>Periwinkle witches' broom and virescence</i> | |
| PHYP01 | | <i>Periwinkle yellows</i> | |
| PHYP01 | | <i>Plantain virescence</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|-----------------------------|
| PHYP01 | | <i>Poplar witches' broom</i> | |
| PHYP01 | | <i>Poplar yellows</i> | |
| PHYP01 | | <i>Portulaca yellows</i> | |
| PHYP01 | | <i>Primula yellows</i> | |
| PHYP01 | | <i>Pumpkin yellows</i> | |
| PHYP01 | | <i>Purple coneflower yellows</i> | |
| PHYP01 | | <i>Ragweed yellows</i> | |
| PHYP01 | | <i>Ranunculus phyllody</i> | |
| PHYP01 | | <i>Safflower phyllody</i> | |
| PHYP01 | | <i>Sandal spike</i> | |
| PHYP01 | | <i>Severe western aster yellows</i> | |
| PHYP01 | | <i>Spirea stunt</i> | |
| PHYP01 | | <i>Stellaria yellows</i> | |
| PHYP01 | | <i>Strawberry green petal</i> | |
| PHYP01 | | <i>Strawberry stunting</i> | |
| PHYP01 | | <i>Tagetes witches' broom</i> | |
| PHYP01 | | <i>Tomato big bud</i> | |
| PHYP01 | | <i>Tomato big bud phytoplasma</i> | |
| PHYP01 | | <i>Turnip virescence</i> | |
| PHYP01 | | <i>Western aster yellows</i> | |
| PHYP01 | | <i>Wild radish yellows</i> | |
| PHYPAF | <i>Candidatus Phytoplasma aurantifolia</i> | | Zreik et al., 1995 |
| PHYPAF | | <i>Phytoplasma aurantifolia [Candidatus]</i> | Zreik et al., 1995 |
| PHYPAF | | <i>Phytoplasma aurantifoliae</i> | |
| PHYPAF | | <i>Phytoplasma aurantifolia</i> | |
| PHYPMA | <i>Candidatus Phytoplasma mali</i> | | Seemdller y Schneider, 2004 |
| PHYPMA | | <i>Apple proliferation phytoplasma</i> | Seemdller et al., 1994 |
| PHYPMA | | <i>Phytoplasma mali [Candidatus]</i> | Seemdller y Schneider, 2004 |
| PHYPMA | | <i>Phytoplasma mali</i> | |
| PHYPPR | <i>Candidatus Phytoplasma prunorum</i> | | Seemdller y Schneider, 2004 |
| PHYPPR | | <i>Phytoplasma prunorum [Candidatus]</i> | Seemdller y Schneider, 2004 |
| PHYPPR | | <i>Phytoplasma prunorum</i> | |
| PHYPPR | | <i>Apricot chlorotic leafroll phytoplasma</i> | |
| PHYPPR | | <i>European stone fruit yellows phytoplasma</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|-----------------------------|
| PHYPPY | <i>Candidatus Phytoplasma pyri</i> | | Seemdller y Schneider, 2004 |
| PHYPPY | | <i>Pear decline phytoplasma</i> | Seemdller et al., 1994 |
| PHYPPY | | <i>Phytoplasma pyri</i> | |
| PHYPPY | | <i>Phytoplasma pyri [Candidatus]</i> | Seemdller y Schneider, 2004 |
| PHYP64 | <i>Grapevine flavescence doree phytoplasma</i> | | |
| PHYP64 | | <i>Flavescence doree</i> | |
| PHYP64 | | <i>Flavescence doree mycoplasmalike organism</i> | |
| PHYP64 | | <i>Flavescence doree MLO</i> | |
| PHYP64 | | <i>Grapevine yellows</i> | |
| HDV000 | <i>Hydrangea virescense MLO</i> | | |
| HDV000 | | <i>Hydrangea virescense (MLO)</i> | |
| PHYP56 | <i>Palm lethal yellowing phytoplasma</i> | | |
| PHYP56 | | <i>Coconut lethal yellowing phytoplasma</i> | |
| PHYP56 | | <i>Coconut lethal yellowing mycoplasmalike organism</i> | |
| PHYP17 | <i>Peach X disease phytoplasma</i> | | |
| PHYP17 | | <i>Peach X disease</i> | |
| PHYP17 | | <i>Western X disease phytoplasma</i> | |
| PHYP29 | <i>Peach yellows phytoplasma</i> | | |
| PHYP29 | | <i>Peach yellow phytoplasma</i> | |
| PHYP29 | | <i>Peach yellows virus</i> | |
| PHYP29 | | <i>Peach yellows mycoplasma-like organism</i> | |
| PHYP29 | | <i>Peach yellows MLO</i> | |
| PHYP10 | <i>Potato stolbur phytoplasma</i> | | |
| PHYP10 | | <i>Stolbur de la papa MLO</i> | |
| PHYP10 | | <i>Tomato stolbur MLO</i> | |
| PHYP10 | | <i>Tomato stolbur</i> | |
| PHYP10 | | <i>Classical stolbur MLO</i> | |
| PHYP10 | | <i>Stolbur phytoplasma</i> | |
| PHYPWB | <i>Potato witches' broom phytoplasma</i> | | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------------|--|---|--------------------------------------|
| PHYPWB | | <i>Potato witches broom phytoplasma</i> | |
| SPIRCI | <i>Spiroplasma citri</i> | | Saglio et al., 1973 |
| SPIRCI | | <i>Spiroplasma del stubborn</i> | |
| SPIRCI | | <i>Citrus stubborn disease</i> | |
| SYWB00 | <i>Strawberry witches' broom phytoplasma</i> | | |
| SYWB00 | | <i>Strawberry witches broom phytoplasma</i> | |
| SYWB00 | | <i>Strawberry witches' broom agent</i> | |
| SSV000 | <i>Sandal spike phytoplasma</i> | | |
| SSV000 | | <i>Aster yellows phytoplasma group*</i> | |
| SSV000 | | <i>Sandal spike disease</i> | |
| SSV000 | | <i>Sandal spike virus</i> | |
| SSV000 | | <i>Sandal spike*</i> | |
| ГРИБЫ | | | |
| ALTEBI | <i>Alternaria brassicicola</i> | | (Schwein., 1832) Wiltshire, 1947 |
| ALTEBI | | <i>Alternaria brassicae f. microspora</i> | Brunaud |
| ALTEBI | | <i>Alternaria brassicae var. minor</i> | Saccardo |
| ALTEBI | | <i>Alternaria circinans</i> | (Berk. y Curtis) Bolle, 1924 |
| ALTEBI | | <i>Alternaria oleracea</i> | Milbrath, 1922 |
| ALTEBI | | <i>Helminthosporium brassicae</i> | Henn. |
| ALTEBI | | <i>Helminthosporium brassicicola</i> | Schwein., 1832 |
| ALTEBI | | <i>Macrosporium cheiranthi var. circinans</i> | Berk. y Curtis, 1875 |
| ALTEBI | | <i>Macrosporium circinans</i> | Berk. y Curtis |
| ALTEBI | | <i>Macrosporium commune var. circinans</i> | (Berk. y Curtis) Sacc. |
| ALTEBI | | <i>Polydesmus exitiosus f. alternarioides</i> | (Kuhn) Kuhn |
| ALTEBI | | <i>Polydesmus exitiosus f. luxuriosum</i> | (Kuhn) Kuhn |
| ALTEBI | | <i>Sporidesmium exitiosum f. alternarioides</i> | Kuhn |
| ALTEBI | | <i>Sporidesmium exitiosum f. luxuriosum</i> | Kuhn |
| ALTEBI | | <i>Sporidesmium septorioides</i> | Westend. |
| ALTECU | <i>Alternaria cucumerina</i> | | (Ellis y Everh., 1895) Elliott, 1917 |
| ALTECU | | <i>Alternaria brassicae var. nigrescens</i> | Peglion |
| ALTECU | | <i>Macrosporium cucumerinum</i> | Ellis y Everh., 1895 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|---|--|
| ALTEDA | <i>Alternaria dauci</i> | | (Kiihn, 1855) Groves y Skolko, 1944 |
| ALTEDA | | <i>Alternaria brassicae var. dauci</i> | (KUhn, 1855) Lindau |
| ALTEDA | | <i>Alternaria brassicae var. dauci</i> | (Kuhn, 1855) Bolle, 1924 |
| ALTEDA | | <i>Alternaria carotae</i> | (Ellis y Langl., 1890) Stev. y Wellman, 1944 |
| ALTEDA | | <i>Alternaria porri f.sp. dauci</i> | (Kuhn, 1855) Neerg., 1945 |
| ALTEDA | | <i>Macrosporium dauci</i> | (KUhn, 1855) Rostrup |
| ALTEDA | | <i>Macrosporium carotae</i> | Ellis y Langl., 1890 |
| ALTEDA | | <i>Polydesmus exitiosus var. dauci</i> | Kuhn, 1855 |
| ALTEDA | | <i>Sporidesmium exitiosum var. dauci</i> | Kuhn |
| ALTEDI | <i>Alternaria dianthi</i> | | Stevens y Hall, 1909 |
| ALTEDI | | <i>Macrosporium dianthi</i> | (Stevens y Hall, 1909) Bewley, 1923 |
| ALTEKI | <i>Alternaria gaisen</i> | | Nagano, 1928 |
| ALTEKI | | <i>Alternaria bokurai</i> | Miura |
| ALTEKI | | <i>Alternaria kikuchiana</i> | Tanaka |
| ALTEHE | <i>Alternaria helianthi</i> | | (Hansf.) Tubaki y Nishih. |
| ALTEHE | | <i>Helminthosporium helianthi Hansf.</i> | Hansf. |
| ALTEHE | | <i>Helminthosporium helianthi Pavgi</i> | Pavgi |
| ALTERP | <i>Alternaria japonica</i> | | Yoshii, 1941 |
| ALTERP | | <i>Alternaria raphani</i> | Groves y Skolko, 1944 |
| ALTERP | | <i>Alternaria matthiolae</i> | Neergaard, 1945 |
| ALTERP | | <i>Alternaria brassicae var. macrospora</i> | Sacc. |
| ALTEMC | <i>Alternaria macrospora</i> | | Zimmerm., 1931 |
| ALTEMC | | <i>Macrosporium macrosporum</i> | Moray |
| ALTEMC | | <i>Alternaria longipedicellata</i> | Snowden, 1927 |
| ALTEPD | <i>Alternaria padwickii</i> | | (Ganguly, 1948) Ellis, 1971 |
| ALTEPD | | <i>Trichoconis padwickii</i> | Ganguly, 1948 |
| ALTEPD | | <i>Trichoconiella padwickii</i> | (Ganguly, 1948) Jain, 1976 |
| ALTERA | <i>Alternaria radicina</i> | | Meier et al., 1922 |
| ALTERA | | <i>Macrosporium daucinum</i> | Yatel, 1938 |
| ALTERA | | <i>Stemphylium radicum</i> | (Meier et al., 1922) Neergaard, 1939 |
| ALTERA | | <i>Pseudostemphylium radicum</i> | (Meier et al., 1922) Subram., 1961 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|---|---------------------------------------|
| ALTERA | | <i>Thyrospora radicina</i> | (Meier et al., 1922) Neergaard, 1939 |
| ALTETE | <i>Alternaria tenuissima</i> | | (Kunze, 1818) Wiltshire, 1933 |
| ALTETE | | <i>Clasterosporium tenuissimum</i> | (Nees y Nees) Sacc., 1886 |
| ALTETE | | <i>Helminthosporium tenuissimum</i> | Kunze, 1818 |
| ALTETE | | <i>Macrosporium tenuissimum</i> | (Kunze, 1818) Fr. |
| POPUVI | <i>Apiospora campotospora</i> | | Penz. y Sacc., 1897 |
| POPUVI | | <i>Coniosporium vinosum</i> | (Berk. y Curtis, 1868) Sacc. |
| POPUVI | | <i>Gymnosporium vinosum</i> | Berk. y Curtis, 1868 |
| POPUVI | | <i>Papularia vinosa</i> | (Berk. y Curtis, 1868) Mason, 1933 |
| ARMITA | <i>Armillaria tabescens</i> | | (Scop., 1772) Emel, 1921 |
| ARMITA | | <i>Agaricus gymnopodius</i> | Bull. |
| ARMITA | | <i>Agaricus monadelphus</i> | Morgan, 1883 |
| ARMITA | | <i>Agaricus socialis</i> | DC. |
| ARMITA | | <i>Agaricus tabescens</i> | Scop., 1772 |
| ARMITA | | <i>Armillaria mellea var. tabescens</i> | (Scop., 1772) Rea y Ramsb., 1917 |
| ARMITA | | <i>Armillaria socialis</i> | (DC.) Herink |
| ARMITA | | <i>Armillaria tabescens</i> | (Scop., 1772) Dennis et al. |
| ARMITA | | <i>Armillariella tabescens</i> | (Scop., 1772) Singer, 1943 |
| ARMITA | | <i>Clitocybe monadelpha</i> | (Morgan, 1883) Sacc., 1887 |
| ARMITA | | <i>Clitocybe tabescens</i> | (Scop., 1772) Bres., 1900 |
| ARMITA | | <i>Collybia tabescens</i> | (Scop., 1772) Sacc., 1887 |
| ARMITA | | <i>Fungustabescens</i> | (Scop., 1772) Kuntze, 1898 |
| ARMITA | | <i>Lentinus caespitosus</i> | Berk., 1847 |
| ARMITA | | <i>Monodelphus caespitosus</i> | (Berk., 1847) Murrill, 1911 |
| ARMITA | | <i>Pleurotus caespitosus</i> | (Berk., 1847) Sacc., 1887 |
| ARMITA | | <i>Pocillaria caespitosa</i> | (Berk., 1847) Kuntze, 1891 |
| ARMITA | | <i>Agaricus gymnopodius*</i> | Quelet y Dennis, 1948 |
| ARMITA | | <i>Clitocybe gymnopodia*</i> | KQhner y Romagnesi, 1953 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|--|--|
| ARMITA | | <i>Omphalia gymnopodia*</i> | Quelet, 1888 |
| ASPETE | <i>Aspergillus terreus</i> | | Thom, 1918 |
| ASPETE | | <i>Aspergillus boedijnii</i> | Blochwitz, 1934 |
| ASPETE | | <i>Aspergillus terreus var. boedijnii</i> | (Blochwitz, 1934) Thom y Raper, 1945 |
| FUSLPO | <i>Asperisporium pongamiae</i> | | (Syd., 1913) Deighton, 1976 |
| FUSLPO | | <i>Fusicladium pongamiae</i> | Syd., 1913 |
| PHYLPO | <i>Asteromella pongamiae</i> | | (Sydow y Sydow) Aa, 2002 |
| PHYLPO | | <i>Phyllosticta pongamiae</i> | Sydow, 1916 |
| SCLORO | <i>Athelia rolfsii</i> | | (Curzi, 1932) Tu y Kimbr., 1978 |
| SCLORO | | <i>Corticium rolfsii</i> | Curzi, 1932 |
| SCLORO | | <i>Botryobasidium rolfsii</i> | (Curzi, 1932) Venkatar., 1950 |
| SCLORO | | <i>Botryobasidium rolfsii</i> | (Saccardo, 1911) Venkatar., 1950 |
| SCLORO | | <i>Corticium centrifugum</i> | (Lev., 1843) Bresad., 1903 |
| SCLORO | | <i>Fibularhizoctonia centrifuga</i> | (Lev., 1843) Adams y Kropp, 1996 |
| SCLORO | | <i>Hypochnus centrifugus</i> | (Lev., 1843) Tul. |
| SCLORO | | <i>Hypochnus centrifugus</i> | (Weinm.) Lev., 1861 |
| SCLORO | | <i>Pellicularia rolfsii</i> | (Curzi) West, 1947 |
| SCLORO | | <i>Rhizoctonia centrifuga</i> | Lev., 1843 |
| SCLORO | | <i>Sclerotium rolfsii</i> | Saccardo, 1911 |
| SCLORO | | <i>Sclerotium rolfsii var. rolfsii</i> | Saccardo |
| SCLODN | <i>Athelia rolfsii var. delphinii</i> | | (Curzi) Tu y Kimbrough |
| SCLODN | | <i>Sclerotium rolfsii var. delphinii</i> | (Welch, 1924) Boerema y Hamers, 1988 |
| SCLODN | | <i>Sclerotium delphinii</i> | Welch, 1924 |
| BALAOS | <i>Balansia oryzae-sativae</i> | | Hashioka, 1971 |
| BALAOS | | <i>Balansia oryzae</i> | (Syd., 1914) Naras. y Thirum., 1943 |
| BALAOS | | <i>Ephelis oryzae</i> | Syd., 1914 |
| BALAOS | | <i>Ephelis pallida</i> | Pat., 1897 |
| PHYOPI | <i>Botryosphaeria berengeriana</i> <i>f.sp. pyricola</i> | | (Nose, 1933) Koganezawa y Sakuma, 1984 |
| PHYOPI | | <i>Physalospora pyricola</i> Nose | Nose, 1933 |
| PHYOPI | | <i>Guignardia pyricola</i> (Nose) Yamamoto | (Nose, 1933) Yamamoto, 1961 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|----------------------------------|--------------------------------|
| DOTRRI | <i>Botryosphaeria ribis</i> | | Grossenb. y Duggar, 1911 |
| DOTRRI | | <i>Botryodiplodia ribis</i> | (Fuckel, 1870) Petr., 1927 |
| DOTRRI | | <i>Botryosphaeria berengiana</i> | De Notaris, 1863 |
| DOTRRI | | <i>Botryosphaeria mali</i> | Putterill |
| DOTRRI | | <i>Dothiorella gregaria</i> | Sacc. |
| DOTRRI | | <i>Dothiorella ribis</i> | (Fuckel, 1870) Sacc., 1884 |
| DOTRRI | | <i>Fusicoccum aesculi</i> | Corda |
| DOTRRI | | <i>Fusicoccum tingens</i> | Goid. |
| DOTRRI | | <i>Melanops berengeriana</i> | (De Notaris, 1863) Weese, 1919 |
| DOTRRI | | <i>Podosporium ribis</i> | Fuckel, 1870 |
| BOTTCO | <i>Botryotinia convoluta</i> | | (Drayton, 1937) Whetzel, 1945 |
| BOTTCO | | <i>Botrytis convoluta</i> | Whetzel y Drayton, 1932 |
| BOTTCO | | <i>Sclerotinia convoluta</i> | Drayton, 1937 |
| BOTRCI | <i>Botryotinia fuckeliana</i> | | (de Bary) Whetzel, 1945 |
| BOTRCI | | <i>Botrytis cinerea</i> | (Pers.) Fr. |
| BOTRCI | | <i>Botrytis fuckeliana</i> | Buchw., 1949 |
| BOTRCI | | <i>Botrytis gemella</i> | (Bonord., 1851) Sacc., 1881 |
| BOTRCI | | <i>Botrytis grisea</i> | (Schwein.) Fr., 1832 |
| BOTRCI | | <i>Botrytis vulgaris</i> | (Pers., 1809) Fr., 1832 |
| BOTRCI | | <i>Haplaria grisea</i> | Link, 1809 |
| BOTRCI | | <i>Peziza fuckeliana</i> | de Bary |
| BOTRCI | | <i>Phymatotrichum gemellum</i> | Bonord., 1851 |
| BOTRCI | | <i>Polyactis vulgaris</i> | Link |
| BOTRCI | | <i>Polyactis vulgaris</i> | Pers., 1809 |
| BOTRCI | | <i>Sclerotinia fuckeliana</i> | (de Bary) Fuckel, 1870 |
| BOTTPO | <i>Botryotinia porri</i> | | (Beyma, 1927) Whetzel, 1945 |
| BOTTPO | | <i>Botrytis porri</i> | Buchw., 1949 |
| BOTTPO | | <i>Sclerotinia porri</i> | Beyma, 1927 |
| SCLESQ | <i>Botryotinia squamosa</i> | | Vienn., 1953 |
| SCLESQ | | <i>Botrytis squamosa</i> | Walker, 1925 |
| SCLESQ | | <i>Sclerotinia squamosa</i> | (Vienn., 1953) Dennis, 1956 |
| BOTRPA | <i>Botrytis paeoniae</i> | | Oudem., 1897 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|--------------------------------------|---|
| BOTRPA | | <i>Phymatotrichum paeoniae</i> | (Oudem., 1897) Oudem., 1904 |
| BOTRTU | <i>Botrytis tulipae</i> | | (Lib., 1830) Lind, 1913 |
| BOTRTU | | <i>Botrytis parasitica</i> | Schleid., 1845 |
| BOTRTU | | <i>Sclerotium tulipae</i> | Lib., 1830 |
| BOTRTU | | <i>Sclerotium tulipae</i> | Weinm. |
| CALOKY | <i>Calonectria kyotensis</i> | | Terashita, 1968 |
| CALOKY | | <i>Calonectria floridana</i> | Sobers, 1969 |
| CALOKY | | <i>Calonectria morganii</i> | Crous et al., 1993 |
| CALOKY | | <i>Calonectria uniseptata</i> | Gerlach, 1968 |
| CALOKY | | <i>Cylindrocladium floridanum</i> | Sobers y Seym., 1967 |
| CALOKY | | <i>Cylindrocladium pithecellobii</i> | Petch, 1917 |
| CALOKY | | <i>Cylindrocladium scoparium</i> | Morgan, 1892 |
| CALOKY | | <i>Diplocladium cylindrosporium</i> | Ellis y Everh., 1900 |
| CERAPA | <i>Ceratocystis paradoxa</i> | | (Dade, 1928) Moreau, 1952 |
| CERAPA | | <i>Ceratostomella paradoxa</i> | Dade, 1928 |
| CERAPA | | <i>Chalara paradoxa</i> | (De Seynes, 1886) Sacc., 1892 |
| CERAPA | | <i>Chalara thielavioides</i> | (Peyronel, 1916) Nag Raj y Kendr., 1975 |
| CERAPA | | <i>Chalaropsis thielavioides</i> | Peyronel, 1916 |
| CERAPA | | <i>Endoconidiophora paradoxa</i> | (De Seynes, 1886) Davidson, 1935 |
| CERAPA | | <i>Endoconidium fragrans</i> | Delacr., 1893 |
| CERAPA | | <i>Endoconidium fragrans</i> | Lacroix |
| CERAPA | | <i>Hugesiella euricoi</i> | Bat. y Vital, 1956 |
| CERAPA | | <i>Neocarpenteles acanthosporum</i> | (Udagawa y Takada) Udagawa y Uchiy., 2002 |
| CERAPA | | <i>Ophiostoma paradoxa</i> | (Dade, 1928) Nannf., 1934 |
| CERAPA | | <i>Ophiostoma paradoxum</i> | (Dade, 1928) Nannf., 1934 |
| CERAPA | | <i>Sporoschisma paradoxum</i> | De Seynes, 1886 |
| CERAPA | | <i>Stilbochalara dimorpha</i> | Ferd. y Winge, 1910 |
| CERAPA | | <i>Thielaviopsis ethacetica</i> | Went, 1893 |
| CERAPA | | <i>Thielaviopsis euricoi</i> | (Bat. y Vital, 1956) Paulin et al., 2002 |
| CERAPA | | <i>Thielaviopsis paradoxa</i> | (De Seynes, 1886) Hohn., 1904 |
| CERAPA | | <i>Thielaviopsis thielavioides</i> | (Peyronel, 1916) Paulin et al., 2002 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | |
|--------|--|--|
| SCLODI | <i>Ceratobasidium anceps</i> | (Davis, 1919) Roberts, 1999 |
| SCLODI | <i>Corticium anceps</i> | (Bres. y Sydow) Jackson y Res., 1949 |
| SCLODI | <i>Sclerotium deciduum</i> | Davis, 1919 |
| SCLODI | <i>Tulasnella anceps</i> | Bres. y Sydow, 1910 |
| CERCBE | <i>Cercospora beticola</i> | Sacc., 1876 |
| CERCBE | <i>Cercosporina beticola</i> | (Sacc., 1876) Nakata et al., 1915 |
| CERCCA | <i>Cercospora callae</i> | Peck y Clinton, 1876 |
| CERCCA | <i>Cercospora pachyspora</i> | Ellis y Everh., 1891 |
| CERCKI | <i>Cercospora kikuchii</i> | (Matsumoto y Tomoy., 1925) Gardner, 1927 |
| CERCKI | <i>Cercosporina kikuchii</i> | Matsumoto y Tomoy., 1925 |
| PORICA | <i>Ceriporiopsis carnegiae</i> | (Baxter, 1941) Gilb. y Ryvarden, 1985 |
| PORICA | <i>Poria carnegiana</i> | Baxter, 1941 |
| THIEBA | <i>Chalara elegans</i> | Raj y Kendrick, 1975 |
| THIEBA | <i>Thielaviopsis basicola</i> | (Berkeley y Broome) Ferraris, 1912 |
| THIEBA | <i>Torula basicola</i> | Berkeley y Broome, 1850 |
| THIEBA | <i>Trichocladium basicola</i> | (Berkeley y Broome) Carmichael, 1980 |
| CHOACU | <i>Choanephora cucurbitarum</i> | (Berk. y Ravenel, 1875) Thaxt., 1903 |
| CHOACU | <i>Choanephora americana</i> | Moller, 1901 |
| CHOACU | <i>Choanephora heterospora</i> | Mehrotra y Mehrotra, 1962 |
| CHOACU | <i>Choanephora infundibulifera f. cucurbitarum</i> | (Berk. y Ravenel, 1875) Schipper |
| CHOACU | <i>Choanephora mandshurica</i> | (Saito y Nagan., 1915) Tai, 1934 |
| CHOACU | <i>Choanephora simsonii</i> | Cunn., 1895 |
| CHOACU | <i>Choanephorella cucurbitarum</i> | (Berk. y Ravenel, 1875) Vuill., 1904 |
| CHOACU | <i>Cunninghamella mandshurica</i> | Saito y Nagan., 1915 |
| CHOACU | <i>Mucor cucurbitarum</i> | Berk. y Ravenel, 1875 |
| CHOACU | <i>Mucor curtus</i> | Berk. y Curtis, 1875 |
| CHOACU | <i>Rhopalomyces cucurbitarum</i> | Berk. y Ravenel, 1875 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|--|--|
| CHOACU | | <i>Rhopalomyces elegans</i> var. <i>cucurbitarum</i> | (Berk. y Ravenel, 1875) Marchal, 1893 |
| CHMYRH | <i>Chrysomyxa rhododendri</i> | | (DC., 1815) De Bary, 1879 |
| CHMYRH | | <i>Chrysomyxa ledi</i> var. <i>rhododendri</i> | (DC., 1815) Savile, 1955 |
| CHMYRH | | <i>Melampsoropsis rhododendri</i> | Arthur, 1906 |
| CHMYRH | | <i>Uredo rhododendri</i> | DC., 1815 |
| HETSIR | <i>Cladosporium iridis</i> | | (Fautrey y Roumeguere) Vries, 1952 |
| HETSIR | | <i>Acroconidiella gracilis</i> | (Wallr.) Alippi y Dal Bello, 1988 |
| HETSIR | | <i>Heterosporium gracile</i> | Saccardo, 1886 |
| HETSIR | | <i>Heterosporium iridis</i> | (Fautrey y Roum.) Jacques, 1941 |
| HETSIR | | <i>Heterosporium iridis-pumilae</i> | Savul. y Sandu, 1935 |
| HETSIR | | <i>Heterosporium montenegrinum</i> | Bubak, 1903 |
| HETSIR | | <i>Heterosporium pruneti</i> | Nicolas y Aggery, 1928 |
| HETSIR | | <i>Scolicotrichum cladosporioideum</i> | Maire, 1906 |
| HETSIR | | <i>Scolicotrichum iridis</i> | Fautrey y Roum., 1891 |
| CLAVAF | <i>Claviceps africana</i> | | Frederickson et al., 1991 |
| CLAVAF | | <i>Sphacelia sorghi</i> | McRae, 1917 |
| CLAVSO | <i>Claviceps sorghi</i> | | Kulk. et al., 1976 |
| CLAVSO | | <i>Sphacelia sorghi</i> | McRae, 1917 |
| COLSAS | <i>Coleosporium asterum</i> | | (Dietel, 1899) Syd. y Syd., 1914 |
| COLSAS | | <i>Coleosporium solidaginis</i> | (Schwein.) Thlm., 1878 |
| COLSAS | | <i>Stichopsora asterum</i> | Dietel, 1899 |
| COLSAS | | <i>Uredo solidaginis</i> | Schwein. |
| COSRCA | <i>Coleosporium tussilaginis</i> | | (Pers., 1801) Lev., 1849 |
| COSRCA | | <i>Caeoma campanulae</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Caeoma campanularum</i> | Link, 1825 |
| COSRCA | | <i>Caeoma compransor</i> | Schltdl., 1824 |
| COSRCA | | <i>Caeoma rhinanthacearum</i> | (DC., 1808) Berk. |
| COSRCA | | <i>Caeoma spinulosum</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Coleosporium cacaliae</i> | Otth, 1865 |
| COSRCA | | <i>Coleosporium campanulae</i> | (Pers., 1801) Lev., 1867 |
| COSRCA | | <i>Coleosporium euphrasiae</i> | (Schumach., 1803) Winter, 1881 |
| COSRCA | | <i>Coleosporium melampyri</i> | (Rebent.) Karst., 1854 |
| COSRCA | | <i>Coleosporium narcissi</i> | Grove, 1922 |
| COSRCA | | <i>Coleosporium petasitidis</i> | (DC., 1805) Thiim., 1876 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|--|-----------------------------|
| COSRCA | | <i>Coleosporium petasitis</i> | de Bary, 1865 |
| COSRCA | | <i>Coleosporium rhinanthacearum</i> | Lev. |
| COSRCA | | <i>Coleosporium senecionis</i> | (Pers., 1801) Fr., 1867 |
| COSRCA | | <i>Coleosporium sonchi</i> | Lev., 1854 |
| COSRCA | | <i>Coleosporium sonchi-arvensis</i> | (Pers., 1801) Lev., 1860 |
| COSRCA | | <i>Coleosporium synantherarum</i> | Fr., 1849 |
| COSRCA | | <i>Coleosporium tropaeoli</i> | Palm, 1917 |
| COSRCA | | <i>Coleosporium tussilaginis melampyri</i> | Boerema y Verh., 1972 |
| COSRCA | | <i>Lindrothia calendulae</i> | (McAlpine, 1906) Syd., 1922 |
| COSRCA | | <i>Peridermium acerifolium</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Peridermium pinicola</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Peridermium plowrightii</i> | Kleb., 1892 |
| COSRCA | | <i>Puccinia calendulae</i> | McAlpine, 1906 |
| COSRCA | | <i>Puccinia sonchi-arvensis</i> | Tokun. y Kawai, 1931 |
| COSRCA | | <i>Uredo campanulae</i> | Pers., 1801 |
| COSRCA | | <i>Uredo compransor</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Uredo compransor var. petasitis</i> | (DC., 1805) Berk. |
| COSRCA | | <i>Uredo crustosa</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Uredo euphrasiae</i> | Schumach., 1803 |
| COSRCA | | <i>Uredo farinosa senecionis</i> | Pers., 1801 |
| COSRCA | | <i>Uredo melampyri</i> | Rebent., 1804 |
| COSRCA | | <i>Uredo petasitidis</i> | DC., 1805 |
| COSRCA | | <i>Uredo rhinanthacearum</i> | DC., 1808 |
| COSRCA | | <i>Uredo rhinantheorum</i> | Link, 1816 |
| COSRCA | | <i>Uredo senecionis</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Uredo sonchi</i> | (Pers., 1801) Berk. |
| COSRCA | | <i>Uredo tremellosa</i> | Decne. |
| COSRCA | | <i>Uredo tremellosa var. campanulae</i> | Strauss, 1810 |
| COSRCA | | <i>Uredo tremellosa var. sonchi</i> | Strauss, 1810 |
| COSRCA | | <i>Uredo tropaeoli</i> | Desm., 1836 |
| COSRCA | | <i>Uredo tussilaginis</i> | Pers., 1801 |
| COSRCA | | <i>Aecidium pini</i> | |
| COSRCA | | <i>Trichobasis cichoracearum</i> | |
| COSRCA | | <i>Trichobasis senecionis</i> | |
| COSRCA | | <i>Uredo sonchi-arvensis</i> | |
| COLLAC | <i>Colletotrichum acutatum</i> | | Simmonds, 1968 |
| COLLAC | | <i>Colletotrichum acutatum</i> | Simmonds, 1965 |
| COLLAC | | <i>Colletotrichum acutatum acutatum</i> | Simmonds, 1965 |
| COLLAC | | <i>Colletotrichum xanthii</i> | Halsted |
| COLLAC | | <i>Glomerella acutata</i> | Guerber y Correll 2001 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|--|-------------------------------------|
| COLLCC | <i>Colletotrichum coccodes</i> | | (Wallr., 1833) Hughes, 1958 |
| COLLCC | <i>Chaetomium coccodes</i> | | Wallr., 1833 |
| COLLCC | <i>Colletotrichum agaves</i> | | Cavara, 1892 |
| COLLCC | <i>Colletotrichum antirrhini</i> | | Stewart, 1900 |
| | | | (Berk. y Broome, 1850) |
| COLLCC | <i>Colletotrichum atramentarium</i> | | Taubenh., 1916 |
| COLLCC | <i>Colletotrichum azaleae</i> | | Ellis y Everh., 1895 |
| COLLCC | <i>Colletotrichum cajani</i> | | Henn. |
| COLLCC | <i>Colletotrichum camelliae</i> | | Massee, 1899 |
| COLLCC | <i>Colletotrichum commeliniae</i> | | Ellis y Everh., 1895 |
| COLLCC | <i>Colletotrichum crotalariae</i> | | Petch, 1917 |
| COLLCC | <i>Colletotrichum cyclamenae</i> | | Halst. |
| COLLCC | <i>Colletotrichum dioscoreae</i> | | Tehon, 1933 |
| COLLCC | <i>Colletotrichum elasticae</i> | | Zimm. |
| | | | |
| COLLCC | <i>Colletotrichum foliicola</i> | | (Nishida, 1924) Sawada, 1959 |
| COLLCC | <i>Colletotrichum fructigenum</i> | | Berk. |
| COLLCC | <i>Colletotrichum ipomoeae</i> | | da Camara, 1931 |
| COLLCC | <i>Colletotrichum kruegerianum</i> | | Vassiljevsky, 1950 |
| COLLCC | <i>Colletotrichum melongenae</i> | | Lobik, 1928 |
| | | | (Ellis y Everh., 1888) Sawada, 1959 |
| COLLCC | <i>Colletotrichum opuntiae</i> | | |
| | | | |
| COLLCC | <i>Colletotrichum phomoides</i> | | (Sacc., 1884) Chester, 1894 |
| COLLCC | <i>Colletotrichum piperatum</i> | | Ellis y Everh. |
| COLLCC | <i>Colletotrichum pisi</i> | | Pat. |
| COLLCC | <i>Colletotrichum primulae</i> | | Moesz, 1924 |
| COLLCC | <i>Colletotrichum vanillae</i> | | Verpl. y Claess., 1934 |
| COLLCC | <i>Gloeosporium alborubrum</i> | | Petch, 1906 |
| COLLCC | <i>Gloeosporium amygdalinum</i> | | Brizi, 1896 |
| COLLCC | <i>Gloeosporium cactorum</i> | | Stoneman, 1898 |
| COLLCC | <i>Gloeosporium callae</i> | | Oudem., 1903 |
| COLLCC | <i>Gloeosporium cingulatum</i> | | Atk., 1892 |
| COLLCC | <i>Gloeosporium dendrobii</i> | | Maubl., 1906 |
| COLLCC | <i>Gloeosporium elasticae</i> | | Cooke y Massee |
| COLLCC | <i>Gloeosporium eucalypti</i> | | McAlpine, 1904 |
| COLLCC | <i>Gloeosporium foliicola</i> | | Nishida, 1924 |
| COLLCC | <i>Gloeosporium foliicolum</i> | | Nishida, 1924 |
| COLLCC | <i>Gloeosporium fructigenum</i> | | Berk. |
| | | | |
| COLLCC | <i>Gloeosporium fructigenum f. olivarum</i> | | (Almeida, 1899) Gorter, 1962 |
| COLLCC | <i>Gloeosporium hawaiiense</i> | | Thdrn. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|--|----------------------------------|
| COLLCC | | <i>Gloeosporium kaki</i> | Hori |
| COLLCC | | <i>Gloeosporium lycopersici</i> | KrQger |
| COLLCC | | <i>Gloeosporium mangiferae</i> | Henn., 1898 |
| COLLCC | | <i>Gloeosporium manihotis</i> | Henn., 1903 |
| COLLCC | | <i>Gloeosporium melongenae</i> | Sacc., 1917 |
| COLLCC | | <i>Gloeosporium ochraceum</i> | Patt., 1900 |
| COLLCC | | <i>Gloeosporium oleae</i> | Patt., 1900 |
| COLLCC | | <i>Gloeosporium olivarum</i> | Almeida, 1899 |
| COLLCC | | <i>Gloeosporium opuntiae</i> | Ellis y Everh., 1888 |
| COLLCC | | <i>Gloeosporium passiflorae</i> | Speg., 1899 |
| COLLCC | | <i>Gloeosporium phomoides</i> | Sacc., 1884 |
| COLLCC | | <i>Gloeosporium piperatum</i> | Ellis y Everh., 1891 |
| COLLCC | | <i>Gloeosporium psidii</i> | Delacr., 1903 |
| COLLCC | | <i>Gloeosporium rubicola</i> | Ellis y Everh., 1896 |
| COLLCC | | <i>Gloeosporium syringae</i> | Allesch., 1895 |
| COLLCC | | <i>Gloeosporium vanillae</i> | Cooke, 1886 |
| COLLCC | | <i>Gloeosporium vexans</i> | Atk., 1897 |
| COLLCC | | <i>Glomerella lycopersici</i> | KrQger |
| COLLCC | | <i>Phomopsis phomoides</i> | (Sacc., 1884) Arx, 1957 |
| COLLCC | | <i>Vermicularia atramentaria</i> | Berk. y Broome, 1850 |
| COLLCC | | <i>Colletotrichum gloeosporioides f.sp. melongenae</i> | |
| COLLDE | <i>Colletotrichum dematium</i> | | (Pers., 1801) Grove, 1918 |
| COLLDE | | <i>Colletotrichum bakeri</i> | (Syd. y Syd., 1916) Mundk., 1938 |
| COLLDE | | <i>Colletotrichum brassicae</i> | Schulzer y Sacc., 1884 |
| COLLDE | | <i>Colletotrichum erumpens</i> | (Sacc.) Sacc. |
| COLLDE | | <i>Colletotrichum hibisci</i> | Pollacci |
| COLLDE | | <i>Colletotrichum lineola</i> | (Corda) Sacc. |
| COLLDE | | <i>Colletotrichum lysimachiae</i> | Duke, 1928 |
| COLLDE | | <i>Colletotrichum maculans</i> | (Link) Dicks. |
| COLLDE | | <i>Colletotrichum platani</i> | da Camara |
| COLLDE | | <i>Colletotrichum pucciniphilum</i> | Togashi, 1936 |
| COLLDE | | <i>Colletotrichum sanguisorbae</i> | Bres., 1894 |
| COLLDE | | <i>Colletotrichum uncinatum</i> | (Berk. y Curt.) Duke |
| COLLDE | | <i>Colletotrichum violarum</i> | Davis |
| COLLDE | | <i>Colletotrichum volutella</i> | Sacc. y Malbr., 1882 |
| COLLDE | | <i>Dinemasprium dianthi</i> | (Westend.) Oudem. |
| COLLDE | | <i>Ellisiellina volutella</i> | (Sacc.) Bat., 1956 |
| COLLDE | | <i>Exosporium dematium</i> | (Pers., 1801) Link, 1825 |
| COLLDE | | <i>Sphaeria dematium</i> | Pers., 1801 |
| COLLDE | | <i>Sphaeria dematium var. dematium</i> | Pers., 1801 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|---|--|
| COLLDE | | <i>Vermicularia bakeri</i> | Syd. y Syd., 1916 |
| COLLDE | | <i>Vermicularia dematium</i> | (Pers., 1801) Fr., 1829 |
| COLLDE | | <i>Vermicularia dianthi</i> | Westend. |
| COLLDE | | <i>Vermicularia echinata</i> | Kirschst., 1939 |
| COLLDE | | <i>Vermicularia lagunensis</i> | Syd. y Syd., 1916 |
| COLLDE | | <i>Vermicularia lysimachiae</i> | (Duke, 1928) Vassiljevsky, 1950 |
| COLLDE | | <i>Vermicularia volutella</i> | (Sacc. y Malbr.) Grove, 1937 |
| COLLDU | <i>Colletotrichum truncatum</i> | | (Schwein., 1832) Andrus y Moore, 1935 |
| COLLDU | | <i>Colletotrichum dematium f. truncatum</i> | (Schwein., 1832) Arx, 1957 |
| COLLDU | | <i>Vermicularia truncata</i> | Schwein., 1832 |
| CONICA | <i>Coniothyrium callicarpae</i> | | Cooke |
| CONICA | | <i>Clisosporium callicarpae</i> | (Cooke) Kuntze, 1898 |
| CONIWE | <i>Coniothyrium wernsdorffiae</i> | | Laubert, 1905 |
| CONIWE | | <i>Coniothyrium cystotricha</i> | (Schulzer, 1871) Sacc. y Traverso, 1910 |
| CONIWE | | <i>Sacidium cystotricha</i> | Schulzer, 1871 |
| CORYCA | <i>Corynespora cassiicola</i> | | (Berk. y Curtis, 1868) Wei, 1950 |
| CORYCA | | <i>Cercospora melonis</i> | Cooke, 1896 |
| CORYCA | | <i>Cercospora vignicola</i> | Kawamura, 1931 |
| CORYCA | | <i>Corynespora melonis</i> | (Cooke, 1896) Saccardo, 1913 |
| CORYCA | | <i>Corynespora vignicola</i> | (Kawamura, 1931) Goto, 1950 |
| CORYCA | | <i>Helminthosporium cassiicola</i> | Berk. y Curtis, 1868 |
| CORYCA | | <i>Helminthosporium papayae</i> | Syd., 1923 |
| CORYCA | | <i>Helminthosporium vignae</i> | Olive et al., 1945 |
| CORYCA | | <i>Helminthosporium vignicola</i> | (Kawamura, 1931) Olive, 1949 |
| CORYCA | | <i>Corynespora melonis</i> | (Cooke, 1896) Lindau |
| CRSPUM | <i>Cryptosporella umbrina</i> | | (Jenkins, 1918) Jenkins y Wehmeyer, 1935 |
| CRSPUM | | <i>Diaporthe umbrina</i> | Jenkins, 1918 |
| CRSPUM | | <i>Kensinia umbrina</i> | (Jenkins, 1918) Reid y Booth, 1989 |
| CURVTR | <i>Curvularia trifolii</i> | | (Kauffman, 1920) Boedijn, 1933 |
| CURVTR | | <i>Brachysporium trifolii</i> | Kauffman, 1920 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|--|---|
| CURVTR | | <i>Curvularia trifolii f. trifolii</i> | (Kauffman, 1920) Boedijn, 1933 |
| CYLDPT | <i>Cylindrocladium pteridis</i> | | Wolf, 1926 |
| CYLDPT | | <i>Cylindrocladium macrosporum</i> | Sherb. |
| MYCOMA | <i>Davidiella macrospora</i> | | (Kleb., 1924) Crous y Braun, 2003 |
| MYCOMA | | <i>Acroconidiella gracilis</i> | (Wallr., 1833) Alippi y Dal Bello, 1988 |
| MYCOMA | | <i>Brachysporium gracile</i> | (Wallr., 1833) Saccardo, 1886 |
| MYCOMA | | <i>Didymellina macrospora</i> | Kleb., 1924 |
| MYCOMA | | <i>Helminthosporium gracile</i> | Wallr., 1833 |
| MYCOMA | | <i>Heterosporium gracile</i> | (Wallr., 1833) Saccardo, 1886 |
| MYCOMA | | <i>Mycosphaerella macrospora</i> | (Kleb., 1924) J0rst., 1945 |
| MYCOTA | <i>Davidiella tassiana</i> | | (De Notaris, 1863) Crous y Braun, 2003 |
| MYCOTA | | <i>Carlia tulasnei</i> | (Jancz., 1894) Hohn., 1930 |
| MYCOTA | | <i>Cladosporium cladosporioides</i> | |
| MYCOTA | | <i>Cladosporium graminum</i> | Corda, 1824 |
| MYCOTA | | <i>Cladosporium herbarum</i> | Fr. |
| MYCOTA | | <i>Gnomonia schoenoprasii</i> | Ces. y De Notaris, 1863 |
| MYCOTA | | <i>Mycosphaerella schoenoprasii</i> | Rabenh., 1894 |
| MYCOTA | | <i>Mycosphaerella tassiana</i> | (De Notaris, 1863) Johanson, 1884 |
| MYCOTA | | <i>Mycosphaerella tulasnei</i> | (Jancz., 1894) Lindau, 1903 |
| MYCOTA | | <i>Phaeosphaerella schoenoprasii</i> | (Ces. y De Notaris, 1863) Petr., 1928 |
| MYCOTA | | <i>Sphaerella schoenoprasii</i> | Auersw., 1860 |
| MYCOTA | | <i>Sphaerella tassiana</i> | De Notaris, 1863 |
| MYCOTA | | <i>Sphaerella tulasnei</i> | Jancz., 1894 |
| MYCOTA | | <i>Vermicularia schoenoprasii</i> | Rabenh., 1862 |
| HELMMO | <i>Dendryphiella vinosa</i> | | (Berkeley y Curtis) Reisinger, 1968 |
| HELMMO | | <i>Curvularia interseminata</i> | (Berkeley y Ravenel) Gilman, 1945 |
| HELMMO | | <i>Dendryphiella interseminata</i> | (Berkeley y Ravenel) Bubak y Ranoj., 1914 |
| HELMMO | | <i>Dendryphion interseminatum</i> | (Berkeley y Ravenel) Hughes, 1953 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| HELMMO | | <i>Dendryphion nodulosum</i> | Saccardo, 1877 |
| HELMMO | | <i>Dendryphion vinosum</i> | (Berkeley y Curtis) Hughes, 1958 |
| HELMMO | | <i>Helminthosporium interseminatum</i> | Berkeley y Ravenel, 1875 |
| HELMMO | | <i>Helminthosporium molle</i> | Berkeley y Curtis, 1869 |
| HELMMO | | <i>Helminthosporium vinosum</i> | Berkeley y Curtis, 1869 |
| HELMMO | | <i>Heterosporium interseminatum</i> | (Berkeley y Ravenel) Atk., 1897 |
| DIAPPM | <i>Diaporthe phaseolorum var. meridionalis</i> | | Fernandez, 1996 |
| DIAPPM | | <i>Diaporthe phaseolorum f.sp. meridionalis</i> | |
| DIAPPS | <i>Diaporthe phaseolorum var. sojae</i> | | (Lehman, 1922) Wehm., 1933 |
| DIAPPS | | <i>Diaporthe sojae</i> | Lehman, 1923 |
| DIAPPS | | <i>Phomopsis phaseoli var. sojae</i> | (Lehman) Wehm. |
| DIAPPS | | <i>Phomopsis phaseoli var. sojae</i> | (Lehman, 1922) Sacc. |
| DIAPPS | | <i>Phomopsis sojae</i> | Lehman, 1922 |
| DIAPVA | <i>Diaporthe vaccinii</i> | | Shear, 1931 |
| DIAPVA | | <i>Phomopsis vaccinii</i> | Shear et al., 1931 |
| PHOPVE | <i>Diaporthe vexans</i> | | Gratz, 1942 |
| PHOPVE | | <i>Ascochyta hortorum</i> | (Speg.) Sm. |
| PHOPVE | | <i>Phoma solani</i> | Cooke y Harkn., 1891 |
| PHOPVE | | <i>Phoma solani</i> | Halst. |
| PHOPVE | | <i>Phoma vexans</i> | Saccardo y Sydow, 1899 |
| PHOPVE | | <i>Phomopsis vexans</i> | (Saccardo y Sydow, 1899) Harter, 1914 |
| PHOPVE | | <i>Phyllosticta hortorum</i> | Speg. |
| DIDYBR | <i>Didymella bryoniae</i> | | (Auersw., 1869) Rehm, 1881 |
| DIDYBR | | <i>Ascochyta citrullina</i> | (Chester, 1891) Smith, 1905 |
| DIDYBR | | <i>Ascochyta cucumis</i> | Fautrey y Roum., 1891 |
| DIDYBR | | <i>Ascochyta melonis</i> | Potebnja, 1910 |
| DIDYBR | | <i>Cercidospora effusa</i> | (Niessl) Kuntze, 1898 |
| DIDYBR | | <i>Cercidospora melonis</i> | (Pass.) Kuntze, 1898 |
| DIDYBR | | <i>Cercospora citrullina</i> | Cooke, 1883 |
| DIDYBR | | <i>Cercospora cucurbitae</i> | Ellis y Everh., 1888 |
| DIDYBR | | <i>Didymella effusa</i> | (Niessl) Saccardo, 1882 |
| DIDYBR | | <i>Didymella melonis</i> | Pass., 1891 |
| DIDYBR | | <i>Didymosphaeria bryoniae</i> | (Auersw.) Niessl, 1875 |
| DIDYBR | | <i>Didymosphaeria effusa</i> | Niessl |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|----------------------------------|--|
| DIDYBR | | <i>Didymosphaeria effusa</i> | Saccardo |
| DIDYBR | | <i>Didymosphaeria melonis</i> | Pidoplichko |
| DIDYBR | | <i>Diplodina citrullina</i> | (Chester) Grossenbacher, 1909 |
| DIDYBR | | <i>Mycosphaerella citrullina</i> | (Smith) Grossenbacher, 1909 |
| DIDYBR | | <i>Mycosphaerella cucumis</i> | (Fautrey y Roum.) Chiu y Walker, 1949 |
| DIDYBR | | <i>Mycosphaerella melonis</i> | (Pass.) Chiu y Walker, 1949 |
| DIDYBR | | <i>Phoma cucurbitacearum</i> | (Fr. ex Fr.) Saccardo |
| DIDYBR | | <i>Phyllosticta citrullina</i> | Chester, 1891 |
| DIDYBR | | <i>Sphaerella bryoniae</i> | Auersw., 1869 |
| DIDYBR | | <i>Sphaerella citrullina</i> | (Smith) Saccardo y Traverso, 1911 |
| DIDYBR | | <i>Sphaeria bryoniae</i> | Fuckel, 1870 |
| MYCOHL | <i>Didymella holci</i> | | (Tehon, 1937) Arx, 1987 |
| MYCOHL | | <i>Epicoccum sorghi</i> | (Saccardo, 1878) Aveskamp et al., 2010 |
| MYCOHL | | <i>Mycosphaerella holci</i> | Tehon, 1937 |
| MYCOHL | | <i>Phoma insidiosa</i> | Tassi, 1898 |
| MYCOHL | | <i>Phoma sorghina</i> | (Saccardo, 1878) Boerema et al., 1973 |
| MYCOHL | | <i>Phyllosticta sorghina</i> | Saccardo, 1878 |
| MYCORA | <i>Didymella rabiei</i> | | (Kovatschevski, 1936) Arx, 1962 |
| MYCORA | | <i>Mycosphaerella rabiei</i> | Kovatschevski, 1936 |
| MYCORA | | <i>Ascochyta rabiei</i> | (Pass.) Labr., 1930 |
| MYCORA | | <i>Mycosphaerella rabiei</i> | Kovatschevsky ex Gruyter, 2004 |
| MYCORA | | <i>Phyllosticta rabiei</i> | (Pass.) Trotter |
| MYCORA | | <i>Zythia rabiei</i> | Pass. |
| MYCORA | | <i>Phyllosticta cicerina</i> | Prillinger y Delacr. (1893) |
| DIPLTU | <i>Diplotheca tunae</i> | | (Spreng., 1820) Starback, 1893 |
| DIPLTU | | <i>Sphaeria tunae</i> | Spreng., 1820 |
| DIPLTU | | <i>Saccardia tunae</i> | (Spreng., 1820) Starback, 1894 |
| DIPLTU | | <i>Myriangium tunae</i> | (Spreng., 1820) Petr., 1929 |
| ECHIBR | <i>Echidnoderes bromeliacearum</i> | | (Rehm) Theiss. y Sydow, 1918 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|--|--|
| ECHIBR | | <i>Echidnodes bromeliae</i> | Ryan, 1924 |
| ASPEND | <i>Emericella nidulans</i> | | (Eidam, 1883) Vuillemin, 1927 |
| ASPEND | | <i>Aspergillus heterothallicus</i> | Kwon et al., 1965. |
| ASPEND | | <i>Aspergillus nidulans</i> | (Eidam, 1883) Winter, 1884 |
| ASPEND | | <i>Aspergillus nidulans var. latus</i> | Thom y Raper, 1939 |
| ASPEND | | <i>Aspergillus nidulans var. nicollei</i> | (Pinoy) Pinoy |
| ASPEND | | <i>Aspergillus nidulellus</i> | Samson y Gams, 1986 |
| ASPEND | | <i>Diplostephanus nidulans</i> | (Eidam, 1883) Langeron, 1922 |
| ASPEND | | <i>Diplostephanus nidulans var. nicollei</i> | (Pinoy) Neveu, 1921 |
| ASPEND | | <i>Emericella heterothallica</i> | (Kwon et al., 1965) Malloch y Cain, 1972 |
| ASPEND | | <i>Emericella nidulans var. dentata</i> | Subram., 1972 |
| ASPEND | | <i>Emericella nidulans var. echinulata</i> | Godeas, 1972 |
| ASPEND | | <i>Emericella nidulans var. lata</i> | (Thom y Raper, 1939) Subram., 1972 |
| ASPEND | | <i>Sterigmatocystis nidulans</i> | Eidam, 1883 |
| ASPEND | | <i>Sterigmatocystis nidulans var. nicollei</i> | Pinoy |
| VIZEIN | <i>Entopeltis interrupta</i> | | (Winter, 1884) Hohnel, 1910 |
| VIZEIN | | <i>Asterina interrupta</i> | Winter, 1884 |
| VIZEIN | | <i>Vizella interrupta</i> | (Winter) Hughes, 1953 |
| ENTYER | <i>Entyloma eryngii</i> | | (Corda, 1839) de Bary, 1874 |
| ENTYER | | <i>Physoderma eryngii</i> | Corda, 1839 |
| ENTYVE | <i>Entyloma veronicae</i> | | (Halsted, 1890) Lagerheim, 1891 |
| ENTYVE | | <i>Entyloma linariae f. veronicae</i> | Halsted, 1890 |
| ENTYVE | | <i>Entyloma veronicicola</i> | Lindroth, 1904 |
| ENTYVE | | <i>Entylomella pygmaea</i> | (Lindroth, 1902) Braun, 1994 |
| ENTYVE | | <i>Ramularia pygmaea</i> | Lindroth, 1902 |
| UNCIAU | <i>Erysiphe austaliana</i> | | (McAlpine, 1899) Braun y Takam., 2000 |
| UNCIAU | | <i>Uncinulielia austaliana</i> | (McAlpine, 1899) Zheng y Chen, 1982 |
| UNCIAU | | <i>Uncinula austaliana</i> | McAlpine, 1899 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|---|
| FUSAST | <i>Fusarium incarnatum</i> | | (Roberge, 1849) Saccardo, 1886 |
| FUSAST | | <i>Fusarium pallidoroseum</i> | (Cooke, 1878) Saccardo, 1886 |
| FUSAST | | <i>Fusarium pallidoroseum</i> var. <i>majus</i> | (Wollenw., 1931) Castaneda et al., 1989 |
| FUSAST | | <i>Fusarium semitectum</i> | Berk. y Ravenel, 1875 |
| FUSAST | | <i>Fusarium semitectum</i> var. <i>majus</i> | Wollenw., 1931 |
| FUSAST | | <i>Fusarium semitectum</i> var. <i>semitectum</i> | Berk. y Ravenel, 1875 |
| FUSAST | | <i>Fusisporium incarnatum</i> | Roberge (ex Desm.), 1849 |
| FUSAST | | <i>Fusisporium pallidoroseum</i> | Cooke, 1878 |
| FUSAST | | <i>Pseudofusarium semitectum</i> | (Berk. y Ravenel, 1875) Matsush., 1975 |
| FUSAEE | <i>Fusarium oxysporum</i> f.sp. <i>aechmeae</i> | | Gordon, 1965 |
| FUSAEE | | <i>Fusarium oxysporum</i> f. <i>aechmeae</i> | Sauthoff, 1957 |
| FUSAEE | | <i>Fusarium bulbigenum</i> f.sp. <i>aechmeae</i> | Gerlach y Sauthoff |
| FUSAAS | <i>Fusarium oxysporum</i> f.sp. <i>asparagi</i> | | Cohen, 1946 |
| FUSAAS | | <i>Fusarium asparagi</i> | Briard |
| FUSACB | <i>Fusarium oxysporum</i> f.sp. <i>cubense</i> | | (Smith, 1910) Snyder y Hansen, 1940 |
| FUSACB | | <i>Fusarium cubense</i> | Smith, 1910 |
| FUSACB | | <i>Fusarium cubense</i> var. <i>inodoratum</i> | Brandes, 1919 |
| FUSACB | | <i>Fusarium oxysporum</i> f. <i>cubense</i> | (Smith, 1910) Snyder y Hansen, 1940 |
| FUSACB | | <i>Fusarium oxysporum</i> var. <i>cubense</i> | (Smith, 1910) Wollenw., 1935 |
| FUSACB | | <i>Fusarium</i> var. <i>cubense</i> | (Smith) Wollenw. |
| FUSAGL | <i>Fusarium oxysporum</i> f.sp. <i>gladioli</i> | | (Massey, 1926) Snyder y Hansen, 1940 |
| FUSAGL | | <i>Fusarium oxysporum</i> var. <i>gladioli</i> | Massey, 1926 |
| FUSAGL | | <i>Fusarium orthoceras</i> var. <i>gladioli</i> | McCulloch, 1944 |
| FUSAGL | | <i>Fusarium oxysporum</i> f. <i>gladioli</i> | (Massey, 1926) Snyder y Hansen, 1940 |
| FUSAGL | | <i>Fusarium gladioli</i> | |
| FUSAME | <i>Fusarium oxysporum</i> f.sp. <i>melongenae</i> | | Matuo y Ishigami, 1958 |
| FUSAME | | <i>Fusarium oxysporum</i> f. <i>melongenae</i> | Matuo y Ishigami, 1958 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| FUSASE | <i>Fusarium oxysporum f.sp. sesami</i> | | Jacz. |
| FUSASE | | <i>Fusarium oxysporum sesami</i> | Castell. |
| FUSASE | | <i>Fusarium sesami</i> | |
| FUSAVA | <i>Fusarium oxysporum f.sp. vasinfectum</i> | | (Atkinson, 1892) Snyder y Hansen, 1940 |
| FUSAVA | | <i>Fusarium oxysporum vasinfectum</i> | Snyder y Hansen, 1940 |
| FUSAVA | | <i>Fusarium oxysporum f. vasinfectum</i> | (Atkinson, 1892) Snyder y Hansen, 1940 |
| FUSAVA | | <i>Fusarium vasinfectum</i> | Atkinson, 1892 |
| FUSACR | <i>Fusarium solani f.sp. cucurbitae</i> | | Snyder y Hansen, 1941 |
| FUSACR | | <i>Nectria haematococca var. cucurbitae</i> | (Snyder y Hansen, 1941) Dingley |
| FUSACR | | <i>Fusarium solani cucurbitae</i> | Snyder y Hansen, 1941 |
| FUSAPI | <i>Fusarium solani f.sp. pisi</i> | | (Jones, 1923) Snyder y Hansen, 1941 |
| FUSAPI | | <i>Fusarium martii var. pisi</i> | Jones, 1923 |
| FUSAPI | | <i>Fusarium solani f. pisi</i> | (Jones) Snyder y Hansen, 1941 |
| FUSAPI | | <i>Fusarium solani var. martii Raza 2</i> | (Appel y Wollenw.) Wollenw. |
| GAEUGR | <i>Gaeumannomyces graminis var. Graminis</i> | | (Saccardo) Arx y Olivier |
| GAEUGR | | <i>Gaeumannomyces graminis graminis</i> | (Saccardo) Arx y Olivier |
| GAEUGR | | <i>Ophiobolus oryzinus</i> | Saccardo |
| GAEUGR | | <i>Linocarpon cariceti</i> | |
| GAEUGR | | <i>Ophiobolus graminis var. graminis</i> | |
| GAEUGR | | <i>Linocarpon oryzinum</i> | |
| GANOLU | <i>Ganoderma lucidum</i> | | (Curtis, 1781) Karsten, 1881 |
| GANOLU | | <i>Agarico-igniarium trulla</i> | Paulet, 1793 |
| GANOLU | | <i>Agaricus lignosus</i> | Lam., 1783 |
| GANOLU | | <i>Agaricus pseudoboletus</i> | Jacq., 1773 |
| GANOLU | | <i>Boletus castaneus</i> | Weber, 1787 |
| GANOLU | | <i>Boletus crustatus</i> | Planer, 1788 |
| GANOLU | | <i>Boletus dimidiatus</i> | Thunb., 1784 |
| GANOLU | | <i>Boletus flabelliformis</i> | Leyss., 1761 |
| GANOLU | | <i>Boletus laccatus</i> | Timm, 1788 |
| GANOLU | | <i>Boletus lucidus</i> | Curtis, 1781 |
| GANOLU | | <i>Boletus obliquatus</i> | Bull., 1781 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------|--|----------------------------------|
| GANOLU | | <i>Boletus ramulosum</i> var. <i>Flabelliformis</i> | (Leyss., 1761) Gmel., 1792 |
| GANOLU | | <i>Boletus rugosus</i> | Jacq., 1774 |
| GANOLU | | <i>Boletus supinus</i> var. <i>Castaneus</i> | (Weber, 1787) Gmel., 1792 |
| GANOLU | | <i>Boletus verniceus</i> | Brot., 1804 |
| GANOLU | | <i>Boletus vernicosus</i> | Bergeret, 1783 |
| GANOLU | | <i>Fomes lucidus</i> | (Curtis, 1781) Cooke, 1885 |
| GANOLU | | <i>Ganoderma nitens</i> | Ibiza, 1916 |
| GANOLU | | <i>Ganoderma ostreatum</i> | Ibiza, 1916 |
| GANOLU | | <i>Ganoderma pseudoboletus</i> | (Jacq., 1773) Murrill, 1902 |
| GANOLU | | <i>Grifola lucida</i> | (Curtis, 1781) Gray, 1821 |
| GANOLU | | <i>Phaeoporus lucidus</i> | (Curtis, 1781) Schrot., 1888 |
| GANOLU | | <i>Placodes lucidus</i> | (Curtis, 1781) Quel., 1888 |
| GANOLU | | <i>Polyporus laccatus</i> | (Timm) Persoon, 1825 |
| GANOLU | | <i>Polyporus lucidus</i> | (Curtis, 1781) Fr., 1821 |
| GIBBAC | <i>Gibberella acuminata</i> | | Wollenweber |
| GIBBAC | | <i>Fusarium acuminatum</i> | Ell. y Kellerman |
| GIBBAC | | <i>Fusarium scirpi</i> | Lambotte y Fautrey |
| GIBBAC | | <i>Fusarium scirpi</i> var. <i>acuminatum</i> | (Ell. y Kellerman) Raillo |
| GIBBAV | <i>Gibberella avenacea</i> | | Cook |
| GIBBAV | | <i>Fusarium avenaceum</i> | (Corda: Fr.) Saccardo |
| GIBBAV | | <i>Fusarium roseum</i> var. <i>avenaceum</i> | (Saccardo) Hansen |
| GIBBAV | | <i>Fusarium avenaceum</i> f.sp. <i>fabae</i> | (Yu) Yamamoto |
| GIBBAV | | <i>Fusarium avenaceum</i> subsp. <i>aywerte</i> | Sangal. y Burgess |
| GIBBFU | <i>Gibberella fujikuroi</i> | | (Sawada, 1919) Wollenw., 1931 |
| GIBBFU | | <i>Alysidiumperticillioides</i> | (Saccardo, 1882) Kuntze, 1898 |
| GIBBFU | | <i>Fusarium moniliforme</i> | Sheldon, 1904 |
| GIBBFU | | <i>Fusarium verticillioides</i> | (Saccardo, 1882) Nirenberg, 1976 |
| GIBBFU | | <i>Gibberella fujikuroi</i> var. <i>moniliformis</i> | (Wineland, 1924) Kuhlman, 1982 |
| GIBBFU | | <i>Gibberella moniliformis</i> | Wineland, 1924 |
| GIBBFU | | <i>Lisea fujikuroi</i> | Sawada, 1919 |
| GIBBFU | | <i>Oospora verticillioides</i> | Saccardo, 1882 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|---|--|
| GIBBFU | | <i>Gibberella moniliforme</i> | |
| GIBBIN | <i>Gibberella intricans</i> | | Wollenw., 1930 |
| GIBBIN | | <i>Fusarium equiseti</i> | (Corda, 1838) Saccardo, 1886 |
| GIBBIN | | <i>Fusarium falcatum</i> | Appel y Wollenw. |
| GIBBIN | | <i>Fusarium gibbosum</i> | Appel y Wollenw., 1910 |
| GIBBIN | | <i>Fusarium roseum var. gibbosum</i> | (Appel y Wollenw., 1910) Messiaen y Cass., 1988 |
| GIBBIN | | <i>Selenosporium equiseti</i> | Corda, 1838 |
| GIBBIN | | <i>Fusarium roseum var. equiseti</i> | |
| GIBBST | <i>Gibberella stilboides</i> | | Gordon ex Booth |
| GIBBST | | <i>Fusarium stilboides</i> | Wollenweber |
| GIBBST | | <i>Fusarium lateritium var. longum</i> | Wollenweber |
| GIBBST | | <i>Fusarium stilboides var. minus</i> | |
| GIBBST | | <i>Fusarium lateritium var. stilboides</i> | (Wellenweber) Bilai |
| GLOMTU | <i>Glomerella tucumanensis</i> | | (Spegazzini) Arx y Mollier, 1954 |
| GLOMTU | | <i>Colletotrichum falcatum</i> | Went |
| GLOMTU | | <i>Physalospora tucumanensis</i> | Spegazzini, 1896 |
| GLOMTU | | <i>Colletotrichum graminicola f. zonatum</i> | |
| OIDIBE | <i>Golovinomyces orontii</i> | | (Castagne) Heluta |
| OIDIBE | | <i>Erysiphe orontii</i> | Castagne |
| OIDIBE | | <i>Erysiphe tabaci</i> | Sawada |
| OIDIBE | | <i>Erysiphe polyphega</i> | Hammarl. |
| OIDIBE | | <i>Oidium violae</i> | Pass. |
| OIDIBE | | <i>Oidium begoniae</i> | Puttem. |
| GUIGMU | <i>Guignardia musae</i> | | Raciborsky, 1909 |
| GUIGMU | | <i>Phyllostictina musarum</i> | (Cooke) Petr. |
| GUIGMU | | <i>Sphaeropsis musarum</i> | Cooke |
| GUIGMU | | <i>Phoma musae</i> | (Cooke) Saccardo |
| GUIGMU | | <i>Macrophoma musae</i> | (Cooke) Berl. y Voglino |
| GUIGMU | | <i>Phyllosticta musarum</i> | (Cooke) |
| GUIGMU | | <i>Phomatospora musae</i> | Yen, 1973 |
| GYMNCL | <i>Gymnosporangium clavipes</i> | | Cooke y Peck, 1873 |
| GYMNCL | | <i>Podisoma gymnosporangium var. clavipes</i> | Cooke y Peck |
| GYMNCL | | <i>Caeoma germinale</i> | Schwein. |
| GYMNCL | | <i>Roestelia aurantiaca</i> | Peck |
| GYMNCL | | <i>Gymnosporangium germinale</i> | Kern |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|-------------------------------------|
| GYMNGL | <i>Gymnosporangium globosum</i> | | Farlow, 1880 |
| GYMNGL | | <i>Gymnosporangium fuscum var. globosum</i> | Farlow |
| GYMNJV | <i>Gymnosporangium juniperi-virginianae</i> | | Schweinitz, 1822 |
| GYMNV | | <i>Aecidium pyrolatum</i> | Schweinitz |
| GYMNJV | | <i>Gymnosporangium macropus</i> | Link |
| GYMNJV | | <i>Gymnosporangium virginianum</i> | Spreng. |
| GYMNJV | | <i>Roestelia pyrata</i> | Thaxt. |
| GYMNJV | | <i>Podisoma juniperi-virginianae</i> | (Schweinitz) Fr., 1832 |
| HELMSO | <i>Helminthosporium solani</i> | | Durieu y Montagne, 1848 |
| HELMSO | | <i>Brachysporium solani</i> | (Durieu y Montagne) |
| HELMSO | | <i>Cladosporium abietinum</i> | Saccardo, 1886 |
| HELMSO | | <i>Dematium atrovirens</i> | Zukal, 1887 |
| HELMSO | | <i>Helminthosporium atrovirens</i> | (Harz, 1871) Mason y Hughes, 1953 |
| HELMSO | | <i>Spondylocladium abietinum</i> | Saccardo, 1892 |
| HELMSO | | <i>Spondylocladium atrovirens</i> | (Harz, 1871) Harz ex Saccardo, 1886 |
| HEMICO | <i>Hemileia coffeicola</i> | | Maublanc y Roger, 1934 |
| HEMICO | | <i>Uredo coffeicola</i> | Maublanc y Roger |
| IRENCU | <i>Irenopsis cupaniae</i> | <i>Irenopsis cupani</i> | (Stevens, 1916) Stevens, 1927 |
| IRENCU | | <i>Meliola cupaniae</i> | Stevens, 1916 |
| AUREPL | <i>Kabatiella lini</i> | | (Lafferty, 1921) Karakulin, 1957 |
| AUREPL | | <i>Aureobasidium lini</i> | (Lafferty) Hermanides, 1977 |
| AUREPL | | <i>Aureobasidium pullulans var. lini</i> | (Lafferty) Cooke, 1962 |
| AUREPL | | <i>Discosphaerina fulvida</i> | (Sanderson, 1965) Sivan, 1984 |
| AUREPL | | <i>Guignardia fulvida</i> | Sanderson, 1965 |
| AUREPL | | <i>Microstroma lini</i> | (Lafferty, 1921) Krenner, 1954 |
| AUREPL | | <i>Polyspora lini</i> | Lafferty, 1921 |
| AUREPL | | <i>Pullularia pullulans var. lini</i> | (Lafferty, 1921) White, 1945 |
| KABAMI | <i>Kabatiella microsticta</i> | | Bubak, 1907 |
| KABAMI | | <i>Aureobasidium microstictum</i> | (Bubak, 1907) Cooke, 1962 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|-----------------------------------|--|
| PHYORH | <i>Lasiodiplodia theobromae</i> | | (Pat., 1892) Griffiths y Maubl., 1909 |
| PHYORH | | <i>Botryodiplodia ananassae</i> | (Saccardo) Petr., 1929 |
| PHYORH | | <i>Botryodiplodia elasticae</i> | Petch, 1906 |
| PHYORH | | <i>Botryodiplodia gossypii</i> | Ellis y Barthol |
| PHYORH | | <i>Botryodiplodia theobromae</i> | Pat., 1892 |
| PHYORH | | | (Ellis y Everh., 1896) Petr., 1923 |
| PHYORH | | <i>Botryosphaeria rhodina</i> | (Cooke) Arx |
| PHYORH | | <i>Chaetodiplodia grisea</i> | Petch, 1906 |
| PHYORH | | <i>Diplodia ananassae</i> | Saccardo, 1917 |
| PHYORH | | <i>Diplodia cacaoicola</i> | Henn. |
| PHYORH | | <i>Diplodia gossypina</i> | Cooke |
| PHYORH | | <i>Diplodia natalensis</i> | Pole |
| PHYORH | | <i>Diplodia theobromae</i> | (Pat., 1892) Nowell, 1923 |
| PHYORH | | <i>Diplodia tubericola</i> | (Ellis y Everh., 1896) Taubenh., 1915 |
| PHYORH | | <i>Lasiodiplodia nigra</i> | Griffiths y Maubl. |
| PHYORH | | <i>Lasiodiplodia triflorae</i> | Higgins, 1916 |
| PHYORH | | <i>Lasiodiplodia tubericola</i> | Ellis y Everh., 1896 |
| PHYORH | | <i>Lasiodiplodiella triflorae</i> | (Higgins, 1916) Zambett., 1955 |
| PHYORH | | <i>Macrophoma vestita</i> | Prillinger y Delacr., 1894 |
| PHYORH | | <i>Physalospora rhodina</i> | Berk. y Curtis |
| LOPHEX | <i>Lophodermium exaridum</i> | | (Cooke y Peck, 1878) Saccardo, 1883 |
| LOPHEX | | <i>Hysterium exaridum</i> | Cooke y Peck, 1878 |
| LOPHEX | | <i>Lophodermina exarida</i> | (Cooke y Peck, 1878) Tehon, 1935 |
| LOPHEX | | <i>Hypoderma exaridum</i> | (Cooke y Peck, 1878) Kuntze, 1898 |
| MACPPA | <i>Macrophoma pandani</i> | | (Leveille, 1846) Berlese y Voglino, 1886 |
| MACPPA | | <i>Botryodiplodia pandani</i> | (Leveille, 1846) Petr. y Syd., 1927 |
| MACPPA | | <i>Macrophoma pandani</i> | Verona, 1932 |
| MACPPA | | <i>Metadiplodia pandani</i> | (Leveille, 1846) Joly, 1965 |
| MACPPA | | <i>Phoma pandani</i> | (Leveille, 1846) Saccardo, 1884 |
| MACPPA | | <i>Sphaeropsis pandani</i> | Leveille, 1846 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|---|-------------------------------------|
| PYRIGR | <i>Magnaporthe grisea</i> | | (Hebert, 1971) Barr, 1977 |
| PYRIGR | | <i>Ceratosphaeria grisea</i> | Hebert, 1971 |
| PYRIGR | | <i>Dactylaria oryzae</i> | (Cavara) Sawada |
| PYRIGR | | <i>Phragmoporthe grisea</i> | (Hebert) Monod, 1983 |
| PYRIGR | | <i>Piricularia oryzae</i> | Cavara |
| PYRIGR | | <i>Pyricularia grisea</i> | Saccardo, 1880 |
| PYRIGR | | <i>Trichothecium griseum</i> | Cooke |
| MELIPR | <i>Meliola praetervisa</i> | <i>Meliola pratevisa</i> | Gaillard, 1892 |
| FUSADI | <i>Microdochium dimerum</i> | | (Penzig, 1882) Arx, 1984 |
| FUSADI | | <i>Fusarium dimerum</i> | Penzig, 1882 |
| FUSADI | | <i>Fusarium aquaeductuum var. dimerum</i> | (Penzig, 1882) Raillo, 1950 |
| CONIHE | <i>Microsphaeropsis hellebori</i> | | (Cooke y Massee, 1887) Aa, 2002 |
| CONIHE | | <i>Cladosporium hellebori</i> | (Cooke y Massee, 1887) Kuntze, 1898 |
| CONIHE | | <i>Coniothyrium hellebori</i> | Cooke y Massee, 1887 |
| CONIHE | | <i>Phyllostictella hellebori</i> | (Cooke y Massee, 1887) Tassi, 1901 |
| MILSIN | <i>Milesia insularis</i> | | Faull, 1932 |
| MILSIN | | <i>Milesina insularis</i> | (Faull, 1932) Hirats., 1936 |
| MILSIN | | <i>Uredo insularis</i> | (Faull, 1932) Hirats., 1957 |
| MONIFG | <i>Monilinia fructigena</i> | | (Aderh. y Ruhland) Honey, 1945 |
| MONIFG | | <i>Acrosporium fructigenum</i> | (Persoon) Persoon, 1822 |
| MONIFG | | <i>Monilia cinerea</i> | Bonord. |
| MONIFG | | <i>Monilia fructigena</i> | (Persoon,) Persoon, 1801 |
| MONIFG | | <i>Monilia fructigena</i> | Schumach., 1803 |
| MONIFG | | <i>Monilia laxa</i> | (Ehrenb.) Saccardo |
| MONIFG | | <i>Monilinia cinerea</i> | |
| MONIFG | | <i>Oidium fructigenum</i> | (Persoon) Fr., 1832 |
| MONIFG | | <i>Oidium fructigenum</i> | Kunze y Schmidt |
| MONIFG | | <i>Sclerotinia cinerea</i> | (Bonord.) Schrot. |
| MONIFG | | <i>Sclerotinia fructigena</i> | (Schrot.) Norton, 1905 |
| MONIFG | | <i>Sclerotinia fructigena</i> | (Persoon) Schrot., 1905 |
| MONIFG | | <i>Sclerotinia laxa</i> | Aderh. y Ruhland |
| MONIFG | | <i>Stromatinia fructigena</i> | (Schrot.) Boud., 1907 |
| MONIFG | | <i>Torula fructigena</i> | Persoon, 1795 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|----------------------------------|--|--|
| CRNPPE | <i>Moniliophthora perniciosa</i> | | (Stahel) Aime y Mora, 2006 |
| CRNPPE | | <i>Crinipellis perniciosa</i> | (Stahel, 1915) Singer, 1943 |
| CRNPPE | | <i>Marasmius perniciosus</i> | Stahel, 1915 |
| MONPRO | <i>Moniliophthora roreri</i> | | (Ciferri, 1933) Evans et al., 1978 |
| MONPRO | | <i>Monilia roreri</i> | Ciferri, 1933 |
| MONPRO | | <i>Crinipellis roreri</i> | (Ciferri, 1933) Evans, 2002 |
| RHYNOR | <i>Monographella albescens</i> | | (ThQmen, 1889) Parkinson et al., 1981 |
| RHYNOR | | <i>Gerlachia oryzae</i> | (Hashioka y Yokogi) Gams |
| RHYNOR | | <i>Griphosphaerella albescens</i> | (ThQmen, 1889) Arx, 1981 |
| RHYNOR | | <i>Metasphearia albescens</i> | ThQmen, 1889 |
| RHYNOR | | <i>Metasphearia oryzae-sativae</i> | Hara |
| RHYNOR | | <i>Miconectriella pavgii</i> | Singh |
| RHYNOR | | <i>Microdochium oryzae</i> | (Hashioka y Yokogi) Samuels y Hallet |
| RHYNOR | | <i>Rhynchosporium oryzae</i> | Hashioka y Yokogi |
| MYLEIN | <i>Mycoleptodiscus indicus</i> | | (Sahni) Sutton, 1973 |
| MYLEIN | | <i>Amerodiscosiella indica</i> | Sahni, 1968 |
| MYCOAN | <i>Mycosphaerella anthurii</i> | | Miles, 1917 |
| MYCOAN | | <i>Sphaerella anthurii</i> | (Miles, 1917) Frag. y Cif., 1928 |
| MYCOFI | <i>Mycosphaerella fijiensis</i> | | Morelet, 1969 |
| MYCOFI | | <i>Cercospora fijiensis var. difformis</i> | Mulder y Stover |
| MYCOFI | | <i>Paracercospora fijiensis</i> | (Morelet) Deighton |
| MYCOFI | | <i>Cercospora fijiensis</i> | Morelet |
| MYCOFI | | <i>Pseudocercospora fijiensis</i> | (Morelet) |
| MYCOFI | | <i>Mycosphaerella fijiensis var. difformis</i> | Mulder y Stover, 1976 |
| MYCOFI | | <i>Mycosphaerella fijiensis var. fijiensis</i> | |
| MYCOOP | <i>Mycosphaerella opuntia</i> | | (Ellis y Everhart, 1888) Dearness, 1919 |
| MYCOOP | | <i>Sphaerella opuntiae</i> | Ellis y Everhart, 1888 |
| MYCOOP | | <i>Monographella opuntiae</i> | (Ellis y Everhart, 1888) Arx, 1984 |
| MYCOPI | <i>Mycosphaerella pinodes</i> | | (Berk. & Bloxam) Vestergren |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|--|--|
| MYCOP1 | | <i>Didymella pinodes</i> | (Berk. & Bloxam) Petrak |
| MYCOP1 | | <i>Didymellina pinodes</i> | (Berk. & Bloxam) Hohnel |
| MYCOP1 | | <i>Sphaerella pinodes</i> | (Berk. & Blox.) Niessl |
| MYCOP1 | | <i>Sphaeria pinodes</i> | (Berk. & Blox.) |
| MYCOP1 | | <i>Ascochyta pinodes</i> | Jones |
| USTIVI | <i>Microbotryum violaceum</i> | | (Persoon) Deml y Oberwinkler, 1982 |
| USTIVI | | <i>Caeoma antherarum</i> | (DeCandolle) Nees |
| USTIVI | | <i>Caeoma antherarum</i> | (DeCandolle) Schltld., 1824 |
| USTIVI | | <i>Caeoma violaceum</i> | (Persoon) Nees, 1816 |
| USTIVI | | <i>Caeoma violaceum</i> | (Persoon) Nees, 1817 |
| USTIVI | | <i>Farinaria stellariae</i> | Sowerby, 1803 |
| USTIVI | | <i>Microbotryum antherarum</i> | (DeCandolle) Lev., 1847 |
| USTIVI | | <i>Uredo antherarum</i> | DeCandolle, 1815 |
| USTIVI | | <i>Uredo antherarum silenes-nutantis</i> | DeCandolle, 1815 |
| USTIVI | | <i>Uredo antherarum var. antherarum</i> | DeCandolle, 1815 |
| USTIVI | | <i>Uredo violacea</i> | Persoon, 1797 |
| USTIVI | | <i>Uredo violacea</i> | Persoon, 1797 |
| USTIVI | | <i>Ustilago antherarum</i> | (DeCandolle) Fries, 1832 |
| USTIVI | | <i>Ustilago silenes-nutantis</i> | (DeCandolle) Liro, 1924 |
| USTIVI | | <i>Ustilago violacea</i> | (Persoon) Roussel, 1806 |
| MYRORO | <i>Myrothecium roridum</i> | | Tode, 1790 |
| MYRORO | | <i>Dacrydium roridum</i> | (Tode, 1790) Link, 1809 |
| MYRORO | | <i>Gliocladium nigrum</i> | Moreau y Moreau, 1941 |
| PUCPUV | <i>Naohidemyces vacciniorum</i> | | (Link) Spooner, 1999 |
| PUCPUV | | <i>Aecidium myrtilli</i> | Schumach., 1803 |
| PUCPUV | | <i>Caeoma vacciniorum</i> | Link, 1825 |
| PUCPUV | | <i>Melampsora vaccinii</i> | (Alb. y Schweinitz) Winter, 1882 |
| PUCPUV | | <i>Melampsora vacciniorum</i> | (Link, 1825) Schrot. 1885 |
| PUCPUV | | <i>Naohidemyces vaccinii</i> | (Alb. y Schweinitz) Sato et al., 1993 |
| PUCPUV | | <i>Pucciniastrum myrtilli</i> | (Schumach.) Arthur |
| PUCPUV | | <i>Pucciniastrum vaccinii</i> | (Winter) JOrstad, 1952 |
| PUCPUV | | <i>Pucciniastrum vacciniorum</i> | (Link, 1825) Dietel |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|---|---|
| PUCPUV | | <i>Thekopsora myrtilli</i> | (Schumach.) Tranzschel, 1939 |
| PUCPUV | | <i>Thekopsora vaccinii</i> | (Alb. y Schweinitz) Hirats., 1955 |
| PUCPUV | | <i>Thekopsora vacciniorum</i> | (DC.) Karst., 1879 |
| PUCPUV | | <i>Uredo pustulata</i> var. <i>vaccinii</i> | Alb. y Schweinitz, 1805 |
| PUCPUV | | <i>Uredo vaccinii</i> | (Winter) Sato et al. |
| PUCPUV | | <i>Uredo vacciniorum</i> | DeCandolle, 1844 |
| NECLPI | <i>Nectriella pironii</i> | | Alfieri y Samuels, 1980 |
| NECLPI | | <i>Kutilakesa pironii</i> | Alfieri, 1979 |
| NECTRA | <i>Neonectria radicicola</i> | | (Gerlach y Nilsson) Mantiri y Samuels, 2001 |
| NECTRA | | <i>Cylindrocarpon destructans</i> | (Zinssmeister) Scholten, 1964 |
| NECTRA | | <i>Cylindrocarpon radicicola</i> | Wollenweber, 1924 |
| NECTRA | | <i>Fusarium rhizogenum</i> | Aderhold |
| NECTRA | | <i>Fusarium rhizogenum</i> | Pound y Clem., 1893 |
| NECTRA | | <i>Nectria radicicola</i> | Gerlach y Nilsson, 1963 |
| NECTRA | | <i>Ramularia destructans</i> | Zinssmeister, 1918 |
| NECTRA | | <i>Septocylindrium aderholdii</i> | Saccardo y Sydow, 1902 |
| HENLTO | <i>Neoscytalidium dimidiatum</i> | | (Penzig) Crous y Slippers, 2006 |
| HENLTO | | <i>Exosporina fawcetti</i> | Wilson |
| HENLTO | | <i>Fusicoccum dimidiatum</i> | (Penz.) Farr, 2005 |
| HENLTO | | <i>Hendersonula toruloidea</i> | Nattrass, 1933 |
| HENLTO | | <i>Nattrassia mangiferae</i> | (Syd. y Syd.) Sutton y Dyko |
| HENLTO | | <i>Nattrassia toruloidea</i> | (Nattrass, 1933) Dyko y Sutton, 1989 |
| HENLTO | | <i>Scytalidium dimidiatum</i> | (Penz.) Sutton y Dyko, 1989 |
| HENLTO | | <i>Torula dimidiata</i> | Penz., 1882 |
| OLPIBR | <i>Olpidium brassicae</i> | | (Woronin, 1878) Dangeard, 1886 |
| OLPIBR | | <i>Asterocystis radicis</i> | De Wild., 1893 |
| OLPIBR | | <i>Chytridium brassicae</i> | Woronin, 1878 |
| OLPIBR | | <i>Olpidiaster radicis</i> | (De Wild., 1893) Pascher, 1917 |
| OLPIBR | | <i>Olpidium borzii</i> | De Wild., 1893 |
| OLPIBR | | <i>Olpidium radicicola</i> | De Wild., 1896 |
| OLPIBR | | <i>Olpidium virulentus</i> | (Sahtiy., 1962) Karling |
| OLPIBR | | <i>Pleotrichelus brassicae</i> | (Woronin) Sahtiy., 1962 |
| OLPIBR | | <i>Pleotrichelus virulentus</i> | Sahtiy., 1962 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|--------------------------------------|--|
| PAECVA | <i>Paecilomyces variotii</i> | | Bainier, 1907 |
| PAECVA | | <i>Paecilomyces aureocinnamomeus</i> | (Biourge, 1923) Thom, 1930 |
| PAECVA | | <i>Paecilomyces varioti</i> | |
| PAECVA | | <i>Penicillium aureocinnamomeum</i> | Biourge, 1923 |
| PAECVA | | <i>Penicillium variotii</i> | (Bainier, 1907) Saccardo, 1913 |
| PHAIBA | <i>Passalora bataticola</i> | | (Cif. y Bruner, 1931) Braun y Crous, 2003 |
| PHAIBA | | <i>Cercospora batatae</i> | Zimmerm. |
| PHAIBA | | <i>Cercospora bataticola</i> | Cif. y Bruner, 1931 |
| PHAIBA | | <i>Cercospora ipomoea</i> | |
| PHAIBA | | <i>Cercospora ipomoeae</i> | Ellis & Everh. |
| PHAIBA | | <i>Cercospora ipomoeae</i> | Wint. |
| PHAIBA | | <i>Phaeoisariopsis bataticola</i> | (Cif. y Bruner, 1931) Ellis, 1976 |
| PSCECR | <i>Passalora crotonis</i> | | (Ellis y Everhart, 1893) Crous y Braun, 2003 |
| PSCECR | | <i>Pseudocercospora crotonis</i> | (Ellis y Everhart, 1893) Deighton, 1976 |
| PSCECR | | <i>Cercospora crotonis</i> | Ellis y Everhart, 1893 |
| PSCECR | | <i>Phaeoramularia crotonis</i> | (Ellis y Everhart, 1893) Crous et al., 1999 |
| CERCSD | <i>Passalora sojina</i> | | (Hara, 1915) Shin y Braun, 1996 |
| CERCSD | | <i>Cercospora sojina</i> | Hara, 1915 |
| CERCSD | | <i>Cercosporina sojina</i> | (Hara, 1915) Hara, 1932 |
| CERCSD | | <i>Passalora sojina</i> | (Hara, 1915) Srivast., 1994 |
| CERCSD | | <i>Passalora sojina</i> | (Hara, 1915) Braun, 1997 |
| CERCSD | | <i>Cercosporidium sojinum</i> | (Hara, 1915) Liu y Guo, 1982 |
| CERCSD | | <i>Cercosporina daizu</i> | Miura, 1920 |
| PENIEX | <i>Penicillium expansum</i> | | Link, 1809 |
| PENIEX | | <i>Coremium leucopus</i> | Persoon, 1822 |
| PENIEX | | <i>Penicillium aeruginosum</i> | Demelius, 1923 |
| PENIEX | | <i>Penicillium crustaceum</i> | Link |
| PENIEX | | <i>Penicillium elongatum</i> | Dierckx, 1901 |
| PENIEX | | <i>Penicillium glaucum</i> | Stoll. |
| PENIEX | | <i>Penicillium janthogenum</i> | Biourge, 1923 |
| PENIEX | | <i>Penicillium kap-laboratorium</i> | Sopp, 1925 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|-----------------------------------|---|
| PENIEX | | <i>Penicillium leucopus</i> | (Persoon, 1822) Biourge, 1919 |
| PENIEX | | <i>Penicillium musae</i> | Weid., 1907 |
| PENIEX | | <i>Penicillium plumiferum</i> | Demelius, 1923 |
| PENIEX | | <i>Penicillium variabile</i> | Wehmer, 1913 |
| PERCCI | <i>Periconia circinata</i> | | (Mangin, 1899) Saccardo, 1905 |
| PERCCI | | <i>Aspergillus circinatus</i> | Mangin, 1899 |
| PESPPA | <i>Pestalotiopsis palmarum</i> | | (Cooke, 1875) Steyaert, 1949 |
| PESPPA | | <i>Pestalotia palmarum</i> | Cooke, 1875 |
| STAGCU | <i>Peyronellaea curtisiae</i> | | (Berkeley, 1878) Aveskamp et al., 2010 |
| STAGCU | | <i>Hendersonia curtisiae</i> | Berkeley, 1878 |
| STAGCU | | <i>Phoma amaryllidis</i> | Kotthoff y Friedrichs, 1929 |
| STAGCU | | <i>Phoma narcissi</i> | (Aderh., 1900) Boerema et al., 1993 |
| STAGCU | | <i>Phyllosticta narcissi</i> | Aderh., 1900 |
| STAGCU | | <i>Phyllosticta narcissi</i> | Oudem., 1900 |
| STAGCU | | <i>Stagonospora curtisiae</i> | (Berkeley, 1878) Saccardo, 1884 |
| STAGCU | | <i>Stagonospora narcissi</i> | Hollo, 1906 |
| STAGCU | | <i>Stagonosporopsis curtisiae</i> | (Berkeley, 1878) Boerema, 1981 |
| PHYRPT | <i>Phaeochoropsis palmicola</i> | | (Stevens, 1920) Hyde y Cannon, 1999 |
| PHYRPT | | <i>Catacauma palmicola</i> | Stevens, 1920 |
| PHYRPT | | <i>Phyllachora palmicola</i> | (Stevens, 1920) Stevens, 1975 |
| PHAKCH | <i>Phakopsora cherimoliae</i> | | Cummins, 1941 |
| PHAKCH | | <i>Phakopsora cherimoliae</i> | Cummins ex Cummins, 1956 |
| PHAKPA | <i>Phakopsora pachyrhizi</i> | | Sydow y Sydow, 1914 |
| PHAKPA | | <i>Malupa sojae</i> | (Henn.) Ono et al. |
| PHAKPA | | <i>Phakopsora chea</i> | Sydow |
| PHAKPA | | <i>Phakopsora erythrinae</i> | Gaum. |
| PHAKPA | | <i>Phakopsora sojae</i> | Fujik. |
| PHAKPA | | <i>Phakopsora sojae</i> | Sawada |
| PHAKPA | | <i>Phakopsora vignae</i> | (Bres.) Arthur |
| PHAKPA | | <i>Physopella pachyrizi</i> | (Sydow y Sydow, 1914) Azbukina, 1970 |
| PHAKPA | | <i>Uredo erythrinae</i> | Henn. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|--|--|
| PHAKPA | | <i>Uredo sojae</i> | Henn. |
| PHAKPA | | <i>Uromyces sojae</i> | (Henn.) Sydow y Sydow |
| PHIACI | <i>Phialophora cinerescens</i> | | (Wollenweber, 1930) Beyma, 1940 |
| PHIACI | | <i>Verticillium cinerescens</i> | Wollenweber, 1930 |
| PHOMAE | <i>Phoma anemones</i> | <i>Phoma anemone</i> | Kauffman, 1936 |
| PHOMDE | <i>Phoma destructiva</i> | | Plowright, 1881 |
| PHOMDE | | <i>Diplodina destructiva</i> | (Plowright, 1881) Petr., 1921 |
| PHOMDE | | <i>Phyllosticta lycopersici</i> | Peck |
| PHOMHE | <i>Phoma exigua var. exigua</i> | | Saccardo, 1879 |
| PHOMHE | | <i>Ascochyta asteris</i> | (Bres.) Groyer |
| PHOMHE | | <i>Ascochyta cypromandrae</i> | Petch |
| PHOMHE | | <i>Ascochyta digitalis</i> | (Fuckel, 1864) Fuckel, 1870 |
| PHOMHE | | <i>Ascochyta hydrangeae</i> | Arnaud y Arnaud, 1924 |
| PHOMHE | | <i>Ascochyta hydrangeae</i> | (Ellis y Everh., 1889) Aksel, 1956 |
| PHOMHE | | <i>Ascochyta nicotianae</i> | Pass. |
| PHOMHE | | <i>Ascochyta phaseolorum</i> | Saccardo, 1878 |
| PHOMHE | | <i>Ascochyta sonchi</i> | (Sacc.) Grove |
| PHOMHE | | <i>Phoma exigua f.sp. exigua</i> | (Foister) Malc. y Gray |
| PHOMHE | | <i>Phoma exigua var. exigua</i> | Desm. |
| PHOMHE | | <i>Phoma exigua var. solanicola</i> | (Prill. y Delacr., 1890) Popkova et al., 1973 |
| PHOMHE | | <i>Phoma herbarum</i> | Westend., 1852 |
| PHOMHE | | <i>Phoma herbarum f. brassicae</i> | Sacc. |
| PHOMHE | | <i>Phoma herbarum f. hyoscyami</i> | Sacc. |
| PHOMHE | | <i>Phoma herbarum f. schoberiae</i> | Sacc. |
| PHOMHE | | <i>Phoma herbarum var. dulcamaricola</i> | Budak |
| PHOMHE | | <i>Phoma linicola</i> | Naumov |
| PHOMHE | | <i>Phoma solanicola</i> | Prill. y Delacr., 1890 |
| PHOMHE | | <i>Phoma solanicola var. solanicola</i> | Prill. y Delacr., 1890 |
| PHOMHE | | <i>Phoma solanophila</i> | Oudem. |
| PHOMHE | | <i>Phoma tuberosa</i> | Melhus et al., 1916 |
| PHOMHE | | <i>Phyllosticta alismatis</i> | Saccardo y Speg., 1878 |
| PHOMHE | | <i>Phyllosticta decidua</i> | Ellis y Kellerm. |
| PHOMHE | | <i>Phyllosticta gemmipara</i> | Zondag, 1929 |
| PHOMHE | | <i>Phyllosticta hortorum</i> | Speg. |
| PHOMHE | | <i>Phyllosticta hydrangeae</i> | Ellis y Everh., 1889 |
| PHOMHE | | <i>Phyllosticta mulgedii</i> | Davis |
| PHOMHE | | <i>Phyllosticta sambuci</i> | Desm. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|-------------------------------------|---|
| PHOMHE | | <i>Phyllosticta vincae-majoris</i> | Allesch. |
| PHOMHE | | <i>Phyllosticta vincae-minoris</i> | Bres. y Krieg. |
| PHOMHE | | <i>Sphaeria digitalis</i> | Fuckel, 1864 |
| DEUTTR | <i>Phoma tracheiphila</i> | | (Petri) Kantachveli y Gikachvili, 1948 |
| DEUTTR | | <i>Bakerophoma tracheiphila</i> | (Petri, 1930) Ciferri, 1946 |
| DEUTTR | | <i>Deuterophoma tracheiphila</i> | Petri, 1930 |
| GLODPO | <i>Phyllachora pomigena</i> | | (Schweinitz) Saccardo, 1883 |
| GLODPO | | <i>Dothidea pomigena</i> | Schweinitz, 1832 |
| GLODPO | | <i>Gloeodes pomigena</i> | (Schweinitz, 1832) Colby, 1920 |
| GLODPO | | <i>Marssonina coronaria</i> | (Ellis y Davis) Davis |
| GLODPO | | <i>Marssonina mali</i> | (Henning) Ito |
| PHYRPO | <i>Phyllachora yapensis subsp. pongamiae</i> | | (Berkeley y Broome, 1875) Cannon, 1991 |
| PHYRPO | | <i>Cryptomyces pongamiae</i> | (Berkeley y Broome, 1875) Saccardo, 1889 |
| PHYRPO | | <i>Phyllachora pongamiae</i> | (Berkeley y Broome, 1875) Petch, 1912 |
| PHYRPO | | <i>Phyllachora pongamiae</i> | Hennings, 1908 |
| PHYRPO | | <i>Rhytisma pongamiae</i> | Berkeley y Broome, 1875 |
| PHYLCO | <i>Phyllosticta ghaesembillae</i> | | Koorders, 1907 |
| PHYLCO | | <i>Phyllosticta codiaeana</i> | Saccardo, 1931 |
| PHYLCO | | <i>Phyllosticta codiaeii</i> | Died., 1916 |
| PHYLCO | | <i>Phyllosticta codiaeii</i> | Saccardo, 1917 |
| PHYLCO | | <i>Phyllosticta codiaeicola</i> | Frag. y Ciferri, 1926 |
| PHYLCO | | <i>Phyllosticta domingensis</i> | Ciferri y Frag., 1927 |
| PHYLCO | | <i>Phyllosticta manihotica</i> | Sydow y Sydow, 1913 |
| PHYLCO | | <i>Phyllosticta reyesii</i> | Yates, 1922 |
| PHYLCO | | <i>Phyllostictina codiaeii</i> | (Died.) Petr., 1929 |
| PHYLCO | | <i>Phyllostictina euphorbiae</i> | Petr., 1953 |
| PHYLCO | | <i>Phyllostictina ghaesembillae</i> | (Koorders, 1907) Petr., 1928 |
| PHYLSL | <i>Phyllosticta solitaria</i> | | Ellis y Everhart, 1895 |
| PHYLSL | | <i>Phyllostictina solitaria</i> | (Ellis y Everhart, 1895) Shear, 1895 |
| PHYSL | | <i>Phyllosticta arbutifolia</i> | Ellis y Martin, 1886 |
| PHYLTE | <i>Phyllosticta telopeae</i> | <i>Phyllosticta telepeae</i> | Yip, 1989 |
| PHMPOM | <i>Phymatotrichopsis omnivora</i> | | (Duggar, 1916) Hennebert, 1973 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|---|
| PHMPOM | | <i>Hydnnum omnivorum</i> | Shear |
| PHMPOM | | <i>Ozonium auricomum</i> | Pammel |
| PHMPOM | | <i>Ozonium omnivorum</i> | Shear |
| PHMPOM | | <i>Phymatotrichum omnivorum</i> | Duggar, 1916 |
| PLEOBJ | <i>Pleospora betae</i> | | (Berlese) Nevodovsky, 1915 |
| PLEOBJ | | <i>Phoma betae</i> | Frank, 1892 |
| PLEOBJ | | <i>Phoma spinaciae</i> | Phoma spinaciae Bubak & K. Krieg. 1912 (synonym) |
| PLEOBJ | | <i>Phoma tabifica</i> | (Prill., 1891) Saccardo, 1892 |
| PLEOBJ | | <i>Phyllosticta betae</i> | Oudemans, 1877 |
| PLEOBJ | | <i>Phyllosticta spinaciae</i> | Zimmerm., 1910 |
| PLEOBJ | | <i>Phyllosticta tabifica</i> | Prill., 1891 |
| PLEOBJ | | <i>Pleospora betae</i> | Bjorling, 1944 |
| PLEOBJ | | <i>Pleospora bjoerlingii</i> | Byford, 1963 |
| PLEOBJ | | <i>Pleospora bjorlingii</i> | Byford, 1963 |
| PLOWCI | <i>Plowrightia circumscissa</i> | | Tracy y Earle, 1901 |
| PLOWCI | | <i>Phragmodothis circumscissa</i> | (Tracy y Earle, 1901) Theiss. y Sydow, 1915 |
| PLSCPU | <i>Polyscytalum pustulans</i> | | (Owen y Wakefield, 1919) Ellis, 1919 |
| PLSCPU | | <i>Oospora pustulans</i> | Owen y Wakefield, 1919 |
| PSCEPP | <i>Pseudocercospora pongamiae-pinnatae</i> | <i>Pseudocercospora pongamia-pinnatae</i> | Ram y Mallaiah, 1993 |
| CURVPA | <i>Pseudocochliobolus pallescens</i> | | Tsuda y Ueyama, 1983 |
| CURVPA | | <i>Cochliobolus pallescens</i> | (Tsuda y Ueyama, 1983) Sivan., 1987 |
| CURVPA | | <i>Curvularia leonensis</i> | Ellis, 1966 |
| CURVPA | | <i>Curvularia pallescens</i> | Boedijn, 1933 |
| PUCCA1 | <i>Puccinia albulensis</i> | | Magnus, 1890 |
| PUCCA1 | | <i>Dicaeoma albulense</i> | (Magnus, 1890) Kuntze, 1898 |
| PUCCA1 | | <i>Dicaeoma veronicarum</i> | (DC.) Kuntze, 1898 |
| PUCCA1 | | <i>Leptopuccinia veronicarum</i> | (DC.) Sydow, 1922 |
| PUCCA1 | | <i>Micropuccinia albulensis</i> | (Magnus, 1890) Arthur y Jacks., 1921 |
| PUCCA1 | | <i>Micropuccinia veronicarum</i> | (DC.) Arthur y Holw., 1921 |
| PUCCA1 | | <i>Puccinia veronicarum</i> | DeCandolle, 1805 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|-------------------------------------|---|
| PUCCA1 | | <i>Puccinia veronicae</i> | Grove (1913) Erroneo |
| PUCCAL | <i>Puccinia allii</i> | | (DeCandolle, 1815) Rudolphi, 1829 |
| PUCCAL | | <i>Caeoma ambiguum</i> | (DC.) Link, 1825 |
| PUCCAL | | <i>Caeomurus ambiguus</i> | (DC.) Kuntze, 1898 |
| PUCCAL | | <i>Coeomurus porri</i> | (Sowerby) Gray, 1821 |
| PUCCAL | | <i>Dicaeoma allii</i> | (DC.) Kuntze, 1898 |
| PUCCAL | | <i>Dicaeoma porri</i> | (Sowerby) Kuntze, 1898 |
| PUCCAL | | <i>Puccinia allii</i> | Castagne |
| PUCCAL | | <i>Puccinia blasdalei</i> | Ditel y Holway, 1893 |
| PUCCAL | | <i>Puccinia mixta</i> | Fuckel, 1870 |
| PUCCAL | | <i>Puccinia porri</i> | (Sowerby) Winter, 1881 |
| PUCCAL | | <i>Puccinia porri</i> | (Sowerby) Winter, 1882 |
| PUCCAL | | <i>Uredo alliorum</i> | DeCandolle, 1815 |
| PUCCAL | | <i>Uredo alliorum var. alliorum</i> | DeCandolle, 1815 |
| PUCCAL | | <i>Uredo ambigua</i> | DeCandolle, 1815 |
| PUCCAL | | <i>Uredo porri</i> | Sowerby, 1810 |
| PUCCAL | | <i>Uromyces ambiguus</i> | (DC.) Lev., 1847 |
| PUCCAL | | <i>Uromyces durus</i> | Ditel, 1907 |
| PUCCAL | | <i>Xyloma allii</i> | DeCandolle, 1815 |
| PUCCAL | | <i>Xyloma allii var. allii</i> | DeCandolle, 1815 |
| PUCCA2 | <i>Puccinia andina</i> | | Ditel y Neger, 1899 |
| PUCCA2 | | <i>Micropuccinia andina</i> | (Ditel y Neger, 1899) Arthur y Jacks., 1921 |
| PUCCA3 | <i>Puccinia andropogonis</i> | | Schweinitz, 1832 |
| PUCCA3 | | <i>Dicaeoma andropogonis</i> | (Schweinitz, 1832) Kuntze, 1898 |
| PUCCA3 | | <i>Puccinia andropogonis</i> | Fuckel |
| PUCCA3 | | <i>Puccinia andropogonis</i> | Otth |
| PUCCBO | <i>Puccinia anisacanthi</i> | | Ditel y Holw., 1901 |
| PUCCBO | | <i>Allodus bouvardiae</i> | (Griffith, 1902) Orton, 1916 |
| PUCCBO | | <i>Puccinia bouvardiae</i> | Griffiths, 1902 |
| PUCCAE | <i>Puccinia arenariae</i> | | (Schumacher, 1803) Winter, 1880 |
| PUCCAE | | <i>Aecidium lychnidis</i> | Schultz, 1806 |
| PUCCAE | | <i>Caeoma arenariae</i> | (Schumacher) Link, 1825 |
| PUCCAE | | <i>Dicaeoma arenariae</i> | (Schumacher) Kuntze, 1898 |
| PUCCAE | | <i>Dicaeoma herniariae</i> | (Unger) Kuntze, 1898 |
| PUCCAE | | <i>Dicaeoma spargulae</i> | (DC.) Kuntze, 1898 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|--|------------------------------------|
| PUCCAE | | <i>Leptopuccinia arenariae</i> | (Schumacher) Sydow, 1922 |
| PUCCAE | | <i>Micropuccinia arenariae</i> | (Schumacher) Arthur y Jacks., 1921 |
| PUCCAE | | <i>Puccinia arenariae</i> | (Schumacher) Schrot., 1880 |
| PUCCAE | | <i>Puccinia arenariae-serpyllifoliae</i> | DeCandolle |
| PUCCAE | | <i>Puccinia caryophyllacearum</i> | Wallr. |
| PUCCAE | | <i>Puccinia circinans</i> | Ditel, 1918 |
| PUCCAE | | <i>Puccinia circinans</i> | Fuckel |
| PUCCAE | | <i>Puccinia dianthi</i> | DeCandolle, 1805 |
| PUCCAE | | <i>Puccinia herniariae</i> | Unger, 1836 |
| PUCCAE | | <i>Puccinia lychnidearum</i> | Fuckel |
| PUCCAE | | <i>Puccinia lychnidearum</i> | Link, 1816 |
| PUCCAE | | <i>Puccinia lychnidearum var. arenariae</i> | (Schumacher) Winter |
| PUCCAE | | <i>Puccinia lychnidearum var. dianthi</i> | (DC.) Winter |
| PUCCAE | | <i>Puccinia moehringiae</i> | Fuckel, 1870 |
| PUCCAE | | <i>Puccinia saginae</i> | Fuckel, 1870 |
| PUCCAE | | <i>Puccinia saginae</i> | Kunze y Schmidt |
| PUCCAE | | <i>Puccinia spergulae</i> | DC., 1805 |
| PUCCAE | | <i>Puccinia spergulae var. spergulae</i> | DC., 1805 |
| PUCCAE | | <i>Puccinia stellariae</i> | Duby, 1830 |
| PUCCAE | | <i>Puccinia verrucosa</i> | Link |
| PUCCAE | | <i>Puccinia verrucosa</i> | Schlecht. |
| PUCCAE | | <i>Trichobasis lychnidearum</i> | Cooke (1865) Erroneo |
| PUCCAE | | <i>Uredo arenariae</i> | Schumacher, 1803 |
| PUCCAE | | <i>Uredo caryophyllacearum</i> | Auct. Erroneo |
| PUCCAI | <i>Puccinia aristidae</i> | | Tracy, 1893 |
| PUCCAI | | <i>Dicaeoma aristidae</i> | (Tracy, 1893) Kuntze, 1898 |
| PUCCAU | <i>Puccinia arundinariae</i> | <i>Puccinia arundinariae</i> | Schweinitz, 1822 |
| PUCCBA | <i>Puccinia bartholomaei</i> | | Ditel, 1892 |
| PUCCBA | | <i>Dicaeoma bartholomewii</i> | (Ditel, 1892) Kuntze, 1898 |
| PUCCCK | <i>Puccinia calcitrapae</i> | | DeCandolle, 1805 |
| PUCCCK | | <i>Dicaeoma cirsii</i> | (DeCandolle, 1859) Kuntze, 1898 |
| PUCCCK | | <i>Puccinia bardanae</i> | Corda, 1840 |
| PUCCCK | | <i>Puccinia calcitrapae var. bardanae</i> | (Wallr.) Cummins, 1977 |
| PUCCCK | | <i>Puccinia calcitrapae var. cardui-pycnocephali</i> | (Sydow y Sydow) Braun, 1981 |
| PUCCCK | | <i>Puccinia cardui-pycnocephali</i> | Sydow y Sydow, 1902 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---|
| PUCCCK | | <i>Puccinia carduorum</i> | Jacky, 1899 |
| PUCCCK | | <i>Puccinia carlinae</i> | Jacky, 1899 |
| PUCCCK | | <i>Puccinia centaureae f. scabiosae</i> | Hazsl., 1908 |
| PUCCCK | | <i>Puccinia cirsii</i> | DeCandolle, 1859 |
| PUCCCK | | <i>Puccinia compositarum</i> | Schltdl., 1824 |
| PUCCCK | | <i>Puccinia inquinans-bardanae</i> | Wallr., 1833 |
| PUCCCK | | <i>Puccinia scabiosae</i> | (Hazsl.) Guyot, 1951 |
| PUCCCK | | <i>Puccinia syngenesiarum</i> | Link, 1825 |
| PUCCCA | <i>Puccinia campanulae</i> | | Carmichael, 1836 |
| PUCCCA | | <i>Dicaeoma campanulae</i> | (Carmichael, 1836) Kuntze, 1898 |
| PUCCCA | | <i>Micropuccinia campanulae</i> | (Carmichael, 1836) Arthur y Jacks., 1922 |
| PUCCCA | | <i>Puccinia campanulae-rotundifoliae</i> | Gaum. y Jaag, 1935 |
| PUCCA4 | <i>Puccinia caricina var. caricina</i> | | DeCandolle, 1815 |
| PUCCA4 | | <i>Aecidium grossulariae</i> | Schumach., 1803 |
| PUCCA4 | | <i>Aecidium grossulariae var. grossulariae</i> | Schumach., 1803 |
| PUCCA4 | | <i>Aecidium urticae</i> | Schumach., 1803 |
| PUCCA4 | | <i>Caeoma pseudocyperi</i> | Link, 1825 |
| PUCCA4 | | <i>Caeoma ribis</i> | Schltdl., 1824 |
| PUCCA4 | | <i>Dicaeoma caricis</i> | (Schumach.) Kuntze, 1898 |
| PUCCA4 | | <i>Dicaeoma punctum</i> | (Link) Kuntze, 1898 |
| PUCCA4 | | <i>Puccinia caricina</i> | DC., 1815 |
| PUCCA4 | | <i>Puccinia caricis</i> | (Schumach.) Rebent., 1873 |
| PUCCA4 | | <i>Puccinia caricis</i> | Rebentisch, 1804 |
| PUCCA4 | | <i>Puccinia grossulariae</i> | Lagerh., 1895 |
| PUCCA4 | | <i>Puccinia punctum</i> | Link, 1825 |
| PUCCA4 | | <i>Puccinia ribesii-pseudocyperi</i> | Kleb., 1900 |
| PUCCA4 | | <i>Puccinia striola</i> | Link, 1825 |
| PUCCA4 | | <i>Trichobasis caricina</i> | (DC.) Berk., 1860 |
| PUCCA4 | | <i>Trichobasis parnassiae</i> | Cooke, 1865 |
| PUCCA4 | | <i>Uredo caricina</i> | DC., 1815 |
| PUCCA4 | | <i>Uredo caricis</i> | Schleich. ex DC., 1810 |
| PUCCA4 | | <i>Uredo caricis</i> | Schumach., 1803 |
| PUCCA4 | | <i>Uredo pseudocyperi</i> | (Link) Rabenh., 1844 |
| PUCCA4 | | <i>Uromyces caricinus</i> | (DC.) Lev., 1847 |
| PUCCCL | <i>Puccinia chelonis</i> | | Dietel y Holway, 1897 |
| PUCCCL | | <i>Micropuccinia chelonis</i> | (Dietel y Holway, 1897) Arthur y Jacks., 1922 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|---|----------------------------------|
| PUCCCH | <i>Puccinia chrysanthemi</i> | | Roze, 1900 |
| PUCCCH | | <i>Puccinia absinthii</i> | DeCandolle, 1806 |
| PUCCCH | | <i>Puccinia chrysanthemi-chinensis</i> | Roze, 1901 |
| PUCCCH | | <i>Puccinia chrysanthemi-sinensis</i> | Henn., 1901 |
| PUCCCH | | <i>Puccinia tanaceti</i> | DeCandolle |
| PUCCCH | | <i>Puccinia tanaceti</i> | Syдов |
| PUCCCH | | <i>Uredo chrysanthemi</i> | Roze, 1900 |
| PUCCAT | <i>Puccinia cnici-oleracei</i> | | Persoon, 1823 |
| PUCCAT | | <i>Puccinia asteris</i> | Duby, 1830 |
| PUCCAT | | <i>Dicaeoma andersonii</i> | (Berkeley y Broome) Kuntze, 1898 |
| PUCCAT | | <i>Dicaeoma asteris</i> | (Duby) Kuntze, 1898 |
| PUCCAT | | <i>Dicaeoma cardui</i> | (Plowr.) Kuntze, 1898 |
| PUCCAT | | <i>Dicaeoma caricicola</i> | (Fuckel) Kuntze, 1898 |
| PUCCAT | | <i>Dicaeoma leucanthemi</i> | (Pass.) Kuntze, 1898 |
| PUCCAT | | <i>Leptopuccinia asteris</i> | (Duby) Sydow, 1922 |
| PUCCAT | | <i>Leptopuccinia cnici-oleracei</i> | (Persoon) Sydow, 1922 |
| PUCCAT | | <i>Leptopuccinia leucanthemi</i> | (Pass.) Sydow, 1922 |
| PUCCAT | | <i>Leptopuccinia millefolii</i> | (Fuckel) Sydow, 1922 |
| PUCCAT | | <i>Micropuccinia asteris</i> | (Duby) Arthur y Jacks., 1921 |
| PUCCAT | | <i>Micropuccinia cnici-oleracei</i> | (Persoon) Arthur y Jacks., 1921 |
| PUCCAT | | <i>Micropuccinia millefolii</i> | (Fuckel) Arthur y Jacks., 1921 |
| PUCCAT | | <i>Micropuccinia rudbeckiae</i> | (Barthol.) Arthur y Jacks., 1922 |
| PUCCAT | | <i>Puccinia andersonii</i> | Berkely y Broome, 1875 |
| PUCCAT | | <i>Puccinia asteris chrysanthemi- leucanthemi</i> | Massal., 1900 |
| PUCCAT | | <i>Puccinia cardui</i> | Plowr., 1889 |
| PUCCAT | | <i>Puccinia cirsii-palustris</i> | (Desm.) Wilson, 1940 |
| PUCCAT | | <i>Puccinia cirsiorum var. cirsii-palustris</i> | Desm., 1823 |
| PUCCAT | | <i>Puccinia lemonnieriana</i> | Maire, 1900 |
| PUCCAT | | <i>Puccinia leucanthemi</i> | Pass., 1874 |
| PUCCAT | | <i>Puccinia millefolii</i> | Fuckel, 1870 |
| PUCCAT | | <i>Puccinia rudbeckiae</i> | Barthol., 1923 |
| PUCCAT | | <i>Puccinia tripolii</i> | Berkeley y Broome, 1875 |
| PUCCAT | | <i>Puccinia tripolii</i> | Wallr. |
| PUCCI | <i>Puccinia cirsii-lanceolati</i> | | Schroter, 1887 |
| PUCCI | | <i>Aecidium cirsii</i> | DC., 1815 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|-------------------------------------|--|
| PUCCCI | | <i>Caeoma cirsiatum</i> | Link, 1825 |
| PUCCCI | | <i>Dicaeoma cirsii</i> | (DC.) Kuntze, 1898 |
| PUCCCI | | <i>Dicaeoma cirsii-lanceolati</i> | (Schrot.) Kuntze, 1898 |
| PUCCCI | | <i>Gymnoconia cirsii-lanceolati</i> | (Schrot.) Bubak, 1899 |
| PUCCCI | | <i>Jackya cirsii-lanceolati</i> | (Schrot.) Bubak, 1902 |
| PUCCCI | | <i>Puccinia cirsii</i> | (DC.) Saccardo, 1888 |
| PUCCCI | | <i>Uredo cirsii</i> | Lasch |
| PUCCCO | <i>Puccinia concrescens</i> | | Ellis y Everhart, 1915 |
| PUCCCO | | <i>Micropuccinia concrescens</i> | (Ellis & Everhart, 1915) Arthur y Jacks., 1921 |
| PUCCQ | <i>Puccinia conocephalum</i> | | Seymour, 1885 |
| PUCCQ | | <i>Dicaeoma conocephalum</i> | (Seymour, 1885) Kuntze, 1898 |
| PUCCQ | | <i>Bullaria conocephalum</i> | (Seymour, 1885) Arthur y Mains, 1922 |
| PUCCY | <i>Puccinia cyani</i> | | Passerini, 1874 |
| PUCCY | | <i>Uredo cyani</i> | DeCandolle, 1806 |
| PUCCY | | <i>Uredo cyani var. cyani</i> | DeCandolle, 1806 |
| PUCCP1 | <i>Puccinia cyperi</i> | | Arthur, 1891 |
| PUCCP1 | | <i>Pleomeris cyperi</i> | (Arthur, 1891) Sydow, 1921 |
| PUCCDL | <i>Puccinia delphinii</i> | | Dietel y Holway, 1893 |
| PUCCDL | | <i>Dicaeoma delphinii</i> | (Dietel y Holway, 1893) Kuntze, 1898 |
| PUCCDL | | <i>Micropuccinia delphinii</i> | (Dietel y Holway, 1893) Arthur y Jacks., 1922 |
| PUCCDC | <i>Puccinia dichondrae</i> | | Montagne, 1852 |
| PUCCDC | | <i>Dicaeoma dichondrae</i> | (Montagne, 1852) Kuntze, 1898 |
| PUCCDC | | <i>Micropuccinia dichondrae</i> | (Montagne, 1852) Arthur y Jacks., 1922 |
| PUCCDC | | <i>Puccinia dichondrae</i> | Berkeley, 1873 |
| PUCCEX | <i>Puccinia dioicae var. extensicola</i> | | (Plowright, 1889) Henderson, 1961 |
| PUCCEX | | <i>Dicaeoma extensicola</i> | (Plowright, 1889) Kuntze, 1898 |
| PUCCEX | | <i>Puccinia extensicola</i> | Plowright, 1889 |
| PUCCDO | <i>Puccinia douglasii</i> | | Ellis y Everhart, 1893 |
| PUCCDO | | <i>Allodus douglasii</i> | (Ellis y Everhart, 1893) Orton, 1916 |
| PUCCDO | | <i>Dicaeoma douglasii</i> | (Ellis y Everhart, 1893) Kuntze, 1898 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|--------------------------------------|
| PUCCDO | | <i>Lindrothia douglasii</i> | (Ellis y Everhart, 1893) Sydow, 1922 |
| PUCCES | <i>Puccinia dulichii</i> | | Sydow y Sydow, 1904 |
| PUCCES | | <i>Puccinia extensicola var. solidaginis</i> | (Schwein.) Arthur |
| PUCCEL | <i>Puccinia eleocharidis</i> | | Arthur, 1884 |
| PUCCEL | | <i>Dicaeoma eleocharidis</i> | (Arthur, 1884) Kuntze, 1898 |
| PUCLL | <i>Puccinia ellisiana</i> | | ThQmen, 1878 |
| PUCLL | | <i>Dicaeoma ellisianum</i> | (ThQmen, 1878) Kuntze, 1898 |
| PUCLL | | <i>Puccinia sagittata</i> | Long |
| PUCCEA | <i>Puccinia extensicola var. asteris</i> | | (Thiimen, 1877) Arthur |
| PUCCEA | | <i>Aecidium asteris</i> | ThQmen 1877 |
| PUCCGE | <i>Puccinia gentianae</i> | | (Strauss) Martius, 1824 |
| PUCCGE | | <i>Dicaeoma gentianae</i> | (Strauss) Kuntze, 1898 |
| PUCCGE | | <i>Puccinia gentianae</i> | (Strauss) Link, 1824 |
| PUCCGE | | <i>Uredo gentianae</i> | Strauss, 1810 |
| PUCCGE | | <i>Uredo gentianae</i> | Strauss, 1811 |
| PUCCGE | | <i>Uromyces gentianae</i> | (Strauss) Lev., 1847 |
| PUCCGR | <i>Puccinia graminis</i> | | Persoon, 1794 |
| PUCCGR | | <i>Dicaeoma anthistiriae</i> | (Barclay) Sydow, 1922 |
| PUCCGR | | <i>Puccinia albigensis</i> | Mayor, 1957 |
| PUCCGR | | <i>Puccinia anthistiriae</i> | Barclay, 1889 |
| PUCCGR | | <i>Puccinia anthoxanthi</i> | Fuckel |
| PUCCGR | | <i>Puccinia avenae-pubescentis</i> | Bubak |
| PUCCGR | | <i>Puccinia brizae-maximae</i> | Ramakr., 1954 |
| PUCCGR | | <i>Puccinia cerealis</i> | Martius |
| PUCCGR | | <i>Puccinia culmicola</i> | Dietel |
| PUCCGR | | <i>Puccinia dactylidis</i> | Gabm. |
| PUCCGR | | <i>Puccinia elymina</i> | Miura, 1928 |
| PUCCGR | | <i>Puccinia favargeri</i> | Mayor, 1957 |
| PUCCGR | | <i>Puccinia graminis avenae</i> | Erikss. y Henning |
| PUCCGR | | <i>Puccinia graminis f. agropyri</i> | Mehta y Prasada |
| PUCCGR | | <i>Puccinia graminis f. macrospora</i> | Baudys |
| PUCCGR | | <i>Puccinia graminis f.sp. avenae</i> | |
| PUCCGR | | <i>Puccinia graminis f.sp. secalis</i> | |
| PUCCGR | | <i>Puccinia graminis f.sp. tritici</i> | Erikss. y Henning, 1894 |
| PUCCGR | | <i>Puccinia graminis secalis</i> | Erikss. y Henning |
| PUCCGR | | <i>Puccinia graminis subsp. graminicola</i> | Urban |
| PUCCGR | | <i>Puccinia graminis subsp. graminis</i> | Persoon |
| PUCCGR | | <i>Puccinia graminis subsp. lolii</i> | Waterh. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------|--|-------------------------------------|
| PUCCGR | | <i>Puccinia graminis</i> subsp. <i>major</i> | Guyot et al., 1946 |
| PUCCGR | | <i>Puccinia graminis</i> subsp. <i>media</i> | Guyot et al. |
| PUCCGR | | <i>Puccinia graminis</i> subsp. <i>minor</i> | Guyot et al. |
| PUCCGR | | <i>Puccinia graminis</i> <i>tritici</i> | Erikss. y Henning, 1894 |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>calamagrostidi</i> | Goyot et al. |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>erikssonii</i> | Goyot et al. |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>graminis</i> | Persoon, 1794 |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>lolii</i> | Goyot et al. |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>phlei-pratensis</i> | (Erikss. y Henning) Stakman y Piem. |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>stakmanii</i> | Guyot et al., 1967 |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>tritici</i> | Guyot et al., 1946 |
| PUCCGR | | <i>Puccinia graminis</i> var. <i>vulpiae</i> | Guyot et al. |
| PUCCGR | | <i>Puccinia heimeriana</i> | Bubak |
| PUCCGR | | <i>Puccinia jubata</i> | Ellis y Barthol., 1896 |
| PUCCGR | | <i>Puccinia linearis</i> | Rohl. |
| PUCCGR | | <i>Puccinia megalopotamica</i> | Speg., 1899 |
| PUCCGR | | <i>Puccinia phlei-pratensis</i> | Erikss. & Henn. |
| PUCCGR | | <i>Puccinia secalis</i> | Grove |
| PUCCGR | | <i>Puccinia seslerie-coeruleae</i> | Fisch. |
| PUCCGR | | <i>Puccinia subandina</i> | Speg. |
| PUCCGR | | <i>Puccinia vilis</i> | Arthur |
| PUCCGR | | <i>Trichobasis linearis</i> | Auct. Erroneo |
| PUCCGR | | <i>Uredo deschampsiae-caespitosae</i> | Wang |
| PUCCG1 | <i>Puccinia grindeliae</i> | | Peck, 1879 |
| PUCCG1 | | <i>Dicaeoma grindeliae</i> | (Peck, 1879) Kuntze, 1898 |
| PUCCG1 | | <i>Leptopuccinia grindeliae</i> | (Peck, 1879) Sydow, 1922 |
| PUCCG1 | | <i>Micropuccinia grindeliae</i> | (Peck, 1879) Arthur y Jackson, 1921 |
| PUCCHE | <i>Puccinia heliconiae</i> | | (Ditel, 1897) Arthur, 1918 |
| PUCCHE | | <i>Uredo heliconiae</i> | Ditel, 1897 |
| PUCCIR | <i>Puccinia iridis</i> | | Wallroth, 1844 |
| PUCCIR | | <i>Dicaeoma iridis</i> | (DC.) Kuntze, 1898 |
| PUCCIR | | <i>Puccinia truncata</i> | Berkeley y Broome, 1854 |
| PUCCIR | | <i>Trichobasis iridis</i> | (Wallroth) Cooke, 1875 |
| PUCCIR | | <i>Uredo iridis</i> | DeCandolle, 1808 |
| PUCCIR | | <i>Uromyces iridis</i> | Lev. |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--|--|--|
| PUCCIF | <i>Puccinia iridis f.sp. floridana</i> | | Sobers, 1966 |
| PUCCIF | | <i>Puccinia iridis f. sp. floridanum</i> | |
| PUCCI1 | <i>Puccinia irrequisita</i> | | Jackson, 1921 |
| PUCCI1 | | <i>Bullaria irrequisita</i> | (Jackson, 1921) Arthur y Mains, 1922 |
| PUCKKU | <i>Puccinia kuehnii</i> | | (Krlger, 1890) Butler, 1914 |
| PUCKKU | | <i>Uromyces kuehnii</i> | Krlger, 1890 |
| PUCKKU | | <i>Caeomurus kuehnii</i> | (Krlger, 1890) Kuntze, 1898 |
| PUCKKU | | <i>Uredo kuehnii</i> | Wakker y Went, 1898 |
| PUCCLA | <i>Puccinia lateritia</i> | | Schweinitz, 1853 |
| PUCCLA | | <i>Dicaeoma lateritium</i> | (Schweinitz, 1853) Kuntze, 1898 |
| PUCCLL | | <i>Puccinia lateritia</i> | (Berkeley y Curtis) Lagerh., 1853 |
| PUCCLE | <i>Puccinia leonotidicola</i> | | Hennings, 1903 |
| PUCCLE | | <i>Puccinia leonotidis</i> | (Hennings, 1895) Arthur, 1921 |
| PUCCLE | | <i>Aecidium leonotidis</i> | Hennings, 1895 |
| PUCCLI | | | (Bethel ex Arthur y Fromme, 1920) Arthur, 1934 |
| PUCCLI | <i>Puccinia liatridis</i> | | |
| PUCCLI | | <i>Dicaeoma liatridis</i> | Bethel ex Arthur y Fromme, 1920 |
| PUCCLI | | <i>Puccinia liatridis</i> | Bethel, 1917 |
| PUCLLM | <i>Puccinia limosae</i> | | Magnus, 1877 |
| PUCLLM | | <i>Puccinia caricina var. limosae</i> | (Magnus, 1877) JOrst., 1936 |
| PUCLLM | | <i>Dicaeoma limosae</i> | (Magnus, 1877) Sydow, 1922 |
| PUCCLO | <i>Puccinia lobeliae</i> | | Gerard, 1873 |
| PUCCLO | | <i>Micropuccinia lobeliae</i> | (Gerard, 1873) Arthur y Jackson, 1921 |
| PUCCMC | <i>Puccinia mcleanii</i> | | |
| PUCCMC | | <i>Puccinia maccleanii</i> | Dodge, 1941 |
| PUCCFL | <i>Puccinia melampodii</i> | | Ditel y Holway, 1897 |
| PUCCFL | | <i>Leptopuccinia melampodii</i> | (Ditel y Holway, 1897) Sydow, 1922 |
| PUCCFL | | <i>Micropuccinia flaveriae</i> | (Jackson, 1922) Arthur y Jackson, 1922 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|--|---|
| PUCCFL | | <i>Micropuccinia melampodii</i> | (Ditel y Holway, 1897) Arthur y Jackson, 1922 |
| PUCCFL | | <i>Puccinia flaveriae</i> | Jackson, 1922 |
| PUCCOB | <i>Puccinia obtecta</i> | | Peck, 1873 |
| PUCCOB | | <i>Pleomeris obtecta</i> | (Peck, 1873) Sydow, 1921 |
| PUCCOB | | <i>Dicaeoma obtectum</i> | (Peck, 1873) Kuntze, 1898 |
| PUCCPZ | <i>Puccinia pelargonii-zonalis</i> | | Dodge, 1926 |
| PUCCPZ | | <i>Aecidium violaceum</i> | Trel., 1904 |
| PUCCPZ | | <i>Caeoma geranii</i> | (Schleich. ex DC.) Schltdl., 1824 |
| PUCCPZ | | <i>Caeomurus geranii</i> | (DC.) Kuntze, 1898 |
| PUCCPZ | | <i>Nigredo geranii</i> | (DC.) Arthur, 1926 |
| PUCCPZ | | <i>Uredo geranii</i> | DC., 1806 |
| PUCCPZ | | <i>Uredo geranii var. geranii</i> | DC., 1806 |
| PUCCPZ | | <i>Uromyces geranii</i> | (DC.) Otth y Wartm., 1847 |
| PUCCPZ | | <i>Uromyces puccinioides</i> | Rabenh., 1851 |
| PUCCPE | <i>Puccinia peridermiospora</i> | <i>Puccinia peridermiosperma</i> | (Ellis y Tracy, 1890) Arthur, 1899 |
| PUCCPE | | <i>Uredo peridermiospora</i> | Ellis y Tracy, 1890 |
| PUCCPH | <i>Puccinia physostegiae</i> | | Peck y Clinton, 1878 |
| PUCCPH | | <i>Dicaeoma physostegiae</i> | (Peck y Clinton, 1878) Kuntze, 1898 |
| PUCCPH | | <i>Micropuccinia physostegiae</i> | (Peck y Clinton, 1878) Arthur y Jackson, 1921 |
| PUCCPI | <i>Puccinia pimpinellae</i> | | (Strauss, 1810) Link, 1824 |
| PUCCPI | | <i>Aecidium bunii</i> | Auct. p.p. Erroneo |
| PUCCPI | | <i>Aecidium bunii var. poterii</i> | Cooke, 1871 |
| PUCCPI | | <i>Aecidium poterii</i> | Cooke, 1864 |
| PUCCPI | | <i>Dicaeoma pimpinellae</i> | (Strauss, 1810) Kuntze, 1898 |
| PUCCPI | | <i>Lecythea poterii</i> | Lev., 1847 |
| PUCCPI | | <i>Trichobasis pimpinellae</i> | (Strauss, 1810) Cooke, 1865 |
| PUCCPI | | <i>Uredo pimpinellae</i> | Strauss, 1810 |
| PUCCPI | | <i>Uredo eryngii</i> | Chevall. |
| PUCCPR | <i>Puccinia poarum</i> | | Nielsen, 1877 |
| PUCCPR | | <i>Aecidium compositarum var. tussilaginis</i> | (Persoon) Cooke, 1871 |
| PUCCPR | | <i>Aecidium tussilaginis</i> | Gmel., 1792 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|--|---|
| PUCCPR | | <i>Pleomeris poarum</i> | (Nielsen, 1877) Sydow, 1921 |
| PUCCPR | | <i>Puccinia conspicua</i> | Mains, 1933 |
| PUCCPS | <i>Puccinia psidii</i> | | Winter, 1884 |
| PUCCPS | | <i>Bullaria psidii</i> | (Winter, 1884) Arthur y Mains, 1922 |
| PUCCPS | | <i>Dicaeoma psidii</i> | (Winter, 1884) Kuntze, 1898 |
| PUCCPF | <i>Puccinia punctiformis</i> | | (Strauss, 1810) Rohling, 1813 |
| PUCCPF | | <i>Caeoma obtegens</i> | Link, 1809 |
| PUCCPF | | <i>Puccinia obtegens</i> | (Link, 1809) Tul., 1854 |
| PUCCPF | | <i>Uredo punctiformis</i> | Strauss, 1810 |
| PUCCPF | | <i>Puccinia punctiformis</i> | Ditel y Holway, 1894 Erroneo |
| PUCCPF | | <i>Dicaeoma punctiforme</i> | (Ditel y Holway, 1894) Arthur, 1920 Erroneo |
| PUCCPF | | <i>Puccinia lapathicola</i> | JOrst. y Nannf., 1953 Erroneo |
| PUCCRH | <i>Puccinia rhaetica</i> | | Fischer, 1899 |
| PUCCRH | | <i>Micropuccinia rhaetica</i> | (Fischer, 1899) Arthur y Jackson, 1922 |
| PUCCRV | <i>Puccinia rubigo-vera var. agropyri</i> | | (Erikss.) Arthur |
| PUCCRV | | <i>Puccinia dispersa var. agropyri</i> | Erikss. |
| PUCCST | <i>Puccinia stipae</i> | | (Opiz, 1852) Arthur, 1884 |
| PUCCST | | <i>Puccinia graminis var. stipae</i> | Opiz, 1852 |
| PUCCST | | <i>Dicaeoma stipae</i> | (Arthur) Kuntze 1898 |
| PUCCTE | <i>Puccinia tenuis</i> | | Bonorden |
| PUCCTE | | <i>Puccinia tenuis</i> | (Schweinitz) Burrill, 1884 |
| PUCCTI | <i>Puccinia tillandsiae</i> | | Cummins y Pollack, 1974 |
| PUCCTI | | <i>Uredo tillandsiae</i> | Cummins, 1960 |
| PUCCRE | <i>Puccinia triticina</i> | | Eriksson, 1899 |
| PUCCRE | | <i>Aecidium anchusae</i> | Eriksson y Henning, 1895 |
| PUCCRE | | <i>Aecidium aquilegiae</i> | Persoon, 1803 |
| PUCCRE | | <i>Aecidium asperifolii</i> | Persoon, 1796 |
| PUCCRE | | <i>Aecidium asperifolii var. asperifolii</i> | Persoon, 1796 |
| PUCCRE | | <i>Aecidium clematidis</i> | DC., 1805 |
| PUCCRE | | <i>Aecidium hellebori</i> | Fischer, 1904 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|-----------------------------------|
| PUCCRE | | <i>Aecidium ranunculacearum var. aquileiae</i> | Cooke, 1871 |
| PUCCRE | | <i>Aecidium ranunculacearum var. aquileiae-vulgaris</i> | DC., 1815 |
| PUCCRE | | <i>Aecidium ranunculacearum var. clematidis</i> | Cooke, 1871 |
| PUCCRE | | <i>Aecidium ranunculacearum var. thalictri</i> | Grev., 1871 |
| PUCCRE | | <i>Aecidium thalictri</i> | Grev., 1823 |
| PUCCRE | | <i>Caeoma boragineatum</i> | Link, 1825 |
| PUCCRE | | <i>Dicaeoma agropyrum</i> | (Ellis y Everhart) Kuntze, 1898 |
| PUCCRE | | <i>Dicaeoma aquileiae</i> | (Persoon) Kuntze, 1898 |
| PUCCRE | | <i>Dicaeoma asperifolii</i> | (Persoon) Kuntze, 1898 |
| PUCCRE | | <i>Dicaeoma boreale</i> | (Juel) Kuntze, 1898 |
| PUCCRE | | <i>Dicaeoma dispersum</i> | (Eriksson y Henning) Kuntze, 1898 |
| PUCCRE | | <i>Dicaeoma perplexans</i> | (Plowr.) Kuntze, 1898 |
| PUCCRE | | <i>Dicaeoma persistens</i> | (Plowr.) Kuntze, 1898 |
| PUCCRE | | <i>Pleomeris agopyrina</i> | (Eriksson) Sydow, 1921 |
| PUCCRE | | <i>Pleomeris bromina</i> | (Eriksson) Sydow, 1921 |
| PUCCRE | | <i>Pleomeris dispersa</i> | (Eriksson) Sydow, 1921 |
| PUCCRE | | <i>Pleomeris perplexans</i> | (Eriksson) Sydow, 1921 |
| PUCCRE | | <i>Pleomeris persistens</i> | (Eriksson) Sydow, 1921 |
| PUCCRE | | <i>Pleomeris triticina</i> | (Eriksson) Sydow, 1921 |
| PUCCRE | | <i>Puccinia agropyri</i> | Ellis y Everhart, 1892 |
| PUCCRE | | <i>Puccinia agopyrina</i> | Eriksson, 1899 |
| PUCCRE | | <i>Puccinia agrostidis</i> | Oudem., 1892 |
| PUCCRE | | <i>Puccinia alternans</i> | Arthur |
| PUCCRE | | <i>Puccinia asperifolii</i> | (Persoon) Wettst., 1885 |
| PUCCRE | | <i>Puccinia borealis</i> | Juel, 1894 |
| PUCCRE | | <i>Puccinia bromina</i> | Eriksson, 1899 |
| PUCCRE | | <i>Puccinia bromina subsp. symphyti-bromorum</i> | (Mull.) Urb. y Markova, 1999 |
| PUCCRE | | <i>Puccinia cerinthes-agopyrina echii-agropyri</i> | Gaum. y Terrier, 1947 |
| PUCCRE | | <i>Puccinia dactylidina</i> | Bubak |
| PUCCRE | | <i>Puccinia dispersa</i> | Eriksson y Henning, 1894 |
| PUCCRE | | <i>Puccinia dispersa f.sp. tritici</i> | Eriksson y Henning, 1894 |
| PUCCRE | | <i>Puccinia dispersa tritici</i> | Eriksson y Henning, 1894 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|---|
| PUCCRE | | <i>Puccinia perplexans</i> | Plowr., 1885 |
| PUCCRE | | <i>Puccinia perplexans var. triticina</i> | (Eriksson) Urb., 1967 |
| PUCCRE | | <i>Puccinia persistens</i> | Plowr., 1889 |
| PUCCRE | | <i>Puccinia persistens f.sp. bromi</i> | Khokhryakov |
| PUCCRE | | <i>Puccinia persistens subsp. agropyri</i> | (Ellis y Everhart) Markova y Urb., 1998 |
| PUCCRE | | <i>Puccinia persistens subsp. agopyrina</i> | (Eriksson) Urb. y Markova, 1977 |
| PUCCRE | | <i>Puccinia persistens subsp. triticina</i> | (Eriksson) Urb. y Markova, 1998 |
| PUCCRE | | <i>Puccinia persistens var. agropyrina</i> | (Eriksson) Urb. y Markova, 1998 |
| PUCCRE | | <i>Puccinia persistens var. borealis</i> | (Juel) Markova y Urb., 1998 |
| PUCCRE | | <i>Puccinia persistens var. triticina</i> | (Eriksson) Urb. y Markova, 1977 |
| PUCCRE | | <i>Puccinia recondita</i> | Ditel y Holway, 1857 |
| PUCCRE | | <i>Puccinia recondita</i> | Roberge ex Desmazieres, 1857 |
| PUCCRE | | <i>Puccinia recondita agopyrina</i> | Hend., 1961 |
| PUCCRE | | <i>Puccinia recondita bromina</i> | Hend., 1961 |
| PUCCRE | | <i>Puccinia recondita echii-agopyrina</i> | Hend., 1961 |
| PUCCRE | | <i>Puccinia recondita f.sp. tritici</i> | (Eriksson y Henning) Johnson |
| PUCCRE | | <i>Puccinia recondita f.sp. triticina</i> | (Eriksson y Henning) Hend |
| PUCCRE | | <i>Puccinia recondita perplexans</i> | Hend., 1961 |
| PUCCRE | | <i>Puccinia recondita persistens</i> | Hend., 1961 |
| PUCCRE | | <i>Puccinia recondita subsp. persistens</i> | (Plowr.) Hend., 1961 |
| PUCCRE | | <i>Puccinia recondita triticina</i> | Hend., 1961 |
| PUCCRE | | <i>Puccinia rubigo-vera</i> | (DC.) Winter, 1881 |
| PUCCRE | | <i>Puccinia rubigo-vera agrostidis</i> | Mains, 1933 |
| PUCCRE | | <i>Puccinia rubigo-vera f.sp. tritici</i> | (Eriksson) Carleton |
| PUCCRE | | <i>Puccinia rubigo-vera f.sp. triticina</i> | Mains |
| PUCCRE | | <i>Puccinia rubigo-vera holcina</i> | Mains, 1933 |
| PUCCRE | | <i>Puccinia rubigo-vera perplexans</i> | Mains, 1933 |
| PUCCRE | | <i>Puccinia rubigo-vera triseti</i> | Mains, 1933 |
| PUCCRE | | <i>Puccinia secalina</i> | Grove, 1913 |
| PUCCRE | | <i>Puccinia straminis</i> | Auct. p.p. Erroneo |
| PUCCRE | | <i>Puccinia symphyti-bromorum</i> | Mull., 1901 |
| PUCCRE | | <i>Trichobasis rubigo-vera</i> | (DC.) Lev., 1840 |
| PUCCRE | | <i>Uredo rubigo-vera</i> | DC., 1815 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|---|--------------------------------------|
| PUCCVA | <i>Puccinia vagans</i> | | (DeCandolle) Arthur, 1934 |
| PUCCVA | | <i>Uredo vagans</i> | DeCandolle |
| PUCCVA | | <i>Uromyces vagans</i> | (DeCandolle) Lev., 1847 |
| PUCCVN | <i>Puccinia venustula</i> | <i>Puccinia venusula</i> | (Arthur, 1916) Arthur, 1918 |
| PUCCVN | | <i>Uredo venustula</i> | Arthur, 1916 |
| PUCCVN | | <i>Dicaeoma venustum</i> | (Arthur, 1916) Arthur y Fromme, 1920 |
| PUCCVE | <i>Puccinia verbesinae</i> | | Schweinitz, 1822 |
| PUCCVE | | <i>Dicaeoma verbesinae</i> | (Schweinitz, 1822) Kuntze, 1898 |
| PUCCVE | | <i>Puccinia verbesinae</i> | Spegazzini |
| PUCIEP | <i>Pucciniastrum epilobii</i> | | Otth, 1861 |
| PUCIEP | | <i>Melampsora epilobii</i> | Fuckel, 1870 |
| PUCIEP | | <i>Melampsora pustulata</i> | Schrot., 1887 |
| PUCIEP | | <i>Pucciniastrum abieti-chamaenerii</i> | Kleb., 1900 |
| PUCIEP | | <i>Pucciniastrum chamaenerii</i> | Rostr. |
| PUCIEP | | <i>Pucciniastrum fuchsiae</i> | Hiratsuka, 1927 |
| PUCIEP | | <i>Pucciniastrum pustulatum</i> | (Persoon) Dietel |
| PUCIEP | | <i>Pucciniastrum pustulatum</i> | Ditel, 1897 |
| PUCIEP | | <i>Uredo fuchsiae</i> | Arthur y Holway, 1918 |
| PUCIEP | | <i>Uredo pustulata epilobii</i> | Persoon, 1801 |
| PUCIEP | | <i>Uredo pustulata</i> | Persoon, 1801 |
| PYRNAV | <i>Pyrenophora chaetomioides</i> | | Spegazzini, 1899 |
| PYRNAV | | <i>Drechslera avenacea</i> | (Curtis ex Cooke) Shoemaker, 1962 |
| PYRNAV | | <i>Drechslera avenae</i> | (Eidam) Scharif, 1963 |
| PYRNAV | | <i>Helminthosporium avenaceum</i> | Curtis ex Cooke |
| PYRNAV | | <i>Helminthosporium avenae</i> | (Briosi y Cavara) Ravn |
| PYRNAV | | <i>Helminthosporium avenae</i> | Eidam, 1891 |
| PYRNAV | | <i>Helminthosporium avenae-sativae</i> | (Briosi y Cavara) Lindau |
| PYRNAV | | <i>Helminthosporium teres var. avenae-sativae</i> | Briosi y Cavara |
| PYRNAV | | <i>Pyrenophora avenae</i> | Ito y Kurib. |
| RAVEHO | <i>Ravenelia hobsonii</i> | | Cooke, 1880 |
| RAVEHO | | <i>Haploravenelia hobsonii</i> | (Cooke, 1880) Ito, 1943 |
| RAVEHU | <i>Ravenelia humphreyana</i> | | Hennings, 1898 |
| RAVEHU | | <i>Haploravenelia humphreyana</i> | (Hennings, 1898) Sydow, 1921 |
| RAVESZ | <i>Ravenelia spegazziniana</i> | | Lindquist, 1946 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|---|--|
| RAVESZ | | <i>Haploravenelia siliquae</i> | (Long, 1903) Sydow, 1921 |
| RAVESZ | | <i>Ravenelia siliquae</i> | Long, 1903 |
| RAVERE | <i>Ravenelia texensis</i> | | Ellis y Galloway, 1894 |
| RAVERE | | <i>Ravenelia reticulatae</i> | Long, 1916 |
| SEPTER | <i>Rhabdospora oudemansii</i> | | Hennings, 1900 |
| SEPTER | | <i>Rhabdospora eryngii</i> | Oudem., 1900 |
| SEPTER | | <i>Rhabdospora eryngicola</i> | Oudem. Et al., 1900 |
| SEPTER | | <i>Septoria eryngicola</i> | Oudem. y Saccardo, 1896 |
| RHGRFI | <i>Rhopographus filicinus</i> | | (Fries, 1823) Nitschke ex Fuckel, 1870 |
| RHGRFI | | <i>Dothidea filicina</i> | (Fries, 1823) Saccardo |
| RHGRFI | | <i>Polystigma filicinum</i> | (Fries, 1823) Link, 1833 |
| RHGRFI | | <i>Rhopographus filianus</i> | |
| RHGRFI | | <i>Rhopographus filicinus</i> | (Sowerby) Nitschke |
| RHGRFI | | <i>Rhopographus filicinus f. macrospora</i> | Smith, 1909 |
| RHGRFI | | <i>Rhopographus pteridis</i> | (Sowerby, 1803) Winter, 1886 |
| RHGRFI | | <i>Sphaeria filicina</i> | Fries, 1823 |
| RHGRFI | | <i>Sphaeria pteridis</i> | Sowerby, 1803 |
| SARMOR | <i>Sarocladium oryzae</i> | | (Sawada, 1922) Gams y Hawksworth, 1975 |
| SARMOR | | <i>Acrocylindrium oryzae</i> | Sawada, 1922 |
| SARMOR | | <i>Sarocladium attenuatum</i> | Gams y Hawksworth, 1976 |
| SARMOR | | <i>Sarocladium oryzae</i> | (Sawada, 1922) Gams y Hawksw., 1976 |
| SCLEMI | <i>Sclerotinia minor</i> | | Jagger, 1920 |
| SCLEMI | | <i>Sclerotinia intermedia</i> | Ramsey, 1924 |
| SCLEMI | | <i>Sclerotinia sclerotiorum f.sp. minor</i> | |
| SCLEMI | | <i>Whetzelinia sclerotiorum</i> | (Lib.) Dumont |
| SCLETR | <i>Sclerotinia trifoliorum</i> | | Eriksson, 1880 |
| SCLETR | | <i>Peziza ciborioides</i> | Hoffm., 1864 |
| SCLETR | | <i>Sclerotinia bryophila</i> | Kirschstein, 1938 |
| SCLETR | | <i>Sclerotinia ciborioides</i> | Rehm |
| SCLETR | | <i>Sclerotinia trifoliorum var. trifoliorum</i> | Eriksson, 1880 |
| STAGAT | <i>Septoria atriplicis</i> | | (Westendorp, 1851) Fuckel, 1870 |
| STAGAT | | <i>Phoma atriplicina</i> | Westendorp, 1857 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|---|------------------------------------|
| STAGAT | | <i>Phomopsis atriplicina</i> | (Westendorp, 1851) Grove, 1920 |
| STAGAT | | <i>Phyllosticta atriplicis</i> | Westendorp, 1851 |
| STAGAT | | <i>Sphaeria vagans f. atriplicicola</i> | Fries, 1823 |
| STAGAT | | <i>Stagonospora atriplicis</i> | (Westendorp, 1851) Lind, 1913 |
| STAGAT | | <i>Stagonospora atriplicus</i> | |
| SPHTER | <i>Sphacelotheca erianthi</i> | | (Sydow y Sydow) Mundkur, 1942 |
| SPHTER | | <i>Sporisorium erianthi</i> | (Sydow y Sydow) Vanký, 1985 |
| SPHTER | | <i>Ustilago erianthi</i> | Sydow y Sydow |
| SPHTMA | <i>Sphacelotheca macrospora</i> | | Yen y Wang, 1955 |
| SPHTMA | | <i>Sporisorium macrosporum</i> | (Yen y Wang, 1955) Guo y Li, 1994 |
| SPHTRE | <i>Sphacelotheca reiliana</i> | | (Kuhn, 1875) Clinton, 1902 |
| SPHTRE | | <i>Cintractia reiliana</i> | (Kühn, 1875) Clinton |
| SPHTRE | | <i>Sorosporium holci-sorghii</i> | (Rivolta) Moesz, 1950 |
| SPHTRE | | <i>Sorosporium reilianum</i> | (Kühn, 1875) McAlpine, 1910 |
| SPHTRE | | <i>Sphacelotheca holci-sorghii</i> | (Rivolta) Ciferri |
| SPHTRE | | <i>Sphacelotheca holci-sorghii</i> | Ciferri, 1938 |
| SPHTRE | | <i>Sporisorium holci-sorghii</i> | (Rivolta) Ciferri |
| SPHTRE | | <i>Sporisorium holci-sorghii</i> | (Rivolta) Vanký, 1985 |
| SPHTRE | | <i>Sporisorium reilianum</i> | (Kuhn, 1875) Langdon y Full., 1978 |
| SPHTRE | | <i>Ustilago holci-sorghii</i> | Rivolta |
| SPHTRE | | <i>Ustilago reiliana</i> | Kuhn, 1875 |
| SPHAHE | <i>Sphaeropsis hedericola</i> | | (Spegazzini) Saccardo, 1884 |
| SPHAHE | | <i>Aplosporella hedericola</i> | Spegazzini |
| SPHAHE | | <i>Diplodia hederaecola</i> | De Notaris, 1955 |
| SPHAHE | | <i>Diplodia hedericola</i> | Spegazzini |
| SPHAHE | | <i>Macroplodia hedericola</i> | (Spegazzini) Kuntze, 1898 |
| STIGPA | <i>Stigmina palmivora</i> | | (Saccardo, 1898) Hughes, 1952 |
| STIGPA | | <i>Cercospora palmivora</i> | (Saccardo, 1898) Nann., 1928 |
| STIGPA | | <i>Cercospora preisii</i> | Bubak, 1903 |
| STIGPA | | <i>Cercospora preisii</i> | Bubak, 1904 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|--|
| STIGPA | | <i>Exosporium palmivorum</i> | Saccardo, 1898 |
| STIGPA | | <i>Exosporium preisii</i> | Bubak, 1904 |
| STIGPA | | <i>Sciniatosporium palmivorum</i> | (Saccardo, 1898) Morgan-Jones, 1971 |
| SCLOCE | <i>Stromatinia cepivora</i> | | (Berkeley, 1841) Whetzel, 1945 |
| SCLOCE | | <i>Sclerotium cepivorum</i> | Berkeley, 1841 |
| SYNCEN | <i>Synchytrium endobioticum</i> | | (Schilberszky) Percival, 1909 |
| SYNCEN | | <i>Chrysophlyctis endobiotica</i> | Schilberszky, 1869 |
| SYNCEN | | <i>Synchytrium solani</i> | Massee, 1910 |
| TAPHBU | <i>Taphrina bullata</i> | | (Berkeley y Broome, 1855) Tulasne, 1866 |
| TAPHBU | | <i>Ascomyces bullatus</i> | Berkeley, 1857 |
| TAPHBU | | <i>Ascosporium bullatum</i> | (Berkeley) Berkeley, 1860 |
| TAPHBU | | <i>Exoascus bullatus</i> | (Berkeley y Broome, 1855) Fuckel, 1871 |
| TAPHBU | | <i>Oidium bullatum</i> | Berkeley y Broome, 1855 |
| TAPHBU | | <i>Taphrina bullata</i> | (Berkeley) Tulasne |
| MYCOJO | <i>Teratosphaeria jonkershoekensis</i> | | (Wyk ET AL., 1975) Crous y Braun, 2007 |
| MYCOJO | | <i>Mycosphaerella jonkershoekensis</i> | Wyk et al., 1975 |
| RHIZSO | <i>Thanatephorus cucumeris</i> | | (Frank) Donk, 1956 |
| RHIZSO | | <i>Aquathanatephorus pendulus</i> | Tu y Kimbr., 1978 |
| RHIZSO | | <i>Botryobasidium solani</i> | (Prill. y Delacr.) Donk, 1931 |
| RHIZSO | | <i>Ceratobasidium filamentosum</i> | (Pat.) Olive, 1957 |
| RHIZSO | | <i>Ceratobasidium praticola</i> | (Kotila) Olive, 1957 |
| RHIZSO | | <i>Ceratobasidium solani</i> | (Prill. & Delacr.) Pilat, 1957 |
| RHIZSO | | <i>Corticium areolatum</i> | Stahel, 1940 |
| RHIZSO | | <i>Corticium microsclerotium</i> | Weber, 1952 |
| RHIZSO | | <i>Corticium praticola</i> | Kotila, 1929 |
| RHIZSO | | <i>Corticium sasakii</i> | (Shirai) Matsumoto, 1934 |
| RHIZSO | | <i>Corticium solani</i> | (Prill. y Delacr.) Bourdot y Galzin, 1911 |
| RHIZSO | | <i>Corticium vagum</i> | Berkeley y Curtis |
| RHIZSO | | <i>Corticium vagum</i> | Rea, 1922 |
| RHIZSO | | <i>Corticium vagum subsp. solani</i> | (Prill. y Delacr.) Bourdot y Galzin, 1928 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|-----------------------------|
| RHIZSO | | <i>Corticium vagum var. solani</i> | Burt, 1903 |
| RHIZSO | | <i>Hypochnus aderholdii</i> | Kolosh. |
| RHIZSO | | <i>Hypochnus cucumeris</i> | Frank, 1883 |
| RHIZSO | | <i>Hypochnus euphrasiae</i> | Lagerh., 1903 |
| RHIZSO | | <i>Hypochnus filamentosus</i> | Pat., 1891 |
| RHIZSO | | <i>Hypochnus sasakii</i> | Shirai, 1906 |
| | | | |
| RHIZSO | | <i>Hypochnus solani</i> | Prillieux y Delacroix, 1891 |
| RHIZSO | | <i>Hypochnus solani var. brassicae</i> | Schultz |
| RHIZSO | | <i>Hypochnus solani var. lactucae</i> | Schultz |
| RHIZSO | | <i>Hypochnus solani var. typicus</i> | Schultz |
| RHIZSO | | <i>Moniliopsis aderholdii</i> | Ruhland, 1908 |
| RHIZSO | | <i>Moniliopsis solani</i> | (Kiihn) Moore 1987 |
| RHIZSO | | <i>Pachysterigma griseum</i> | Racib., 1900 |
| RHIZSO | | <i>Pellicularia filamentosa</i> | (Pat.) Rogers, 1943 |
| RHIZSO | | <i>Pellicularia filamentosa f. sasakii</i> | (Pat.) Rogers |
| RHIZSO | | <i>Pellicularia filamentosa f. solani</i> | (Kuhn) Exner, 1953 |
| RHIZSO | | <i>Pellicularia filamentosa f.sp. sasakii</i> | (Shirai) Exner, 1953 |
| | | | |
| RHIZSO | | <i>Pellicularia filamentosa f. filamentosa</i> | (Pat.) Rogers, 1943 |
| RHIZSO | | <i>Pellicularia filamentosa sasakii</i> | Exner, 1953 |
| RHIZSO | | <i>Pellicularia praticola</i> | (Kotila) Flentje, 1956 |
| RHIZSO | | <i>Pellicularia sasakii</i> | (Shirai) Ito, 1955 |
| RHIZSO | | <i>Pellicularia sasakii</i> | Ito |
| RHIZSO | | <i>Pellicularia solani</i> | (Kuhn) Exner, 1953 |
| | | | |
| RHIZSO | | <i>Rhizoctonia aderholdii</i> | (Ruhland) Marchion., 1946 |
| RHIZSO | | <i>Rhizoctonia aderholdii</i> | Kolosch |
| RHIZSO | | <i>Rhizoctonia betae</i> | Eidam, 1887 |
| RHIZSO | | <i>Rhizoctonia borealis</i> | Curtis, 1939 |
| RHIZSO | | <i>Rhizoctonia dimorpha</i> | Matz, 1921 |
| RHIZSO | | <i>Rhizoctonia fusca</i> | Rostr., 1893 |
| RHIZSO | | <i>Rhizoctonia gossypii</i> | Forsten., 1931 |
| | | | |
| RHIZSO | | <i>Rhizoctonia gossypii var. aegyptiaca</i> | Forsten., 1931 |
| RHIZSO | | <i>Rhizoctonia macrosclerotia</i> | Matz, 1921 |
| RHIZSO | | <i>Rhizoctonia melongenae</i> | Matz, 1921 |
| RHIZSO | | <i>Rhizoctonia microsclerotia</i> | |
| | | | |
| RHIZSO | | <i>Rhizoctonia napaeae</i> | Westend. y Wallays, 1846 |
| RHIZSO | | <i>Rhizoctonia potomacensis</i> | Wollenweber, 1913 |
| RHIZSO | | <i>Rhizoctonia solani</i> | Kuhn 1858 |
| RHIZSO | | <i>Rhizoctonia solani var. ambigua</i> | Bald. y Cabrini, 1937 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|---|---|
| RHIZSO | | <i>Rhizoctonia solani</i> var. <i>hortensis</i> | Schulz, 1936 |
| RHIZSO | | <i>Rhizoctonia solani</i> var. <i>lycopersici</i> | Schulz, 1936 |
| RHIZSO | | <i>Rhizoctonia solani</i> var. <i>typica</i> | Sneh et al., 1991 |
| RHIZSO | | <i>Sclerotium irregulare</i> | Miyake |
| RHIZSO | | <i>Thanatephorus corychori</i> | Tu et al., 1977 |
| RHIZSO | | <i>Thanatephorus microsclerotium</i> | (Weber) Boidin et al., 1998 |
| RHIZSO | | <i>Thanatephorus pendulus</i> | (Tu y Kimbr.) Stalpers y Andersen, 1996 |
| RHIZSO | | <i>Thanatephorus praticola</i> | (Kotila) Flentje, 1963 |
| RHIZSO | | <i>Thanatephorus sasakii</i> | (Shirai) Tu y Kimbr., 1978 |
| RHIZSO | | <i>Tulasnella grisea</i> | (Racib.) Saccardo y Sydow, 1902 |
| ONCOTH | <i>Thanatephorus theobromae</i> | | (Talbot y Keane) Roberts, 1999 |
| ONCOTH | | <i>Oncobasidium theobromae</i> | Talbot y Keane |
| THPHSO | <i>Thecaphora solani</i> | | Barrus, 1944 |
| THPHSO | | <i>Angiosorus solani</i> | Thirum. y O'Brien, 1974 |
| THPHSO | | <i>Thecaphora solani</i> | (Thirum. y O'Brien, 1974) Mordue, 1988 |
| THPHSO | | <i>Thecaphora solani</i> | (Thirum. y O'Brien, 1974) Vankay, 1988 |
| PUCIAR | <i>Thekopsora areolata</i> | | (Fries, 1818) Magnus, 1875 |
| PUCIAR | | <i>Aecidium strobilinum</i> | (Alb. y Schweinitz) Reess, 1869 |
| PUCIAR | | <i>Leptostroma areolatum</i> | (Fries) Wallroth, 1833 |
| PUCIAR | | <i>Licea strobilina</i> | Alb. y Schweinitz, 1805 |
| PUCIAR | | <i>Melampsora areolata</i> | (Fries) Fries, 1849 |
| PUCIAR | | <i>Melampsora padi</i> | Winter, 1884 |
| PUCIAR | | <i>Perichaena strobilina</i> | (Alb. y Schweinitz) Fries y Lindg., 1817 |
| PUCIAR | | <i>Perichaena strobilina</i> | (Alb. y Schweinitz) Fries, 1842 |
| PUCIAR | | <i>Phelonitis strobilina</i> | (Alb. y Schweinitz) Fries, 1849 |
| PUCIAR | | <i>Pleosporopsis strobilina</i> | (Alb. y Schweinitz) Oerst., 1873 |
| PUCIAR | | <i>Pomatomyces strobilina</i> | (Alb. y Schweinitz) Oerst., 1864 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------|--|---|
| PUCIAR | | <i>Pomatomyces strobilinum</i> | (Alb. y Schweinitz) Oerst., 1864 |
| PUCIAR | | <i>Pucciniastrum areolatum</i> | (Fries) Otth, 1863 |
| PUCIAR | | <i>Pucciniastrum padi</i> | (Winter) Dietel, 1897 |
| PUCIAR | | <i>Pucciniastrum strobilinum</i> | Liro, 1908 |
| PUCIAR | | <i>Rosellinia strobilina</i> | (Alb. y Schweinitz) Arx y Mull., 1954 |
| PUCIAR | | <i>Sclerotium areolatum</i> | (Fries) Fries, 1822 |
| PUCIAR | | <i>Thecopora padi</i> | Grove |
| PUCIAR | | <i>Thekopsora padi</i> | (Winter) Kleb., 1900 |
| PUCIAR | | <i>Thekopsora padi</i> | (Kunze y Schmidt) Kleb., 1900 |
| PUCIAR | | <i>Thekopsora padi</i> | Grove |
| PUCIAR | | <i>Thekopsora padi</i> | Plowr. |
| PUCIAR | | <i>Thekopsora strobilina</i> | (Alb. y Schweinitz) Savul., 1953 |
| PUCIAR | | <i>Thekopsora strobilina</i> | (Liro) Jorst., 1925 |
| PUCIAR | | <i>Uredo padi</i> | Kunze y Schmidt, 1817 |
| PUCIAR | | <i>Uredo porphyrogenita</i> | Link, 1826 |
| PUCIAR | | <i>Xyloma areolatum</i> | Fries, 1818 |
| TILLBA | <i>Tilletia barclayana</i> | | (Brefeld) Saccardo y Sydow, 1899 |
| TILLBA | | <i>Neovossia barclayana</i> | Brefeld, 1895 |
| TILLBA | | <i>Neovossia horrida</i> | (Takah., 1896) Padwick y Khan, 1944 |
| TILLBA | | <i>Neovossia pulcherrima</i> | (Ellis y Galloway ex Clinton) Vanký, 1990 |
| TILLBA | | <i>Tilletia ajrekari</i> | Mundk. 1939 |
| TILLBA | | <i>Tilletia horrida</i> | Takah., 1896 |
| TILLBA | | <i>Tilletia pulcherrima</i> | Ellis y Galloway, 1904 |
| TILLCO | <i>Tilletia controversa</i> | | Kuhn, 1874 |
| TILLCO | | <i>Tilletia brevifaciens</i> | Fischer, 1952 |
| TILLCO | | <i>Tilletia nanifica</i> | (Wagner) Savul., 1956 |
| TILLCO | | <i>Tilletia tritici var. controversa</i> | (Kuhn, 1874) Kawchuk, 1988 |
| TILLCO | | <i>Tilletia tritici-anifcan</i> | Wagner Erroneo |
| TILLCO | | <i>Tilletia tritici-nanifica</i> | Wagner, 1950 |
| NEOVIN | <i>Tilletia indica</i> | | Mitra, 1931 |
| NEOVIN | | <i>Neovossia indica</i> | (Mitra) Mundkur, 1940 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|-----------------------------|--------------------------------------|--------------------------------------|
| TILLCA | <i>Tilletia tritici</i> | | (Bjerkander, 1775) Winter, 1874 |
| TILLCA | | <i>Fusisporium inosculans</i> | Berkeley, 1847 |
| TILLCA | | <i>Lycoperdon tritici</i> | Bjerkander, 1775 |
| TILLCA | | <i>Tilletia caries</i> | (DeCandolle, 1815) Tul. y Tul., 1847 |
| TILLCA | | <i>Uredo caries</i> | DeCandolle, 1815 |
| TILLCA | | <i>Uredo segetum var. tritici</i> | (Bjerkander, 1775) Persoon, 1801 |
| TILLCA | | <i>Ustilago segetum var. tritici</i> | (Bjerkander, 1775) Brunaud, 1878 |
| TILLCA | | <i>Ustilago tritici</i> | (Bjerkander, 1775) Rostrup, 1890 |
| TRITRO | <i>Trichothecium roseum</i> | | (Persoon, 1794) Link, 1809 |
| TRITRO | | <i>Cephalothecium roseum</i> | Corda, 1838 |
| TRITRO | | <i>Cephalothecium roseum</i> | Matruchot, 1892 |
| TRITRO | | <i>Dactylium roseum</i> | (Persoon, 1794) Berkeley, 1841 |
| TRITRO | | <i>Dicoccum roseum</i> | (Persoon, 1794) Bonorden, 1851 |
| TRITRO | | <i>Didymaria asteris</i> | Oudem., 1903 |
| TRITRO | | <i>Didymaria helianthemi</i> | Boyer y Jacz., 1894 |
| TRITRO | | <i>Didymaria prunicola</i> | Cavara, 1890 |
| TRITRO | | <i>Didymaria salicis</i> | Cavara, 1889 |
| TRITRO | | <i>Hypelia rosea</i> | (Persoon, 1794) Fries, 1825 |
| TRITRO | | <i>Hyphoderma roseum</i> | (Persoon, 1794) Fries, 1849 |
| TRITRO | | <i>Hypolysssus roseus</i> | (Persoon, 1794) Kuntze, 1898 |
| TRITRO | | <i>Hypomyces roseus</i> | (Persoon, 1794) Saccardo, 1870 |
| TRITRO | | <i>Puccinia rosea</i> | (Persoon, 1794) Corda, 1837 |
| TRITRO | | <i>Puccinia rosea</i> | (Persoon, 1794) Corda, 1840 |
| TRITRO | | <i>Puccinia rosea</i> | Corda, 1837 |
| TRITRO | | <i>Sphaeria rosea</i> | Persoon, 1801 |
| TRITRO | | <i>Trichoderma roseum</i> | Persoon, 1794 |
| UREDDE | <i>Uredo behnickiana</i> | | Hennings, 1905 |
| UREDDE | | <i>Hemileia americana</i> | Massee, 1906 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|--|--|
| UROCSO | <i>Urocystis sorosporioides</i> | | Kornicke ex von Waldheim, 1877 |
| UROCSO | | <i>Urocystis sorosporioides</i> | Kornicke ex Fuckel, 1876 |
| UROCSO | | <i>Tuburcinia sorosporioides</i> | (Kornicke ex Fuckel, 1876), Liro, 1922 |
| UROMAS | <i>Uromyces asclepiadis</i> | | Cooke, 1877 |
| UROMAS | | <i>Caeomurus asclepiadis</i> | (Cooke, 1877) Kuntze, 1898 |
| UROMCO | <i>Uromyces compactus</i> | | Peck, 1882 |
| UROMCO | | <i>Nigredo compacta</i> | (Peck, 1882) Arthur, 1926 |
| UROMCO | | <i>Caeomurus compactus</i> | (Peck, 1882) Kuntze, 1898 |
| UROMDI | <i>Uromyces dianthi</i> | | (Persoon) Niessl 1872 |
| UROMDI | | <i>Aecidium euphorbiae-gerardianae</i> | Fischer, 1904 |
| UROMDI | | <i>Caeoma dianthi</i> | (Persoon) Link, 1825 |
| UROMDI | | <i>Caeomurus caryophyllinus</i> | (Schrank) Kuntze, 1898 |
| UROMDI | | <i>Lycoperdon caryophyllinum</i> | Schrank1789 |
| UROMDI | | <i>Nigredo caryophyllina</i> | (Schrank) Arthur, 1912 |
| UROMDI | | <i>Nigredo caryophyllina</i> | (Schrank) Arthur, 1920 |
| UROMDI | | <i>Uredo dianthi</i> | Persoon, 1801 |
| UROMDI | | <i>Uromyces caryophyllinus</i> | (Schrank) Winter, 1881 |
| UROMDI | | <i>Uromyces caryophyllinus</i> | (Schrank) Schrot., 1884 |
| UROMDI | | <i>Uromyces caryophyllinus</i> | Winter, 1882 |
| UROME1 | <i>Uromyces euphorbiae</i> | | Cooke y Peck, 1873 |
| UROME1 | | <i>Caeomurus euphorbiae</i> | (Cooke y Peck, 1873) Kuntze, 1898 |
| UROME1 | | <i>Uromyces euphorbiae</i> | (Schwein.) Cooke y Peck, 1873 |
| UROME1 | | <i>Uromyces proëminens</i> | (DeCandolle) Lev., 1847 |
| UROMEU | <i>Uromyces gentianae</i> | | Arthur, 1891 |
| UROMEU | | <i>Caeomurus gentianae</i> | (Arthur, 1891) Kuntze, 1898 |
| UROMEU | | <i>Nigredo gentianae</i> | (Arthur, 1891) Arthur, 1912 |
| UROMEU | | <i>Nigredo gentianae</i> | (Arthur, 1891) Arthur, 1920 |
| UROMEU | | <i>Puccinia gentianae</i> | (Str.) Rohl. |
| UROMEU | | <i>Uromyces eugentianae</i> | Cummins, 1956 |
| UROMHO | <i>Uromyces holwayi</i> | | Lagerheim, 1889 |
| UROMHO | | <i>Caeomurus holwayi</i> | (Lagerheim, 1889) Kuntze, 1898 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|------------------------------|---|
| UROMHO | | <i>Caeomurus lilii</i> | (Clinton, 1875) Kuntze, 1898 |
| UROMHO | | <i>Nigredo lilii</i> | (Clinton, 1875) Arthur, 1920 |
| UROMHO | | <i>Uromyces lilii</i> | Clinton, 1875 |
| UROMJU | <i>Uromyces junci</i> | | (Desmazieres) Tulasne y Tulasne, 1854 |
| UROMJU | | <i>Aecidium zonale</i> | Duby |
| UROMJU | | <i>Caeomurus junci</i> | (Tulasne y Tulasne) Kuntze, 1898 |
| UROMJU | | <i>Nigredo junci</i> | (Tulasne y Tulasne) Arthur, 1912 |
| UROMJU | | <i>Puccinia junci</i> | Desmazieres, 1825 |
| UROMLI | <i>Uromyces limonii</i> | | (DeCandolle, 1805) Leveille, 1849 |
| UROMLI | | <i>Aecidium statices</i> | Cooke, 1865 |
| UROMLI | | <i>Caeomurus limonii</i> | (DeCandolle, 1805) Kuntze, 1898 |
| UROMLI | | <i>Capitularia limonii</i> | (DeCandolle, 1805) Sydow, 1922 |
| UROMLI | | <i>Nigredo limonii</i> | (DeCandolle, 1805) Arthur, 1912 |
| UROMLI | | <i>Nigredo limonii</i> | (DeCandolle, 1805) Arthur, 1920 |
| UROMLI | | <i>Puccinia limonii</i> | DeCandolle, 1805 |
| UROMLI | | <i>Uredo statices</i> | Auct. Erroneo |
| UROMLI | | <i>Uromyces sparsus</i> | (Kunze y Schmidt) Leveille, 1847 |
| UROMLU | <i>Uromyces lupini</i> | | Berkeley y Curtis, 1860 |
| UROMLU | | <i>Nigredo lupini</i> | (Berkeley y Curtis, 1860) Arthur, 1912 |
| UROMOC | <i>Uromyces occidentalis</i> | | Ditel, 1903 |
| UROMOC | | <i>Nigredo occidentalis</i> | (Ditel, 1903) Arthur, 1912 |
| UROMOC | | <i>Uromyces rugosus</i> | Arthur, 1905 |
| UROMGT | <i>Uromyces pisi-sativi</i> | | (Persoon) Liro, 1908 |
| UROMGT | | <i>Aecidium euphorbiae</i> | Persoon, 1792 |
| UROMGT | | <i>Aecidium euphorbiarum</i> | DeCandolle, 1815 |
| UROMGT | | <i>Caeoma euphorbiae</i> | (Gmel.) Nees, 1816 |
| UROMGT | | <i>Caeoma euphorbiatum</i> | Link, 1825 |
| UROMGT | | <i>Caeomurus astragali</i> | (Opiz) Kuntze, 1898 |
| UROMGT | | <i>Caeomurus phacae</i> | (Thiim.) Kuntze, 1898 |
| UROMGT | | <i>Caeomurus pisi</i> | (Gray) Kuntze, 1898 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------|---|----------------------------------|
| UROMGT | | <i>Dicaeoma loti</i> | (Kirchn.) Kuntze, 1898 |
| UROMGT | | <i>Nigredo punctata</i> | (Schrot.) Arthur, 1920 |
| UROMGT | | <i>Puccinia laburni</i> | DeCandolle, 1815 |
| UROMGT | | <i>Puccinia loti</i> | Kirchn., 1856 |
| UROMGT | | <i>Puccinia pisi</i> | DeCandolle, 1805 |
| UROMGT | | <i>Uredo appendiculata genistae-tinctoriae</i> | Persoon, 1801 |
| UROMGT | | <i>Uredo appendiculata pisi</i> | Persoon, 1796 |
| UROMGT | | <i>Uredo appendiculata pisi-sativi</i> | Persoon, 1801 |
| UROMGT | | <i>Uredo appendiculata var. genistae-tinctoriae</i> | Persoon, 1801 |
| UROMGT | | <i>Uredo astragali</i> | Opiz |
| UROMGT | | <i>Uredo onobrychidis</i> | Desm. |
| UROMGT | | <i>Uredo pisi-sativi</i> | Persoon, 1801 |
| UROMGT | | <i>Uromyces astragali</i> | (Opiz) Saccardo, 1873 |
| UROMGT | | <i>Uromyces euphorbiae-astragali</i> | Jordi, 1904 |
| UROMGT | | <i>Uromyces euphorbiae-corniculatae</i> | Jordi, 1904 |
| UROMGT | | <i>Uromyces genistae-tinctoriae</i> | (Persoon) Fuckel ex Winter, 1881 |
| UROMGT | | <i>Uromyces genistae-tinctoriae</i> | (Persoon) Fuckel ex Winter, 1884 |
| UROMGT | | <i>Uromyces genistae-tinctoriae f. anglicae</i> | MacDon., 1946 |
| UROMGT | | <i>Uromyces genistae-tinctoriae f. scoparii</i> | MacDon., 1946 |
| UROMGT | | <i>Uromyces genistae-tinctoriae f. ulicis</i> | MacDon., 1946 |
| UROMGT | | <i>Uromyces laburni</i> | (DeCandolle) Otth, 1863 |
| UROMGT | | <i>Uromyces laburni</i> | Fuckel, 1863 |
| UROMGT | | <i>Uromyces lathyri</i> | Fuckel |
| UROMGT | | <i>Uromyces loti</i> | Blytt, 1896 |
| UROMGT | | <i>Uromyces onobrychidis</i> | (Desm.) Lev., 1847 |
| UROMGT | | <i>Uromyces phacae</i> | Thiim., 1878 |
| UROMGT | | <i>Uromyces pisi</i> | (DeCandolle) Otth |
| UROMGT | | <i>Uromyces pisi</i> | (Persoon) de Bary, 1863 |
| UROMGT | | <i>Uromyces punctatus</i> | Schrot., 1870 |
| UROMPY | <i>Uromyces sparganii</i> | | Cooke y Peck, 1874 |
| UROMPY | | <i>Caeomurus pyriformis</i> | (Cooke, 1878) Kuntze, 1898 |
| UROMPY | | <i>Nigredo pyriformis</i> | (Cooke, 1878) Arthur, 1912 |
| UROMPY | | <i>Uromyces pyriformis</i> | Cooke, 1878 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|--|--------------------------------------|
| UROMTV | <i>Uromyces transversalis</i> | | (ThQmen, 1876) Winter 1884 |
| UROMTV | | <i>Caeomurus transversalis</i> | (ThQmen, 1876) Kuntze, 1898 |
| UROMTV | | <i>Caeomurus transversalis</i> | (ThQmen, 1876) Kuntze, 1898 |
| UROMTV | | <i>Uredo transversalis</i> | ThQmen, 1876 |
| UROMTV | | <i>Uromyces freesiae</i> | Bubak, 1900 |
| UROMTV | | <i>Uromyces watsoniae</i> | Syдов и Sydow, 1910 |
| URCLTE | <i>Uromycladium tepperianum</i> | | (Saccardo, 1889) McAlpine, 1906 |
| URCLTE | | <i>Caeomurus tepperianus</i> | (Saccardo, 1889) Kuntze, 1898 |
| URCLTE | | <i>Uromyces tepperianus</i> | Saccardo, 1889 |
| USTINT | <i>Ustilago nuda f.sp. tritici</i> | | Schaffnit, 1928 |
| USTINT | | <i>Lycoperdon tritici</i> | Bjerkander, 1775 |
| USTINT | | <i>Tilletia tritici</i> | (Bjerkander) Winter, 1874 |
| USTINT | | <i>Uredo segetum var. tritici</i> | (Bjerkander) Persoon, 1801 |
| USTINT | | <i>Uredo tritici</i> | Persoon |
| USTINT | | <i>Ustilago nuda var. tritici</i> | Fischer y Shaw |
| USTINT | | <i>Ustilago segetum var. tritici</i> | (Bjerkander) Brunaud, 1878 |
| USTINT | | <i>Ustilago segetum var. tritici</i> | (Persoon) Brun. |
| USTINT | | <i>Ustilago tritici</i> | (Bjerkander) Rostrup, 1890 |
| USTINT | | <i>Ustilago tritici</i> | (Persoon) Jensen et al. |
| USTINT | | <i>Ustilago tritici</i> | (Persoon) Rostrup |
| USTINT | | <i>Ustilago tritici</i> | Bauhin |
| USTINT | | <i>Ustilago vavilovi</i> | Jacz. 1925 |
| USTISC | <i>Ustilago scitaminea</i> | | Sydow, 1924 |
| USTISC | | <i>Sphacelotheca miscanthi</i> | Yen, 1937 |
| USTISC | | <i>Sporisorium miscanthi</i> | (Yen) Guo, 1990 |
| USTISC | | <i>Sporisorium scitamineum</i> | (Sydow, 1924) Piepenbr. et al., 2002 |
| USTISC | | <i>Ustilago amadelpha</i> | Sydow et al., 1912 |
| USTISC | | <i>Ustilago amadelpha var. amadelpha</i> | Sydow et al., 1912 |
| USTISC | | <i>Ustilago sacchari</i> | Rabenh. |
| USTISC | | <i>Ustilago scitaminea var. sacchari-barberi</i> | Mundk., 1940 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|---|---|
| USTISC | | <i>Ustilago scitaminea</i> var. <i>sacchari-officinarum</i> | Mundk., 1940 |
| USTISC | | <i>Ustilago scitaminea</i> var. <i>scitaminea</i> | Syдов, 1924 |
| USTIVL | <i>Vankya vaillantii</i> | | <i>Vankya vaillantii</i> (Tul. & C. Tul.) Ershad 2000 |
| USTIVL | | <i>Antherospora vaillantii</i> | (Tulasne y Tulasne) Bauer et al., 2008 |
| USTIVL | | <i>Ustilago muscari-botryoidis</i> | Ciferri, 1928 |
| USTIVL | | <i>Ustilago scillae</i> | Ciferri, 1931 |
| USTIVL | | <i>Ustilago tourneuxii</i> | (Waldh.) Maire, 1931 |
| USTIVL | | <i>Ustilago urginea</i> | Maire, 1931 |
| USTIVL | | <i>Ustilago vaillantii</i> | Tulasne y Tulasne, 1847 |
| USTIVL | | <i>Ustilago vaillantii</i> var. <i>tourneuxii</i> | Waldh., 1880 |
| USTIVL | | <i>Ustilago vaillantii</i> var. <i>vaillantii</i> | Tulasne y Tulasne, 1847 |
| USTIVL | | <i>Yenia tourneuxii</i> | (Waldh.) Liou, 1949 |
| USTIVL | | <i>Yenia vaillantii</i> | (Tulasne y Tulasne) Liou, 1949 |
| VERTAA | <i>Verticillium albo-atrum</i> | | Reinke y Berthold, 1879 |
| VERTAA | | <i>Verticillium albo-atrum</i> var. <i>caespitosum</i> | Wollenweber, 1929 |
| VERTAA | | <i>Verticillium albo-atrum</i> var. <i>tuberosum</i> | Rudolphi |
| VERTDA | <i>Verticillium dahliae</i> | | Klebahn, 1913 |
| VERTDA | | <i>Verticillium albo-atrum</i> | Auct. Erroneo |
| VERTDA | | <i>Verticillium albo-atrum</i> var. <i>chlamydosporale</i> | Wollenweber, 1929 |
| VERTDA | | <i>Verticillium albo-atrum</i> var. <i>dahliae</i> | (Kleb.) Nelson, 1950 |
| VERTDA | | <i>Verticillium albo-atrum</i> var. <i>medium</i> | Wollenweber, 1929 |
| VERTDA | | <i>Verticillium dahliae</i> f. <i>chlamydosporale</i> | (Wollenweber) Beyma, 1940 |
| VERTDA | | <i>Verticillium dahliae</i> f. <i>medium</i> | (Wollenweber) Beyma, 1940 |
| VERTDA | | <i>Verticillium dahliae</i> var. <i>longisporum</i> | Stark, 1961 |
| VERTDA | | <i>Verticillium ovatum</i> | Berk. y Jacks., 1926 |
| VERTDA | | <i>Verticillium tracheiphilum</i> | Curzi, 1925 |
| VERTHE | <i>Verticillium heterocladium</i> | | Penzig, 1882 |
| VERTHE | | <i>Cladobotryum heterocladium</i> | (Penzig) Petch, 1931 |
| VERTHE | | <i>Cladobotryum heterocladium</i> | (Penzig) Petch, 1932 |
| VERTHE | | <i>Verticillium heterocladium</i> | Fawcett, 1908 Erroneo |
| USTNVI | <i>Vilosiclava virens</i> | | (Sakurai ex Nakata) Tanaka y Tanaka, 2009 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|------------------|---------------------------------|-----------------------------------|---------------------------------------|
| USTNVI | | <i>Claviceps oryzae-sativae</i> | Hashioka, 1971 |
| USTNVI | | <i>Claviceps virens</i> | (Cooke, 1878) Sakurai ex Nakata, 1934 |
| USTNVI | | <i>Sphacelotheca virens</i> | Omori, 1896 |
| USTNVI | | <i>Tilletia oryzae</i> | Pat., 1887 |
| USTNVI | | <i>Ustilaginoidea albicans</i> | Wang y Bai, 1997 |
| USTNVI | | <i>Ustilaginoidea oryzae</i> | (Pat., 1887) Bref., 1895 |
| USTNVI | | <i>Ustilaginoidea virens</i> | (Cooke, 1878) Takahashi, 1896 |
| USTNVI | | <i>Ustilago virens</i> | Cooke, 1878 |
| CPHUMA | <i>Acremonium maydis</i> | <i>Cephalosporium maydis</i> | |
| BOTRAL | <i>Botrytis allii</i> | <i>Botrytis aclada</i> | |
| FUSADI | <i>Microdochium dimerum</i> | <i>Fusarium dimerum</i> | |
| HLCBBR | <i>Rhizoctonia crocorum</i> | <i>Helicobasidium brebissonii</i> | |
| UROMHY | <i>Uromyces triquetrus</i> | <i>Uromyces hyperici</i> | |
| ХАСЕКОМЫЕ | | | |
| NUMOPI | <i>Acrobasis pyrivorella</i> | | (Matsumura) |
| NUMOPI | | <i>Acrobasis pirivorella</i> | (Matsumura) |
| NUMOPI | | <i>Ectomyelois pirivorella</i> | (Matsumura) |
| NUMOPI | | <i>Ectomyelois pyrivorella</i> | (Matsumura) |
| NUMOPI | | <i>Eurhodope pirivorella</i> | (Matsumura) |
| NUMOPI | | <i>Nephopterix pirivorella</i> | Matsumura |
| NUMOPI | | <i>Nephopteryx pirivorella</i> | Matsumura |
| NUMOPI | | <i>Nephopteryx pyrivorella</i> | |
| NUMOPI | | <i>Numonia pirivora</i> | (Gerasimov) |
| NUMOPI | | <i>Numonia pirivorella</i> | (Matsumura) |
| NUMOPI | | <i>Numonia pyrivora</i> | (Gerasimov) |
| NUMOPI | | <i>Numonia pyrivorella</i> | (Matsumura) |
| NUMOPI | | <i>Rhodophaea pirivorella</i> | (Matsumura) |
| ACROAS | <i>Acrolepiopsis assectella</i> | | Zeller |
| ACROAS | | <i>Acrolepia assectella</i> | Zeller |
| ACROAS | | <i>Acrolepia betulella</i> | Herrich-Schaffer |
| ACROAS | | <i>Roeslerstammia betulella</i> | Herrich-Schaffer |
| ACROAS | | <i>Acrolepia vigiliella</i> | Duponchel |
| CAPURE | <i>Adoxophyes orana</i> | | Fischer von Roeslerstamm, 1834 |
| CAPURE | | <i>Acleris reticulana</i> | |
| CAPURE | | <i>Adoxophyes congruana</i> | Walker |
| CAPURE | | <i>Adoxophyes fasciata</i> | Walsh |
| CAPURE | | <i>Adoxophyes reticulana</i> | HQbner |
| CAPURE | | <i>Adoxophyes tripsiana</i> | |
| CAPURE | | <i>Cacoecia reticulana</i> | |
| CAPURE | | <i>Capua congruana</i> | |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|----------------------------------|---|---------------------------------------|
| CAPURE | | <i>Capua orana</i> | |
| CAPURE | | <i>Capua reticulana</i> | HQbner |
| CAPURE | | <i>Tortrix orana</i> | Fischer von Roeslerstamm |
| CAPURE | | <i>Tortrix reticulana</i> | |
| AEOTSC | <i>Aeolothrips scabiosatibia</i> | <i>Aeolothrips scabiosatiba</i> | Moulton, 1930 |
| ALCIDE | <i>Alcidodes dentipes</i> | | (Olivier, 1790) |
| ALCIDE | | <i>Alcides dentipes</i> | Olivier, 1790 |
| ALECSN | <i>Aleurocanthus spiniferus</i> | | (Quaintance, 1903) |
| ALECSN | | <i>Aleurocanthus citricolus</i> | (Newstead) Quaintance y Baker |
| ALECSN | | <i>Aleurocanthus rosae</i> | Singh, 1931 |
| ALECSN | | <i>Aleurocanthus spiniferus var. intermedia</i> | Silvestri, 1927 |
| ALECSN | | <i>Aleurodes citricola</i> | Newstead, 1911 |
| ALECSN | | <i>Aleurodes spinifera</i> | Quaintance, 1903 |
| ALEDDE | <i>Aleurodicus destructor</i> | | Mackie, 1912 |
| ALEDDE | | <i>Aleurodes alboflossosa</i> | Froggatt, 1918 |
| ALEDDE | | <i>Aleyrodius destructor</i> | Mackie, 1912 |
| ALTHFL | <i>Aleurothrixus floccosus</i> | | (Maskell, 1896) |
| ALTHFL | | <i>Aleurodes floccosa</i> | Maskell, 1895 |
| ALTHFL | | <i>Aleurothrixus horridus</i> | (Hempel) Quaintance y Baker, 1914 |
| ALTHFL | | <i>Aleurothrixus howardi</i> | (Quaintance) Quaintance y Baker, 1914 |
| ALTHFL | | <i>Aleyrodes horridus</i> | Hempel, 1899 |
| ALTHFL | | <i>Aleyrodes howardi</i> | Quaintance, 1907 |
| ALSOPO | <i>Alsophila pometaria</i> | | Harris, 1841 |
| ALSOPO | | <i>Anisopterix pometaria</i> | |
| ALSOPO | | <i>Anisopteryx pometaria</i> | |
| AMBPCO | <i>Amblypelta cocophaga</i> | | China |
| AMBPCO | | <i>Amblypelta cocophaga cocophaga</i> | China |
| AMBPCO | | <i>Amblypelta cocophaga malaitensis</i> | |
| AMBPCO | | <i>Dasynus sp.</i> | Lever, 1933 |
| AMBPLU | <i>Amblypelta lutescens</i> | | (Distant) |
| AMBPLU | | <i>Dasynus lutescens</i> | |
| AMBPLU | | <i>Pendulinus lutescens</i> | Distant |
| AMBPLU | | <i>Amblypelta lutescens lutescens</i> | (Distant) |
| AMBPLU | | <i>Amblypelta semifulva</i> | Blote |
| AMBPLU | | <i>Amblypelta nitida</i> | Chadwick |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|--|-------------------------|
| PLALPI | <i>Amblyptilia pica</i> | | Walsingham, 1880 |
| PLALPI | | <i>Amblyptilia crataea</i> | Fletcher |
| PLALPI | | <i>Platyptilia crataea</i> | Fletcher |
| PLALPI | | <i>Platyptilia pica</i> | (Walsingham, 1880) |
| PLALPI | | <i>Platyptilia pica crataea</i> | Fletcher |
| EMPODV | <i>Amrasca biguttula biguttula</i> | | Ishida, 1912 |
| EMPODV | | <i>Amrasca biguttula</i> | (Ishida, 1912) |
| EMPODV | | <i>Amrasca biguttula</i> | (Shiraki) |
| EMPODV | | <i>Amrasca devastans</i> | (Distant) |
| EMPODV | | <i>Chlorita biguttula</i> | (Ishida) |
| EMPODV | | <i>Chlorita biguttula biguttula</i> | (Ishida) |
| EMPODV | | <i>Chlorita biguttula</i> | Ishida, 1912 |
| EMPODV | | <i>Chlorita biguttula</i> | Shiraki, 1912 |
| EMPODV | | <i>Chlorita bigutulla</i> | Husain y Lal, 1940 |
| EMPODV | | <i>Chlorita bimaculata</i> | Matsumura, 1916 |
| EMPODV | | <i>Empoasca biguttula</i> | (Shiraki) |
| EMPODV | | <i>Empoasca biguttula</i> | Anonymous, 1936 |
| EMPODV | | <i>Empoasca bipunctata</i> | Schumacher, 1915 |
| EMPODV | | <i>Empoasca devastans</i> | (Distant) |
| EMPODV | | <i>Empoasca devastans</i> | Distant, 1918 |
| EMPODV | | <i>Empoasca devastans</i> | Lefroy, 1906 |
| EMPODV | | <i>Empoasca devastans</i> | Cherian y Kylasam, 1938 |
| EMPODV | | <i>Empoasca nigropunctata</i> | Merino, 1936 |
| EMPODV | | <i>Empoasca quadrinotatissima</i> | Dlabola, 1957 |
| EMPODV | | <i>Empoasca schumacheri</i> | Metcalf, 1968 |
| EMPODV | | <i>Sundapteryx biguttula</i> | (Ishida) |
| EMPODV | | <i>Sundapteryx biguttula biguttula</i> | (Ishida) |
| EMPODV | | <i>Sundapteryx biguttula biguttula</i> | Dworakowska, 1970 |
| ANARLI | <i>Anarsia lineatella</i> | | Zeller, 1839 |
| ANARLI | | <i>Anarsia pruniella</i> | Clemens |
| ANSTFR | <i>Anastrepha fraterculus</i> | | Wiedemann, 1830 |
| ANSTFR | | <i>Acrotoxa fraterculus</i> | (Wiedemann) |
| ANSTFR | | <i>Anastrepha acidusaeformis</i> | Blanchard, 1961 |
| ANSTFR | | <i>Anastrepha acidusiformis</i> | Rosillo, 1953 |
| ANSTFR | | <i>Anastrepha brasiliensis</i> | Greene, 1934 |
| ANSTFR | | <i>Anastrepha costa-bukmanii</i> | Capoor, 1954 |
| ANSTFR | | <i>Anastrepha costaruckmanii</i> | Foote, 1967 |
| ANSTFR | | <i>Anastrepha costarukmanii</i> | Capoor, 1954 |
| ANSTFR | | <i>Anastrepha costa-rukmanii</i> | Capoor, 1954 |
| ANSTFR | | <i>Anastrepha distans</i> | Greene, 1934 |
| ANSTFR | | <i>Anastrepha ethaleiforme</i> | Blanchard, 1961 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------|---|----------------------------|
| ANSTFR | | <i>Anastrepha fraternelus</i> | Dirlbek y Dirlbekova, 1973 |
| ANSTFR | | <i>Anastrepha fraterculus var. soluta</i> | Bezzi |
| ANSTFR | | <i>Anastrepha intensa</i> | Blanchard, 1941 |
| ANSTFR | | <i>Anastrepha intensa</i> | Blanchard, 1961 |
| ANSTFR | | <i>Anastrepha intermissa</i> | Blanchard, 1961 |
| | | | |
| ANSTFR | | <i>Anastrepha lambayecae</i> | Korytkowski y Ojeda, 1968 |
| ANSTFR | | <i>Anastrepha peruana</i> | Rosillo, 1953 |
| ANSTFR | | <i>Anastrepha peruviana</i> | Townsend, 1913 |
| ANSTFR | | <i>Anastrepha pseudofraternulus</i> | Capoor, 1955 |
| ANSTFR | | <i>Anastrepha pseudo-fraternulus</i> | Capoor, 1955 |
| ANSTFR | | <i>Anastrepha retracta</i> | Blanchard, 1961 |
| ANSTFR | | <i>Anastrepha retracta</i> | Hayward, 1941 |
| ANSTFR | | <i>Anastrepha scholae</i> | Capoor, 1955 |
| ANSTFR | | <i>Anastrepha soluta</i> | Bezzi, 1909 |
| ANSTFR | | <i>Anastrepha subtropicalis</i> | Blanchard, 1961 |
| | | | |
| ANSTFR | | <i>Anastrepha suspensa</i> | Korytkowski y Ojeda, 1968 |
| ANSTFR | | <i>Anastrepha suspensa</i> | Lima, 1934 |
| ANSTFR | | <i>Anastrepha tipica</i> | Blanchard, 1961 |
| ANSTFR | | <i>Anthomyia frutalis</i> | Weyenbergh, 1874 |
| ANSTFR | | <i>Dacus fraterculus</i> | Wiedemann, 1830 |
| ANSTFR | | <i>Tephritis mellea</i> | Walker, 1836 |
| ANSTFR | | <i>Trypetia fraternulus</i> | (Wiedemann) |
| ANSTFR | | <i>Trypetia unicolor</i> | Loew, 1862 |
| ANSTGR | <i>Anastrepha grandis</i> | | Macquart, 1846 |
| ANSTGR | | <i>Acrotoxa grandis</i> | (Macquart) |
| ANSTGR | | <i>Anastrepha latifasciata</i> | Hering, 1935 |
| ANSTGR | | <i>Anastrepha schineri</i> | Hendel, 1914 |
| ANSTGR | | <i>Tephritis grandis</i> | Macquart, 1846 |
| ANSTGR | | <i>Trypetia grandis</i> | (Macquart) |
| ANSTLU | <i>Anastrepha ludens</i> | | Loew, 1873 |
| ANSTLU | | <i>Acrotoxa ludens</i> | (Loew) |
| ANSTLU | | <i>Anastrepha lathana</i> | Stone, 1942 |
| ANSTLU | | <i>Trypetia ludens</i> | Loew, 1873 |
| ANSTOB | <i>Anastrepha obliqua</i> | | Macquart, 1835 |
| ANSTOB | | <i>Acrotoxa obliqua</i> | (Macquart) |
| ANSTOB | | <i>Anastrepha acidusa</i> | Greene, 1934 |
| ANSTOB | | <i>Anastrepha ethalea</i> | Greene, 1934 |
| ANSTOB | | <i>Anastrepha fraterculus var. ligata</i> | Lima |
| | | <i>Anastrepha fraterculus var. mombinpraeoptans</i> | Sem |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|--|-----------------------------|
| ANSTOB | | <i>Anastrepha ligata</i> | Lima, 1934 |
| ANSTOB | | <i>Anastrepha mombimpreoptans</i> | Mena, 1965 |
| ANSTOB | | <i>Anastrepha mombinpraeoptans</i> | Sein, 1933 |
| ANSTOB | | <i>Anastrepha mombinpraeoptera</i> | Phillips, 1946 |
| ANSTOB | | <i>Anastrepha trinidadensis</i> | Greene, 1934 |
| ANSTOB | | <i>Tephritis obliqua</i> | Macquart, 1835 |
| ANSTOB | | <i>Trypeta obliqua</i> | (Macquart) |
| ANSTSE | <i>Anastrepha serpentina</i> | | Wiedemann, 1830 |
| ANSTSE | | <i>Acrotoxa serpentinus</i> | (Wiedemann) |
| ANSTSE | | <i>Anastrepha serfentinus</i> | Foote, 1965 |
| ANSTSE | | <i>Dacus serpentinus</i> | Wiedemann, 1830 |
| ANSTSE | | <i>Leptoxys serpentina</i> | (Wiedemann) |
| ANSTSE | | <i>Trypeta serpentina</i> | (Wiedemann) |
| ANSTSE | | <i>Urophora vittithorax</i> | Macquart, 1851 |
| ANSTST | <i>Anastrepha striata</i> | | Schiner, 1868 |
| ANSTST | | <i>Dictya cancellaria</i> | Fabricius, 1805 |
| ANSTST | | <i>Trypeta cancellaria</i> | (Fabricius) |
| ANSTSU | <i>Anastrepha suspensa</i> | | Loew, 1862 |
| ANSTSU | | <i>Anastrepha longimacula</i> | Greene, 1934 |
| ANSTSU | | <i>Anastrepha unipuncta</i> | Sein, 1933 |
| ANSTSU | | <i>Trypeta suspensa</i> | Loew, 1862 |
| COSPFL | <i>Anomis flava</i> | | Fabricius 1775 |
| COSPFL | | <i>Cosmophila flava</i> | Fabricius |
| COSPFL | | <i>Cosmophila fimbriago</i> | |
| COSPFL | | <i>Cosmophila indica</i> | |
| COSPFL | | <i>Anomis fimbriago</i> | (Stephens) |
| COSPFL | | <i>Anomis indica</i> | (Guenee) |
| COSPFL | | <i>Cosmophila auragooides</i> | Guenee |
| COSPFL | | <i>Noctua flava</i> | Fabricius |
| ANOLCN | <i>Anoplophora chinensis</i> | | (Forster, 1771) |
| ANOLCN | | <i>Anoplophora chinensis afflicta</i> | Breuning, 1949 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Breuning, 1944 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Breuning, 1949 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Cocquempot et al., 2003 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Dong y al., 2002 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Hua, 2002 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Lingafelter y Hoebeke, 2002 |
| ANOLCN | | <i>Anoplophora chinensis chinensis</i> | (Forster, 1771) |
| ANOLCN | | <i>Anoplophora chinensis luctuosa</i> | Breuning, 1949 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Pu, 1992 |
| ANOLCN | | <i>Anoplophora chinensis</i> | Wang y Chiang, 1988 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------|--|-------------------|
| ANOLCN | | <i>Anoplophora malasiaca</i> | (Thomson) |
| ANOLCN | | <i>Anoplophora malasiaca malasiaca</i> | Samuelson, 1965 |
| ANOLCN | | <i>Anoplophora perroudi</i> | Pic, 1953 |
| ANOLCN | | <i>Anoplophora sepulchralis</i> | Breuning, 1944 |
| ANOLCN | | <i>Callophora afflicta</i> | Thomson, 1865 |
| ANOLCN | | <i>Callophora luctuosa</i> | Thomson, 1865 |
| ANOLCN | | <i>Calloplophora abbreviata</i> | Thomson, 1865 |
| ANOLCN | | <i>Calloplophora afflicta</i> | Thomson, 1865 |
| ANOLCN | | <i>Calloplophora luctuosa</i> | Thomson, 1865 |
| ANOLCN | | <i>Calloplophora malasiaca</i> | Thomson, 1865 |
| ANOLCN | | <i>Calloplophora sepulcralis</i> | Thomson, 1865 |
| ANOLCN | | <i>Cerambyx (Stenocorus) sinensis</i> | Gmelin, 1790 |
| ANOLCN | | <i>Cerambyx chinensis</i> | Forster, 1771 |
| ANOLCN | | <i>Cerambyx farinosus</i> | Houttuyn, 1766 |
| ANOLCN | | <i>Cerambyx pulchricornis</i> | Voet, 1778 |
| ANOLCN | | <i>Cerambyx sinensis</i> | Gmelin, 1790 |
| ANOLCN | | <i>Lamia punctator</i> | Fabricius, 1777 |
| ANOLCN | | <i>Lamia punctator</i> | Fabricius, 1776 |
| ANOLCN | | <i>Lamia punctator</i> | Fabricius, 1801 |
| ANOLCN | | <i>Lamia punctator</i> | Zimsen, 1964 |
| ANOLCN | | <i>Melanauster chinensis</i> | (Forster) |
| ANOLCN | | <i>Melanauster chinensis</i> | Ahmad, 1946 |
| ANOLCN | | <i>Melanauster chinensis</i> | Bates, 1890 |
| ANOLCN | | <i>Melanauster chinensis</i> | Gahan, 1900 |
| ANOLCN | | <i>Melanauster chinensis macularius</i> | Kojima, 1950 |
| ANOLCN | | <i>Melanauster chinensis</i> | Matsumura, 1908 |
| ANOLCN | | <i>Melanauster chinensis</i> | Pic, 1935 |
| ANOLCN | | <i>Melanauster chinensis var. macularia</i> | Bates, 1873 |
| ANOLCN | | <i>Melanauster chinensis var. macularis</i> | Matsushita, 1933 |
| ANOLCN | | <i>Melanauster chinensis var. sekimacularius</i> | Seki, 1946 |
| ANOLCN | | <i>Melanauster chinensis</i> | Wyniger, 1962 |
| ANOLCN | | <i>Melanauster macularius</i> | Kolbe, 1886 |
| ANOLCN | | <i>Melanauster malasiacus</i> | Aurivillius, 1922 |
| ANOLCN | | <i>Melanauster perroudi</i> | Pic, 1953 |
| ANTHEU | <i>Anthonomus eugenii</i> | | Cano, 1894 |
| ANTHEU | | <i>Anthonomochaeta eugenii</i> | Cano |
| ANTHEU | | <i>Anthonomus aeneotinctus</i> | Champion |
| ANTHPO | <i>Anthonomus pomorum</i> | | Linnaeus |
| ANTHPO | | <i>Anthonomus icurvus</i> | Stephens |
| ANTHPO | | <i>Curculio pomorum</i> | Linnaeus |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|---------------------------------|------------------------|
| ANTHPO | | <i>Rhynchaenus pomorum</i> | OI. |
| ANTHSI | <i>Anthonomus signatus</i> | | Say, 1831 |
| ANTHSI | | <i>Anthonomus bisignatus</i> | Gyllenhal |
| ANTHSI | | <i>Anthonomus pallidus</i> | Dietz |
| ANTHSI | | <i>Anthonomus scutellatus</i> | Gyllenhal |
| APHINA | <i>Aphis nasturtii</i> | | Kaltenbach, 1843 |
| APHINA | | <i>Aphidula nasturtii</i> | (Kaltenbach) |
| APHINA | | <i>Aphis abbreviata</i> | Patch, 1912 |
| APHINA | | <i>Aphis bulleri</i> | |
| APHINA | | <i>Aphis compositae</i> | |
| APHINA | | <i>Aphis floridanae</i> | Tissot, 1933 |
| APHINA | | <i>Aphis insons</i> | Hottes, 1930 |
| APHINA | | <i>Aphis mathiolae</i> | Theobald, 1917 |
| APHINA | | <i>Aphis pedicularis</i> | Buckton, 1879 |
| APHINA | | <i>Aphis plantaginifolii</i> | Nevsky, 1929 |
| APHINA | | <i>Aphis polygoni</i> | |
| APHINA | | <i>Aphis rhamni</i> | Boyer de Fonscolombe |
| APHINA | | <i>Aphis rhoicola</i> | |
| APHINA | | <i>Aphis solanina</i> | |
| APHINA | | <i>Aphis transiens</i> | Walker, 1849 |
| APHINA | | <i>Aphis zizyphi</i> | Theobald, 1917 |
| APHINA | | <i>Doralis rhamni</i> | |
| APHINA | | <i>Medoralis nasturtii</i> | |
| APHINA | | <i>Medoralis rhamni</i> | (Boyer de Fonscolombe) |
| APHINA | | <i>Medoralis transiens</i> | Walker |
| APHINA | | <i>Myzus rhamni</i> | |
| MYELCE | <i>Apomyelois ceratoniae</i> | | Zeller, 1839 |
| MYELCE | | <i>Ectomyelois ceratoniae</i> | Zeller |
| MYELCE | | <i>Myelois ceratoniae</i> | Zeller |
| MYELCE | | <i>Ectomyelois phoenicis</i> | (Durrant) |
| MYELCE | | <i>Myelois phoenicis</i> | Durrant |
| MYELCE | | <i>Spectrobates ceratoniae</i> | Zeller |
| ARCHAR | <i>Archips argyrospilus</i> | | Walker, 1863 |
| ARCHAR | | <i>Archips mortuanus</i> | Kearfott |
| ARCHAR | | <i>Cacoecia argyrospila</i> | Walker |
| ARCHAR | | <i>Retinia argyrospila</i> | Walker |
| ARCHAR | | <i>Tortrix argyrospila</i> | Walker |
| ARCHAR | | <i>Archips argyrospila</i> | Walker, 1863 |
| ARGTCI | <i>Argyrotaenia citrana</i> | | (Fernald, 1889) |
| ARGTCI | | <i>Argyrotaenia franciscana</i> | Borden, 1926 |
| ARGTCI | | <i>Argyrotaenia purata</i> | Freeman, 1958 |
| ARGTCI | | <i>Cacoecia franciscana</i> | Penny, 1921 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--------------------------------|---------------------------------|---|
| ARGTCI | | <i>Eulia citrana</i> | Essig, 1928 |
| ARGTCI | | <i>Eulia franciscana</i> | Frost, 1926 |
| ARGTCI | | <i>Tortrix citrana</i> | Fernald, 1889 |
| ARGTVE | <i>Argyrotaenia velutinana</i> | | Walker, 1863 |
| ARGTVE | | <i>Eulia velutinana</i> | Walker |
| ARGTVE | | <i>Tortrix velutinana</i> | Walker |
| ARTOCA | <i>Artona catoxantha</i> | | (Hampson, 1892) |
| ARTOCA | | <i>Arthona cataxantha</i> | |
| ARTOCA | | <i>Brachartona catoxantha</i> | Hampson, 1892 |
| ARTOCA | | <i>Zeuxippa catoxantha</i> | Duponchel |
| ASPDHE | <i>Aspidiotus nerii</i> | | Bouche, 1833 |
| ASPDHE | | <i>Aspidiosus unipectinatus</i> | Ferris, 1941 |
| ASPDHE | | <i>Aspidiotus affinis</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus affinis</i> | Targioni Tozzetti, 1868 |
| ASPDHE | | <i>Aspidiotus aloes</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus aloes</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus anthospermae</i> | Tao, 1999 |
| ASPDHE | | <i>Aspidiotus atherospermae</i> | Maskell, 1879 |
| ASPDHE | | <i>Aspidiotus atherospinmae</i> | Tao, 1999 |
| ASPDHE | | <i>Aspidiotus atherospirmae</i> | Chou, 1985 |
| ASPDHE | | <i>Aspidiotus bouchei</i> | (Targioni Tozzetti) Targioni Tozzetti, 1868 |
| ASPDHE | | <i>Aspidiotus bouchei</i> | Targioni Tozzetti, 1868 |
| ASPDHE | | <i>Aspidiotus buddleiae</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus budlaei</i> | Maskell, 1879 |
| ASPDHE | | <i>Aspidiotus budlaei</i> | Tao, 1999 |
| ASPDHE | | <i>Aspidiotus budlaeiae</i> | Maskell, 1887 |
| ASPDHE | | <i>Aspidiotus budlei</i> | Tao, 1999 |
| ASPDHE | | <i>Aspidiotus budleiae</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus budleiae</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus caldesii</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus caldesii</i> | Targioni Tozzetti, 1868 |
| ASPDHE | | <i>Aspidiotus capparis</i> | Cockerell, 1899 |
| ASPDHE | | <i>Aspidiotus capparis</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus carpodeti</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus carpodeti</i> | Maskell, 1885 |
| ASPDHE | | <i>Aspidiotus ceratoniae</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus ceratoniae</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus confusus</i> | Froggatt, 1914 |
| ASPDHE | | <i>Aspidiotus confusus</i> | Froggatt, 1915 |
| ASPDHE | | <i>Aspidiotus corinocarpi</i> | Cockerell, 1899 |
| ASPDHE | | <i>Aspidiotus corynocarpi</i> | Colvee, 1881 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|-------------------------------------|--------------------------------|
| ASPDHE | | <i>Aspidiotus cycadicola</i> | (Boisduval) Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus cycadicola</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus cycadicola</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus denticulatus</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus denticulatus</i> | Targioni Tozzetti, 1868 |
| ASPDHE | | <i>Aspidiotus dysoxyl</i> | Maskell, 1879 |
| ASPDHE | | <i>Aspidiotus epidendri</i> | Cockerell, 1896 |
| ASPDHE | | <i>Aspidiotus epidendri</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus epidendri</i> | Cockerell, 1899 |
| ASPDHE | | <i>Aspidiotus epidendri</i> | Fernald, 1903 |
| ASPDHE | | <i>Aspidiotus epidendri</i> | Leonardi, 1920 |
| ASPDHE | | <i>Aspidiotus epidendri</i> | Newstead, 1901 |
| ASPDHE | | <i>Aspidiotus epidendri</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus ericae</i> | (Boisduval) Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus ericae</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus ericae</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus fonsecai</i> | Giannotti, 1942 |
| ASPDHE | | <i>Aspidiotus genistae</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus genistae</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus genistae</i> | Westwood, 1840 |
| ASPDHE | | <i>Aspidiotus gnidi</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus gnidi</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus guidii</i> | Leonardi, 1920 |
| ASPDHE | | <i>Aspidiotus hederae</i> | Balachowsky, 1956 Erroneo |
| ASPDHE | | <i>Aspidiotus hederae carpodeti</i> | Cockerell y Parrott, 1899 |
| ASPDHE | | <i>Aspidiotus hederae</i> | Cockerell, 1897 Erroneo |
| ASPDHE | | <i>Aspidiotus hederae</i> | Cockerell, 1899 Erroneo |
| ASPDHE | | <i>Aspidiotus hederae</i> | Comstock, 1883 Erroneo |
| ASPDHE | | <i>Aspidiotus hederae</i> | Dietz y Morrison, 1916 Erroneo |
| ASPDHE | | <i>Aspidiotus hederae hederae</i> | Schmutterer, 1952 |
| ASPDHE | | <i>Aspidiotus hederae</i> | Leonardi, 1898 |
| ASPDHE | | <i>Aspidiotus hederae</i> | Leonardi, 1920 Erroneo |
| ASPDHE | | <i>Aspidiotus hederae limonii</i> | Cockerell, 1900 |
| ASPDHE | | <i>Aspidiotus hederae</i> | MacGillivray, 1921 Erroneo |
| ASPDHE | | <i>Aspidiotus hederae nerii</i> | Hunter, 1899 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | |
|--------|--|---------------------------|
| ASPDHE | <i>Aspidiotus hederae</i> | Newstead, 1901 Erroneo |
| ASPDHE | <i>Aspidiotus hederae</i> | Signoret, 1869 |
| ASPDHE | <i>Aspidiotus hederae ssp. unisexualis</i> | Schmutterer, 1952 |
| ASPDHE | <i>Aspidiotus hederae</i> | Thiem y Gerneck, 1934 |
| ASPDHE | <i>Aspidiotus hederae unipectinata</i> | Carimini, 1930 |
| ASPDHE | <i>Aspidiotus hederae unisexualis</i> | Schmutterer, 1952 |
| ASPDHE | <i>Aspidiotus hederae urenae</i> | Hall, 1923 |
| ASPDHE | <i>Aspidiotus hederae var. urenae</i> | Hall, 1923 |
| ASPDHE | <i>Aspidiotus hederale</i> | Tscorbadjiew, 1939 |
| ASPDHE | <i>Aspidiotus heredae</i> | Balachowsky, 1956 |
| ASPDHE | <i>Aspidiotus ilicis</i> | Cockerell, 1897 |
| ASPDHE | <i>Aspidiotus ilicis</i> | Signoret, 1869 |
| ASPDHE | <i>Aspidiotus lentisci</i> | Cockerell, 1897 |
| ASPDHE | <i>Aspidiotus lentisci</i> | Signoret, 1877 |
| ASPDHE | <i>Aspidiotus limonii</i> | Signoret, 1869 |
| ASPDHE | <i>Aspidiotus myricinae</i> | Signoret, 1869 |
| ASPDHE | <i>Aspidiotus myrsinae</i> | Cockerell, 1896 |
| ASPDHE | <i>Aspidiotus myrsinae</i> | Cockerell, 1897 |
| ASPDHE | <i>Aspidiotus myrsinae</i> | Cockerell, 1899 |
| ASPDHE | <i>Aspidiotus myrsinae</i> | Comstock, 1883 |
| ASPDHE | <i>Aspidiotus myrsinae</i> | Leonardi, 1920 |
| ASPDHE | <i>Aspidiotus myrsinae</i> | Signoret, 1877 |
| ASPDHE | <i>Aspidiotus nederae</i> | Archangelskaya, 1930 |
| ASPDHE | <i>Aspidiotus nereii</i> | Foldi, 1990 |
| ASPDHE | <i>Aspidiotus nerii</i> | Borchsenius, 1966 |
| ASPDHE | <i>Aspidiotus nerii</i> | Cockerell, 1897 |
| ASPDHE | <i>Aspidiotus nerii</i> | Cockerell, 1899 |
| ASPDHE | <i>Aspidiotus nerii</i> | Fernald, 1903 |
| ASPDHE | <i>Aspidiotus nerii</i> | Gerson y Zor, 1973 |
| ASPDHE | <i>Aspidiotus nerii</i> | Leonardi, 1898 |
| ASPDHE | <i>Aspidiotus nerii limonii</i> | Cockerell, 1896 |
| ASPDHE | <i>Aspidiotus nerii limonii</i> | Cockerell, 1897 |
| ASPDHE | <i>Aspidiotus nerii</i> | Morrison y Morrison, 1966 |
| ASPDHE | <i>Aspidiotus offinis</i> | Comstock, 1883 |
| ASPDHE | <i>Aspidiotus oleae</i> | Colvee, 1880 |
| ASPDHE | <i>Aspidiotus oleastin</i> | Colvee, 1882 |
| ASPDHE | <i>Aspidiotus osmanthi</i> | Cockerell, 1897 |
| ASPDHE | <i>Aspidiotus osmanthi</i> | Fernald, 1903 |
| ASPDHE | <i>Aspidiotus osmanthi</i> | Ferris, 1941 |
| ASPDHE | <i>Aspidiotus osmanthi</i> | Signoret, 1877 |
| ASPDHE | <i>Aspidiotus palmarum</i> | Signoret, 1869 Erroneo |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---------------------------|
| ASPDHE | | <i>Aspidiotus paraneuri</i> | Gerson & Hazan, 1979 |
| ASPDHE | | <i>Aspidiotus rectangulatus</i> | (Lindner) Ferris, 1941 |
| ASPDHE | | <i>Aspidiotus rectangulatus</i> | Ferris, 1941 |
| ASPDHE | | <i>Aspidiotus simillimus</i> | (Cockerell) Fernald, 1903 |
| ASPDHE | | <i>Aspidiotus simillimus</i> | Fernald, 1903 |
| ASPDHE | | <i>Aspidiotus sophorae</i> | Maskell, 1884 |
| ASPDHE | | <i>Aspidiotus tasmaniae</i> | Green, 1915 |
| ASPDHE | | <i>Aspidiotus transparens rectangulatus</i> | Lindner, 1913 |
| ASPDHE | | <i>Aspidiotus transparens var. rectangulatus</i> | Lindner, 1913 |
| ASPDHE | | <i>Aspidiotus transparens var. simillimus</i> | Cockerell, 1898 |
| ASPDHE | | <i>Aspidiotus transvaalensis</i> | Leonardi, 1914 |
| ASPDHE | | <i>Aspidiotus transvalensis</i> | Tao, 1999 |
| ASPDHE | | <i>Aspidiotus ulicis</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus unipectinatus</i> | Ferris, 1941 |
| ASPDHE | | <i>Aspidiotus urenae</i> | (Hall) Ferris, 1941 |
| ASPDHE | | <i>Aspidiotus urenae</i> | Ferris, 1941 |
| ASPDHE | | <i>Aspidiotus uriesiae</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus vagabundus</i> | Cockerell, 1899 |
| ASPDHE | | <i>Aspidiotus vagobundus</i> | Tao, 1999 |
| ASPDHE | | <i>Aspidiotus villosus</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus villosus</i> | Targioni Tozzetti, 1868 |
| ASPDHE | | <i>Aspidiotus viresciae</i> | Leonardi, 1920 |
| ASPDHE | | <i>Aspidiotus vriesiae</i> | Cockerell, 1897 |
| ASPDHE | | <i>Aspidiotus vriesiae</i> | Signoret, 1869 |
| ASPDHE | | <i>Aspidiotus vrieseiae</i> | Signoret, 1869 |
| ASPDHE | | <i>Chermes aloes</i> | Boisduval, 1867 |
| ASPDHE | | <i>Chermes cycadicola</i> | Boisduval, 1867 |
| ASPDHE | | <i>Chermes ericae</i> | Boisduval, 1867 |
| ASPDHE | | <i>Chermes genistae</i> | (Westwood) Ferris, 1941 |
| ASPDHE | | <i>Chermes genistae</i> | Ferris, 1941 |
| ASPDHE | | <i>Chermes hederae</i> | (Signoret) Ferris, 1937 |
| ASPDHE | | <i>Chermes hederae</i> | Ferris, 1937 |
| ASPDHE | | <i>Chermes nerii</i> | Boisduval, 1868 |
| ASPDHE | | <i>Chermes osmanthi</i> | Ferris, 1941 |
| ASPDHE | | <i>Diaspis bouchei</i> | Targioni Tozzetti, 1867 |
| ASPDHE | | <i>Diaspis obliquum</i> | Costa, 1829 |
| ASPDHE | | <i>Octaspidiotus anthospermae</i> | Balachowsky, 1948 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|--------------------------------|
| ASPDHE | | <i>Octaspidiotus atherospermae</i> | (Maskell) MacGillivray, 1921 |
| ASPDHE | | <i>Octaspidiotus atherospermae</i> | MacGillivray, 1921 |
| ASPDHE | | <i>Octaspidiotus athospermae</i> | Balachowsky, 1948 |
| AULSRO | <i>Aulacaspis rosae</i> | | (Bouche, 1833) |
| AULSRO | | <i>Anamaspis rosae</i> | Kozarzhevskaya y Vlainic, 1981 |
| AULSRO | | <i>Aspidiotus rosae</i> | Bouche, 1833 |
| AULSRO | | <i>Aulacaspis rosae</i> | Cockerell, 1896 |
| AULSRO | | <i>Aulacaspis rosae</i> | Newstead, 1901 |
| AULSRO | | <i>Chermes rosae</i> | Boisduval, 1868 |
| AULSRO | | <i>Diaspis rosae</i> | Froggatt, 1914 |
| AULSRO | | <i>Diaspis rosae</i> | Targioni Tozzetti, 1868 |
| CHIOTE | <i>Aulacaspis tegalensis</i> | | (Zehntner, 1898) |
| CHIOTE | | <i>Aulacaspis major</i> | Rutherford, 1916 |
| CHIOTE | | <i>Aulacaspis rutherfordi</i> | Morrison, 1924 |
| CHIOTE | | <i>Aulacaspis tagalensis</i> | Velasquez y Rimando, 1969 |
| CHIOTE | | <i>Aulacaspis tegalensis</i> | Ferris, 1921 |
| CHIOTE | | <i>Chionaspis tegalensis</i> | Zehntner, 1898 |
| CHIOTE | | <i>Diaspis rutherfordi</i> | Box, 1953 |
| CHIOTE | | <i>Diaspis rutherfordii</i> | Rao y Sankaran, 1969 |
| CHIOTE | | <i>Misanthaspis tegalensis</i> | (Zehntner) |
| CHIOTE | | <i>Misanthaspis tegalensis</i> | Borchsenius, 1966 |
| AULASO | <i>Aulacorthum solani subsp. solani</i> | | (Kaltenbach, 1843) |
| AULASO | | <i>Acyrthosiphon (Aulacorthum) solani</i> | |
| AULASO | | <i>Acyrthosiphon solani</i> | (Kaltenbach, 1843) |
| AULASO | | <i>Aphis indecisa</i> | Walker, 1849 |
| AULASO | | <i>Aphis pallida</i> | Walker, 1848 |
| AULASO | | <i>Aphis solani</i> | Kaltenbach, 1843 |
| AULASO | | <i>Aphis vincae</i> | Walker, 1848 |
| AULASO | | <i>Aulacorthum circumflexum</i> | (Buckton) |
| AULASO | | <i>Aulacorthum doronici</i> | Borner, 1950 |
| AULASO | | <i>Aulacorthum eumorphum</i> | Blanchard, 1922 |
| AULASO | | <i>Aulacorthum methae</i> | Buckton |
| AULASO | | <i>Aulacorthum prasinum</i> | Borner, 1950 |
| AULASO | | <i>Aulacorthum pseudosolani</i> | (Theo.) |
| AULASO | | <i>Aulacorthum solani</i> | (Kaltenbach, 1843) |
| AULASO | | <i>Dysaulacorthum pseudosolani</i> | |
| AULASO | | <i>Dysaulacorthum vincae</i> | |
| AULASO | | <i>Liosomaphis indecisa</i> | (Walker, 1849) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|------------------------------------|--------------------|
| AULASO | | <i>Macrosiphum aucubae</i> | |
| AULASO | | <i>Macrosiphum hagicola</i> | Matsumura, 1917 |
| AULASO | | <i>Macrosiphum hederae</i> | Theobald, 1915 |
| AULASO | | <i>Macrosiphum matsumuraesanum</i> | Hori |
| AULASO | | <i>Macrosiphum menthae</i> | (Buckton, 1876) |
| AULASO | | <i>Macrosiphum piceaella</i> | |
| AULASO | | <i>Macrosiphum pseudosolani</i> | |
| AULASO | | <i>Macrosiphum rosaeollae</i> | Theobald, 1915 |
| AULASO | | <i>Macrosiphum senecionis</i> | Matsumura, 1917 |
| AULASO | | <i>Macrosiphum solani</i> | (Kaltenbach, 1843) |
| AULASO | | <i>Macrosiphum vincae</i> | |
| AULASO | | <i>Megoura solani</i> | (Kaltenbach, 1843) |
| AULASO | | <i>Myzus aquilegiae</i> | |
| AULASO | | <i>Myzus chelidonii</i> | |
| AULASO | | <i>Myzus convolvuli</i> | |
| AULASO | | <i>Myzus duffieldi</i> | |
| AULASO | | <i>Myzus gei</i> | |
| AULASO | | <i>Myzus glaucii</i> | |
| AULASO | | <i>Myzus hydrocotylae</i> | Mason, 1940 |
| AULASO | | <i>Myzus lamii</i> | |
| AULASO | | <i>Myzus menthae</i> | (Buckton, 1876) |
| AULASO | | <i>Myzus mercurialis</i> | |
| AULASO | | <i>Myzus neogei</i> | |
| AULASO | | <i>Myzus piceaellus</i> | |
| AULASO | | <i>Myzus polyanthi</i> | |
| AULASO | | <i>Myzus pseudosolani</i> | |
| AULASO | | <i>Myzus solani</i> | (Kaltenbach, 1843) |
| AULASO | | <i>Nectarophora menthae</i> | (Buckton, 1876) |
| AULASO | | <i>Phorodon menthae</i> | (Buckton, 1876) |
| AULASO | | <i>Phorodon solani</i> | (Kaltenbach, 1843) |
| AULASO | | <i>Rhopalosiphum solani</i> | |
| AULASO | | <i>Siphoniella solani</i> | |
| AULASO | | <i>Siphonophora diplanterae</i> | Koch, 1855 |
| AULASO | | <i>Siphonophora menthae</i> | Buckton, 1876 |
| AULASO | | <i>Siphonophora solani</i> | |
| PYTOGA | <i>Autographa gamma</i> | | (Linnaeus, 1758) |
| PYTOGA | | <i>Autographa gamma</i> | Smith |
| PYTOGA | | <i>Phytometra gamma</i> | Linnaeus |
| PYTOGA | | <i>Plusia gamma</i> | Linnaeus |
| PARZCO | <i>Bactericera cockerelli</i> | | (Sulc, 1909) |
| PARZCO | | <i>Paratrioza cockerelli</i> | (Sulc, 1909) |
| PARZCO | | <i>Paratrioza cockerelli</i> | (Shacekulc) |
| PARZCO | | <i>Trioza cockerelli</i> | Sulc, 1909 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|---|----------------------|
| BCTRBC | <i>Bactrocera carambolae</i> | | Drew y Hancock, 1994 |
| BCTRBC | | <i>Bactrocera sp. near dorsalis</i> | (Hendel) |
| DACUCU | <i>Bactrocera cucurbitae</i> | | Coquillett, 1899 |
| | | <i>Bactrocera (Zeugodacus) cucurbitae</i> | (Coquillett) |
| DACUCU | | <i>Chaetodacus cucurbitae</i> | (Coquillett) |
| DACUCU | | <i>Dacus aureus</i> | Tseng y Chu, 1982 |
| DACUCU | | <i>Dacus cucurbitae</i> | Coquillett, 1899 |
| DACUCU | | <i>Dacus yayeyamanus</i> | |
| DACUCU | | <i>Dacus yuiliensis</i> | Tseng y Chu, 1992 |
| DACUCU | | <i>Dasyneura caudatus</i> | Walker, 1849 |
| DACUCU | | <i>P. cucurbitat</i> | Kamasaki, 1970 |
| DACUCU | | <i>Strumeta cucurbitae</i> | Coquillett |
| DACUCU | | <i>Zeugodacus cucurbitae</i> | (Coquillett) |
| DACUDO | <i>Bactrocera dorsalis</i> | | (Hendel, 1912) |
| DACUDO | | <i>Bactrocera conformis</i> | Doleschall, 1858 |
| DACUDO | | <i>Bactrocera ferrugineus</i> | (Fabricius) |
| DACUDO | | <i>Chaetodacus dorsalis</i> | (Hendel) |
| DACUDO | | <i>Chaetodacus ferrugineus</i> | (Fabricius) |
| DACUDO | | <i>Chaetodacus ferrugineus dorsalis</i> | (Hendel) |
| | | <i>Chaetodacus ferrugineus okinawanus</i> | Shiraki, 1933 |
| DACUDO | | <i>Chaetodacus okinawanus</i> | Shiraki, 1933 |
| DACUDO | | <i>Dacus dorsalis</i> | Hendel, 1912 |
| DACUDO | | <i>Dacus ferrugineus</i> | (Fabricius) |
| DACUDO | | <i>Dacus ferrugineus dorsalis</i> | Fabricius |
| DACUDO | | <i>Dacus ferrugineus okinawanus</i> | (Shiraki) |
| DACUDO | | <i>Dacus ferrugineus var. dorsalis</i> | Fabricius |
| DACUDO | | <i>Musca ferruginea</i> | Fabricius, 1794 |
| DACUDO | | <i>Strumeta dorsalis</i> | (Hendel) |
| DACUDO | | <i>Strumeta ferruginea</i> | (Fabricius) |
| DACULA | <i>Bactrocera latifrons</i> | | (Hendel, 1915) |
| DACULA | | <i>Bactrocera (Bactrocera) latifrons</i> | (Hendel) |
| DACULA | | <i>Chaetodacus antennalis</i> | Shiraki, 1933 |
| DACULA | | <i>Chaetodacus latifrons</i> | Hendel, 1915 |
| DACULA | | <i>Dacus latifrons</i> | (Hendel) |
| DACULA | | <i>Dacus parvulus</i> | Hendel, 1912 |
| DACUCT | <i>Bactrocera minax</i> | | (Enderlein, 1920) |
| DACUCT | | <i>Bactrocera citri</i> | (Chen) |
| DACUCT | | <i>Callantra minax</i> | (Enderlein) |
| DACUCT | | <i>Dacus citri</i> | Chen |
| DACUCT | | <i>Dacus minax</i> | (Enderlein) |
| DACUCT | | <i>Mellesis citri</i> | Chen, 1940 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|--|------------------|
| DACUCT | | <i>Polistomimetes minax</i> | Enderlein, 1920 |
| DACUCT | | <i>Tetradacus citri</i> | Chen |
| DACUCT | | <i>Tetradacus minax</i> | (Enderlein) |
| DACUMU | <i>Bactrocera musae</i> | | (Tryon, 1927) |
| DACUMU | | <i>Bactrocera (Bactrocera) musae</i> | (Tryon) |
| DACUMU | | <i>Chaetodacus dorsopicta</i> | Tryon, 1927 |
| DACUMU | | <i>Chaetodacus dorso-picta</i> | Tryon, 1927 |
| DACUMU | | <i>Chaetodacus musae</i> | Tryon, 1927 |
| DACUMU | | <i>Chaetodacus tryoni var. musae</i> | Tryon |
| DACUMU | | <i>Dacus musae</i> | (Tryon) |
| DACUMU | | <i>Dacus nigrofasciatus</i> | Tryon, 1927 |
| DACUMU | | <i>Strumeta musae</i> | (Tryon) |
| DACUOL | <i>Bactrocera oleae</i> | | Gmelin, 1790 |
| DACUOL | | <i>Bactrocera oleae</i> | Rossi, 1790 |
| DACUOL | | <i>Daculus oleae</i> | (Gmelin) |
| DACUOL | | <i>Dacus flaviventris</i> | Guercio, 1900 |
| DACUOL | | <i>Dacus funesta</i> | Guercio, 1900 |
| DACUOL | | <i>Dacus oleae</i> | (Gmelin) |
| DACUOL | | <i>Musca oleae</i> | Gmelin, 1790 |
| DACUOL | | <i>Musca oleae</i> | Petagna, 1792 |
| DACUOL | | <i>Musca oleae</i> | Rossi, 1790 |
| BCTRPA | <i>Bactrocera passiflorae</i> | | (Froggatt, 1911) |
| BCTRPA | | <i>Bactrocera (Bactrocera) passiflorae</i> | (Froggatt) |
| BCTRPA | | <i>Chaetodacus passiflorae</i> | (Froggatt) |
| BCTRPA | | <i>Dacus passiflorae</i> | Froggatt, 1911 |
| BCTRPA | | <i>Strumeta passiflorae</i> | (Froggatt) |
| BCTRPE | <i>Bactrocera pedestris</i> | | (Bezzi, 1914) |
| BCTRPE | | <i>Chaetodacus pedestris</i> | Bezzi, 1914 |
| DACUPS | <i>Bactrocera psidii</i> | | Froggatt, 1899 |
| DACUPS | | <i>Dacus ornatissimus</i> | Froggatt, 1909 |
| DACUPS | | <i>Dacus psidii</i> | (Froggatt) |
| DACUPS | | <i>Dacus virgatus</i> | Coquillett, 1909 |
| DACUPS | | <i>Strumeta psidii</i> | (Froggatt) |
| DACUPS | | <i>Tephritis psidii</i> | Froggatt, 1899 |
| DACUTR | <i>Bactrocera tryoni</i> | | (Froggatt, 1897) |
| DACUTR | | <i>Bactrocera (Bactrocera) tryoni</i> | (Froggatt) |
| DACUTR | | <i>Chaetodacus juglandis</i> | Tryon, 1927 |
| DACUTR | | <i>Chaetodacus sарcocephali</i> | Tryon |
| DACUTR | | <i>Chaetodacus tryoni</i> | (Froggatt) |
| DACUTR | | <i>Dacus ferrugineus tryoni</i> | (Froggatt) |
| DACUTR | | <i>Dacus tryoni</i> | (Froggatt) |
| DACUTR | | <i>Strumeta melas</i> | Perkins y May |
| DACUTR | | <i>Strumeta tryoni</i> | (Froggatt) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|--|----------------------|
| DACUTR | | <i>Tephritis tryoni</i> | Froggatt, 1897 |
| DACUTS | <i>Bactrocera tsuneonis</i> | | (Miyake, 1919) |
| DACUTS | | <i>Dacuscheni</i> | Chao, 1987 |
| DACUTS | | <i>Dacus ferrugineus</i> | Kuwana, 1910 |
| DACUTS | | <i>Dacus tsuneonis</i> | Miyake, 1919 |
| DACUTS | | <i>Tetradacus tsuneonis</i> | (Miyake) |
| DACUZO | <i>Bactrocera zonata</i> | | (Saunders, 1841) |
| DACUZO | | <i>Bactrocera maculigera</i> | Doleschall, 1858 |
| DACUZO | | <i>Chaetodacuszonatus</i> | (Saunders) |
| DACUZO | | <i>Dacus (Strumeta) zonatus</i> | |
| DACUZO | | <i>Dacus mangiferae</i> | Cotes, 1893 |
| DACUZO | | <i>Dacus persicae</i> | |
| DACUZO | | <i>Dacus persicus</i> | (Biggott) |
| DACUZO | | <i>Dacus zonatus</i> | (Saunders) |
| DACUZO | | <i>Dasyneura zonatus</i> Saunders, 1942 | Saunders, 1842 |
| DACUZO | | <i>Rivellia persicae</i> | Bigot, 1889 |
| DACUZO | | <i>Strumeta zonata</i> | (Saunders) |
| DACUZO | | <i>Strumeta zonatus</i> | Saunders |
| BEMITA | <i>Bemisia tabaci</i> | | (Gennadius, 1889) |
| BEMITA | | <i>Aleurodes inconspicua</i> | Quintance |
| BEMITA | | <i>Aleurodes tabaci</i> | Gennadius |
| BEMITA | | <i>Bemisia achyranthae</i> | Singh |
| BEMITA | | <i>Bemisia bahiana</i> | Bondar |
| BEMITA | | <i>Bemisia costa-limai</i> | Bondar |
| BEMITA | | <i>Bemisia emiliae</i> | Corbett |
| BEMITA | | <i>Bemisia goldingi</i> | Corbett |
| BEMITA | | <i>Bemisia gossypiperda</i> | Misra y Lamba |
| | | | |
| BEMITA | | <i>Bemisia gossypiperda mosaicivectura</i> | Ghesquiere |
| BEMITA | | <i>Bemisia hibisci</i> | Takahashi |
| BEMITA | | <i>Bemisia inconspicua</i> | (Quaintance) |
| BEMITA | | <i>Bemisia longispina</i> | Priesner y Hosny |
| BEMITA | | <i>Bemisia lonicerae</i> | Takahashi |
| BEMITA | | <i>Bemisia manihotis</i> | Frappa |
| BEMITA | | <i>Bemisia minima</i> | Danzig |
| BEMITA | | <i>Bemisia minuscula</i> | Danzig |
| BEMITA | | <i>Bemisia nigeriensis</i> | Corbett |
| BEMITA | | <i>Bemisia rhodesiaeensis</i> | Corbett |
| BEMITA | | <i>Bemisia signata</i> | Bondar |
| BEMITA | | <i>Bemisia vayssieri</i> | Frappa |
| BEMIAR | <i>Bemisia tabaci biot. B</i> | | (Gennadius, 1889) |
| BEMIAR | | <i>Bemisia argentifolii</i> | Bellows et al., 1994 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|---|---------------------|
| ANURHE | <i>Brachycaudus helichrysi</i> | | Kaltenbach 1843 |
| ANURHE | | <i>Acaudus bipapillatus</i> | Theobald |
| ANURHE | | <i>Anuraphis abrotaniella</i> | Theobald |
| ANURHE | | <i>Anuraphis ammobii</i> | Hori |
| ANURHE | | <i>Anuraphis brevisiphon</i> | del Guercio |
| ANURHE | | <i>Anuraphis cardi</i> | (Linnaeus) |
| ANURHE | | <i>Anuraphis cardui ssp. turanica</i> | Mordvilko ex Nevsky |
| ANURHE | | <i>Anuraphis centauriella</i> | Theobald |
| ANURHE | | <i>Anuraphis cinerariae</i> | Theobald |
| ANURHE | | <i>Anuraphis cyani</i> | Theobald |
| ANURHE | | <i>Anuraphis fasciatus</i> | del Guercio |
| ANURHE | | <i>Anuraphis filaginis anthemidis</i> | del Guercio |
| ANURHE | | <i>Anuraphis flavescens</i> | del Guercio |
| ANURHE | | <i>Anuraphis glaucifolia</i> | Theobald |
| ANURHE | | <i>Anuraphis helichrysi</i> | Kaltenbach, 1843 |
| | | <i>Anuraphis helichrysi ssp. asiatica</i> | |
| ANURHE | | <i>nigriventris</i> | Nevsky |
| ANURHE | | <i>Anuraphis insititiella</i> | del Guercio |
| ANURHE | | <i>Anuraphis marutae</i> | |
| ANURHE | | <i>Anuraphis menthaecola</i> | Nevsky |
| ANURHE | | <i>Anuraphis mumecola</i> | Shinji |
| ANURHE | | <i>Anuraphis poae</i> | del Guercio, 1917 |
| ANURHE | | <i>Anuraphis pruni</i> | del Guercio |
| ANURHE | | <i>Anuraphis pruniavium</i> | Nevsky, 1929 |
| ANURHE | | <i>Anuraphis pruniavium var. ajvasovi</i> | Rusanova, 1942 |
| ANURHE | | <i>Anuraphis sherardiae</i> | Theobald |
| ANURHE | | <i>Anuraphis xanthii</i> | Blanchard, 1939 |
| ANURHE | | <i>Aphis adjecta</i> | Walker, 1849 |
| ANURHE | | <i>Aphis adscita</i> | Walker |
| ANURHE | | <i>Aphis apposita</i> | Walker |
| ANURHE | | <i>Aphis bartsiae</i> | Walker, 1849 |
| ANURHE | | <i>Aphis bellis</i> | Buckton, 1879 |
| ANURHE | | <i>Aphis cardui</i> | Linnaeus |
| ANURHE | | <i>Aphis chrysanthemi</i> | Walker, 1849 |
| ANURHE | | <i>Aphis consumpta</i> | Walker, 1849 |
| ANURHE | | <i>Aphis convecta</i> | Walker |
| ANURHE | | <i>Aphis conviva</i> | Walker |
| ANURHE | | <i>Aphis detracta</i> | Walker |
| ANURHE | | <i>Aphis diminuta</i> | Walker |
| ANURHE | | <i>Aphis familiaris</i> | Walker |
| ANURHE | | <i>Aphis helichrysi</i> | Kaltenbach, 1843 |
| ANURHE | | <i>Aphis incumbens</i> | Walker |
| ANURHE | | <i>Aphis insessa</i> | Walker |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|---|--------------------|
| ANURHE | | <i>Aphis insititiae</i> | Koch, 1854 |
| ANURHE | | <i>Aphis institiae</i> | Matsumura, 1917 |
| ANURHE | | <i>Aphis leontopodii</i> | Schouteden |
| ANURHE | | <i>Aphis marutae</i> | Oestlund, 1886 |
| ANURHE | | <i>Aphis myositidis</i> | Koch, 1854 |
| ANURHE | | <i>Aphis myosotidis</i> | Koch, 1854 |
| ANURHE | | <i>Aphis nociva</i> | Walker |
| ANURHE | | <i>Aphis persorbens</i> | Walker |
| ANURHE | | <i>Aphis petasitidis</i> | Buckton, 1879 |
| ANURHE | | <i>Aphis prunina</i> | Walker |
| ANURHE | | <i>Aphis prunus</i> | Shinji |
| ANURHE | | <i>Aphis senecio</i> | Swain, 1918 |
| ANURHE | | <i>Aphis similis</i> | Walker |
| ANURHE | | <i>Aphis socia</i> | Walker |
| ANURHE | | <i>Brachycaudus cardi</i> | (Linnaeus) |
| ANURHE | | <i>Brachycaudus conviva</i> | |
| | | <i>Brachycaudus helichrysi</i> subsp. <i>helichrysi</i> | (Kaltenbach, 1843) |
| ANURHE | | <i>Brachycaudus tianshanicus</i> | Nevsky |
| ANURHE | | <i>Saltusaphis familiaris</i> | |
| ANURHE | | <i>Saltusaphis insessa</i> | |
| ANURHE | | <i>Siphocoryne cacaliae</i> | Matsumura |
| BRONLO | <i>Brontispa longissima</i> | | Gestro, 1885 |
| BRONLO | | <i>Brontispa castanea</i> | Lea |
| BRONLO | | <i>Brontispa froggatti</i> | Sharp |
| BRONLO | | <i>Brontispa longissima</i> var. <i>javana</i> | Weise |
| BRONLO | | <i>Brontispa longissima</i> var. <i>selebensis</i> | Gestro |
| BRONLO | | <i>Brontispa reicherti</i> | Uhmann |
| BRONLO | | <i>Brontispa simmondsi</i> | Maulik |
| BRONLO | | <i>Oxycephala longipennis</i> | Gestro |
| BRONLO | | <i>Oxycephala longissima</i> | Gestro |
| BUSSFU | <i>Busseola fusca</i> | | Fuller, 1901 |
| BUSSFU | | <i>Busseola sorghicida</i> | Thurau |
| BUSSFU | | <i>Calamistis fusca</i> | Fuller |
| BUSSFU | | <i>Sesamia fusca</i> | Fuller |
| TORTPR | <i>Cacoecimorpha pronubana</i> | | HQbner1800 |
| TORTPR | | <i>Cacoecia pronubana</i> | HQbner |
| TORTPR | | <i>Cacoecimorpha ambustana</i> | HQbner |
| TORTPR | | <i>Cacoecimorpha hermineana</i> | Duponchel |
| TORTPR | | <i>Cacoecimorpha insolatana</i> | Lucas |
| TORTPR | | <i>Tortrix pronubana</i> | HQbner |
| CACTCA | <i>Cactoblastis cactorum</i> | | Berg, 1885 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|----------------------------------|-------------------|
| CACTCA | | <i>Zophodia cactorum</i> | Berg |
| CAOPFL | <i>Callopistria floridensis</i> | | (Guenee, 1852) |
| CAOPFL | | <i>Eriopus floridensis</i> | Guenee |
| CALSAN | <i>Callosobruchus analis</i> | | Fabricius |
| CALSAN | | <i>Bruchus analis</i> | Fabricius |
| CALSAN | | <i>Bruchus ciceri</i> | Rondani |
| CALSAN | | <i>Bruchus glaber</i> | Allibert |
| CALSAN | | <i>Bruchus jekelii</i> | Allibert |
| CALSAN | | <i>Bruchus obliquus</i> | Allibert |
| CALSAN | | <i>Callosobruchus glaber</i> | (Allibert) |
| CALSAN | | <i>Callosobruchus jekelii</i> | (Allibert) |
| CARSSA | <i>Carposina sasakii</i> | | Matsumura, 1900 |
| CARSSA | | <i>Carposina niponensis</i> | Walsingham |
| CARSSA | | <i>Carposina persicana</i> | (Fitch) |
| CARSSA | | <i>Cydia persicana</i> | Sasaki |
| CASTLI | <i>Castniomera licus</i> | | (Drury) |
| CASTLI | | <i>Castnia licoides</i> | Boisduval, 1875 |
| CASTLI | | <i>Castnia licus</i> | (Drury) |
| CASTLI | | <i>Castnia licas</i> | (Drury) |
| CASTLI | | <i>Papilio licus</i> | |
| CEATOR | <i>Cerataphis orchidearum</i> | | (Westwood) |
| CEATOR | | <i>Aleurocanthus palmae</i> | |
| CEATOR | | <i>Boisduvalia brasiliensis</i> | (Hempel) |
| CEATOR | | <i>Boisduvalia orchidearum</i> | (Westwood) |
| CEATOR | | <i>Boisduvalia variabilis</i> | (Lambers) |
| CEATOR | | <i>Cerataphis brasiliensis</i> | (Hempel) |
| CEATOR | | <i>Cerataphis brasiliensis</i> | Hempel |
| CEATOR | | <i>Cerataphis lantanae</i> | |
| CEATOR | | <i>Cerataphis palmae</i> | (Ghesquiere) |
| CEATOR | | <i>Cerataphis variabilis</i> | Lambers |
| CEATOR | | <i>Ceratovacuna brasiliensis</i> | Hempel |
| CEATOR | | <i>Ceratovacuna orchidearum</i> | (Westwood) |
| CERTCA | <i>Ceratitis capitata</i> | | (Wiedemann, 1824) |
| CERTCA | | <i>Ceratitis citripeda</i> | Efflatoun, 1924 |
| CERTCA | | <i>Ceratitis citriperda</i> | Macleay, 1829 |
| CERTCA | | <i>Ceratitis hispanica</i> | Breme, 1842 |
| CERTCA | | <i>Pardalaspis asparagi</i> | Bezzi, 1924 |
| CERTCA | | <i>Tephritis capitata</i> | Wiedemann, 1824 |
| CERTCO | <i>Ceratitis cosyra</i> | | (Walker, 1849) |
| CERTCO | | <i>Ceratitis giffardi</i> | Bezzi |
| CERTCO | | <i>Pardalaspis cosyra</i> | (Walker) |
| CERTCO | | <i>Pardalaspis giffardi</i> | (Bezzi) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|--|---------------------------|
| CERTCO | | <i>Pardalaspis giffardi</i> var. <i>sarcocephali</i> | Bezzi |
| CERTCO | | <i>Pardalaspis parinarii</i> | Hering, 1935 |
| CERTCO | | <i>Pardalaspis sarcocephali</i> | (Bezzi) |
| CERTCO | | <i>Trypeta cosyra</i> | Walker, 1849 |
| CERTQU | <i>Ceratitis quinaria</i> | | (Bezzi, 1918) |
| CERTQU | | <i>Pardalaspis quinaria</i> | Bezzi, 1918 |
| CERTQU | | <i>Ceratitis (Ceratalaspis) quinaria</i> | (Bezzi) |
| CERTRO | <i>Ceratitis rosa</i> | | Karsch, 1887 |
| CERTRO | | <i>Pterandrus rosa</i> | (Karsch) |
| CERTRO | | <i>Pterandrus fasciventris</i> | Bezzi, 1920 |
| CERTRO | | <i>Pterandrus flavotibialis</i> | Hering, 1935 |
| CERTRU | <i>Ceratitis rubivora</i> | | Coquillett, 1901 |
| CERTRU | | <i>Pterandrus rubivora</i> | Coquillett, 1901 |
| CERTRU | | <i>Pterandrus volucris</i> | Bezzi, 1918 |
| CERPDE | <i>Ceroplastes destructor</i> | | Newstead, 1917 |
| CERPDE | | <i>Ceroplastes ceriferus</i> | Lindinger, 1913 Erroneo |
| CERPDE | | <i>Ceroplastes ceriferus</i> | Newstead, 1910 Erroneo |
| CERPDE | | <i>Ceroplastes ceriferus</i> | Newstead, 1911 Erroneo |
| CERPDE | | <i>Ceroplastes postperlucidus</i> | Qin y Gullan, 1999 |
| CERPDE | | <i>Gascardia destructor</i> | De Lotto, 1965 |
| CERPDE | | <i>Gascardia destructor</i> | (Newstead, 1917) |
| CERPDE | | <i>Gascardia postperlucidus</i> | Qin y Gullan, 1995 |
| CERPDE | | <i>Gascardia postperlucidus</i> | Qin et al., 1994 |
| CERPDE | | <i>Gascardia postperlucidus</i> | Qin et al. (1994) |
| CERPRB | <i>Ceroplastes rubens</i> | | Maskell, 1893 |
| CERPRB | | <i>Ceroplastes myricae</i> | Green, 1900 |
| CERPRB | | <i>Ceroplastes myricae</i> | Green, 1900 Erroneo |
| CERPRB | | <i>Ceroplastes rubens minor</i> | Maskell, 1897 |
| CERPRB | | <i>Ceroplastes rubens</i> var. <i>minor</i> | Maskell, 1897 |
| ANURVI | <i>Ceruraphis viburnicola</i> | | (Gillette, 1909) |
| ANURVI | | <i>Anuraphis viburnicola</i> | (Gillette, 1909) |
| ANURVI | | <i>Aphis viburnicola</i> | Gillette, 1909 |
| ANURVI | | <i>Neoceruraphis viburnicola</i> | (Gillette, 1909) |
| CEUTPL | <i>Ceutorhynchus pleurostigma</i> | | (Marsham) Stephens , 1829 |
| CEUTPL | | <i>Ceutorhynchus pleurostigma</i> | (Marsham) |
| CEUTPL | | <i>Ceuthorrhynchus pleurostigma</i> | (Marsham) |
| CHANOR | <i>Chaetanaphothrips orchidii</i> | | (Moulton, 1907) |
| CHANOR | | <i>Anaphothrips orchidii</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|----------------------------------|-------------------------------|
| CHANOR | | <i>Euthrips orchidii</i> | |
| CHANOR | | <i>Physothrips orchidii</i> | |
| CHANOR | | <i>Taeniothrips orchidii</i> | |
| CHILZO | <i>Chilo partellus</i> | | (Swinhoe, 1885) |
| CHILZO | | <i>Argyria lutulentalis</i> | Tams, 1932 |
| CHILZO | | <i>Chilo zonellus</i> | (Swinhoe, 1884) |
| CHILZO | | <i>Crambus zonellus</i> | |
| CHONRO | <i>Choristoneura rosaceana</i> | | (Harris, 1841) |
| CHONRO | | <i>Archips rosaceana</i> | Harris |
| CHONRO | | <i>Cacoecia rosaceana</i> | Harris |
| CHONRO | | <i>Loxotaenia rosaceana</i> | Harris |
| CHONRO | | <i>Teras vicariana</i> | Walker |
| CHONRO | | <i>Tortrix gossypiana</i> | Packard |
| CHONRO | | <i>Tortrix rosaceana</i> | Harris |
| CHMTSY | <i>Chromatomyia syngenesiae</i> | | Hardy, 1849 |
| CHMTSY | | <i>Phytomyza atricornis</i> | Phytomyza atricornis (Meign.) |
| CHMTSY | | <i>Napomyza chrysanthemi</i> | |
| CHMTSY | | <i>Phytomyza chrysanthemi</i> | |
| CHMTSY | | <i>Phytomyza syngenesiae</i> | (Hardy) |
| PSEPIN | <i>Chrysodeixis includens</i> | | (Walker, 1858) |
| PSEPIN | | <i>Autographa oo</i> | Stoll |
| PSEPIN | | <i>Autographa rogationis</i> | |
| PSEPIN | | <i>Phalaena oo</i> | Stoll, 1872 |
| PSEPIN | | <i>Phytometra oo</i> | Stoll |
| PSEPIN | | <i>Phytometra rogationis</i> | |
| PSEPIN | | <i>Plusia binotula</i> | Herrich-Schaffer, 1868 |
| PSEPIN | | <i>Plusia dyaus</i> | Grote, 1875 |
| PSEPIN | | <i>Plusia hamifera</i> | Walker, 1858 |
| PSEPIN | | <i>Plusia includens</i> | Walker, 1858 |
| PSEPIN | | <i>Plusia oo Stoll in</i> | Stoll (1782) |
| PSEPIN | | <i>Plusia rogationis</i> | Guenee |
| PSEPIN | | <i>Pseudoplusia includens</i> | (Walker, 1858) |
| PSEPIN | | <i>Pseudoplusia oo</i> | Stoll (1782) |
| PSEPIN | | <i>Pseudoplusia pertusa</i> | Moschler, 1880 |
| PSEPIN | | <i>Pseudoplusia rogationis</i> | (Guenee, 1852) |
| PSEPIN | | <i>Pusia culta</i> | Lintner, 1885 |
| COCCVI | <i>Coccus viridis</i> | | (Green, 1889) |
| COCCVI | | <i>Coccus viridis bisexualis</i> | Kohler, 1978 |
| COCCVI | | <i>Coccus viridis</i> | Fernald, 1903 |
| COCCVI | | <i>Coccus viridis viridis</i> | Kohler, 1978 |
| COCCVI | | <i>Eulecanium viridis</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|--------------------------------------|-----------------------------|
| COCCVI | | <i>Lecanium hesperidum africanum</i> | Newstead, 1906 |
| COCCVI | | <i>Lecanium viride</i> | Green, 1889 |
| COCCVI | | <i>Lecanium viride</i> | Green, 1937 |
| COCCVI | | <i>Lecanium viridis</i> | |
| DICHPU | <i>Conogethes punctiferalis</i> | | (Guenee) |
| DICHPU | | <i>Cogogethes punctiferalis</i> | |
| DICHPU | | <i>Dichocrocis punctiferalis</i> | (Guenee) |
| CONHNE | <i>Conotrachelus nenuphar</i> | | (Herbst) Harris , 1841 |
| CONHNE | | <i>Curculio nenuphar</i> | Herbst |
| COPICO | <i>Copitarsia consueta</i> | | (Walker, 1857) |
| COPICO | | <i>Agrotis consueta</i> | Walker, 1857 |
| CURCCA | <i>Curculio caryaee</i> | | Horn, 1873 |
| CURCCA | | <i>Balaninus caryaee</i> | |
| CURCEL | <i>Curculio elephas</i> | | Gyllenhal, 1836 |
| CURCEL | | <i>Curculio elephas</i> | Fabricius |
| CURCEL | | <i>Balaninus elephas</i> | |
| LASPCA | <i>Cydia caryana</i> | | Fitch, 1856 |
| LASPCA | | <i>Enarmonia caryana</i> | Fitch |
| LASPCA | | <i>Ephippiphora caryana</i> | Fitch |
| LASPCA | | <i>Grapholitha caryae</i> | |
| LASPCA | | <i>Grapholitha caryana</i> | Fitch |
| LASPCA | | <i>Laspeyresia caryana</i> | Fitch |
| MELSLA | <i>Cydia latiferreana</i> | | (Walsingham, 1879) |
| MELSLA | | <i>Carpocapsa inquilina</i> | (Kearfott) |
| MELSLA | | <i>Carpocapsa latiferreana</i> | Walsingham, 1879 |
| MELSLA | | <i>Cydia inquilina</i> | Kearfott, 1907 |
| MELSLA | | <i>Cydia latiferreanus</i> | |
| MELSLA | | <i>Melissopus aurichalceana</i> | Riley, 1881 |
| MELSLA | | <i>Melissopus latiferreanus</i> | (Walsingham) |
| LAPSL | <i>Cydia splendana</i> | | (HQbner, 1796) HQbner, 1799 |
| LAPSL | | <i>Carpocapsa reaumurana</i> | Heinemann |
| LAPSL | | <i>Carpocapsa splendana</i> | HQbner, 1796 |
| LAPSL | | <i>Enarmonia splendana</i> | HQbner |
| LAPSL | | <i>Laspeyresia splendana</i> | HQbner |
| LAPSL | | <i>Tortrix splendana</i> | HQbner |
| VANSCA | <i>Cynthia cardui</i> | | Linnaeus, 1758 |
| VANSCA | | <i>Neopyrameis cardui</i> | Linnaeus |
| VANSCA | | <i>Papilio cardui</i> | Linnaeus |
| VANSCA | | <i>Pyramaeis cardui</i> | Linnaeus |
| VANSCA | | <i>Pyrameis cardui</i> | Linnaeus |
| VANSCA | | <i>Vanessa cardui</i> | Linnaeus |
| DACUCI | <i>Dacus ciliatus</i> | | Loew, 1862 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------|--|------------------------|
| DACUCI | | <i>Dacus appoxanthus</i> var. <i>decolor</i> | Bezzi |
| DACUCI | | <i>Dacus brevistylus</i> | Bezzi, 1908 |
| DACUCI | | <i>Dacus cocciniae</i> | Premlata y Singh, 1988 |
| DACUCI | | <i>Dacus decolor</i> | Bezzi, 1924 |
| DACUCI | | <i>Dacus insistens</i> | Curran, 1927 |
| DACUCI | | <i>Dacus sigmoides</i> | Coquillett, 1901 |
| DACUCI | | <i>Didacus ciliatus</i> | (Loew) |
| DACUCI | | <i>Leptoxyda ciliata</i> | (Loew) |
| DACUCI | | <i>Tridacus mallyi</i> | Munro, 1925 |
| HYLEAN | <i>Delia antiqua</i> | | Meigen, 1826 |
| HYLEAN | | <i>Anthomyia antiqua</i> | Meigen, 1826 |
| HYLEAN | | <i>Anthomyia ceparum</i> | Bouche, 1834 |
| HYLEAN | | <i>Anthomyia ceparum</i> | Meigen, 1830 |
| HYLEAN | | <i>Chortophila antiqua</i> | |
| HYLEAN | | <i>Delia cepetorum</i> | |
| HYLEAN | | <i>Hylemya antiqua</i> | Meigen |
| HYLEAN | | <i>Hylemya ceparum</i> | |
| HYLEAN | | <i>Leptohylemyia antiqua</i> | |
| HYLEAN | | <i>Musca litorariae</i> | Ratzeburg, 1844 |
| HYLEAN | | <i>Pegomyia ceparum</i> | |
| HYLEAN | | <i>Pegomyia cepetorum</i> | |
| HYLEAN | | <i>Phorbia antiqua</i> | Meigen |
| HYLEAN | | <i>Phorbia ceparum</i> | |
| HYLEAN | | <i>Phorbia cepetorum</i> | Meade, 1883 |
| HYLEFL | <i>Delia floralis</i> | | (Fallen, 1824) |
| HYLEFL | | <i>Anthomyia flavopicta</i> | Matsumura, 1915 |
| HYLEFL | | <i>Anthomyia vacans</i> | Pandelle, 1900 |
| HYLEFL | | <i>Erioischia floralis</i> | (Fallen) |
| HYLEFL | | <i>Hylemya crucifera</i> | Huckett |
| HYLEFL | | <i>Hylemya floralis</i> | (Fallen) |
| HYLEFL | | <i>Hylemyia crucifera</i> | Huckett, 1929 |
| HYLEFL | | <i>Musca floralis</i> | Fallen, 1824 |
| HYLEFL | | <i>Phorbia floralis</i> | (Fallen) |
| HYLEPL | <i>Delia platura</i> | | (Meigen, 1826) |
| HYLEPL | | <i>Anthomyia calopteni</i> | Riley, 1877 |
| HYLEPL | | <i>Anthomyia cana</i> | Macquart, 1835 |
| HYLEPL | | <i>Anthomyia corelia</i> | Walker, 1849 |
| HYLEPL | | <i>Anthomyia deceptiva</i> | (Fitch) |
| HYLEPL | | <i>Anthomyia diversa</i> | Wiedemann, 1830 |
| HYLEPL | | <i>Anthomyia extranea</i> | Stein, 1901 |
| HYLEPL | | <i>Anthomyia funesta</i> | Kuhn, 1870 |
| HYLEPL | | <i>Anthomyia lanicrus</i> | Thomson, 1869 |
| HYLEPL | | <i>Anthomyia perrima</i> | Walker, 1849 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|-------------------|
| HYLEPL | | <i>Anthomyia peshawarensis</i> | Cotes, 1893 |
| HYLEPL | | <i>Anthomyia platura</i> | Meigen, 1826 |
| HYLEPL | | <i>Anthomyia platygaster</i> | Thomson, 1869 |
| HYLEPL | | <i>Anthomyia radicum</i> var. <i>calopteni</i> | Riley |
| HYLEPL | | <i>Anthomyia raphani</i> | Harris, 1841 |
| HYLEPL | | <i>Anthomyia rubifrons</i> | Bigot, 1885 |
| HYLEPL | | <i>Anthomyia rubrifrons</i> | Macquart, 1851 |
| HYLEPL | | <i>Anthomyia secunda</i> | Stein, 1901 |
| HYLEPL | | <i>Anthomyia sergia</i> | Walker, 1849 |
| HYLEPL | | <i>Anthomyia simulans</i> | Stein, 1901 |
| HYLEPL | | <i>Anthomyia tinia</i> | Walker, 1849 |
| HYLEPL | | <i>Anthomyia trifilis</i> | Giglio-Tos, 1893 |
| HYLEPL | | <i>Anthomyia tyana</i> | Walker, 1849 |
| HYLEPL | | <i>Anthomyia viana</i> | Walker, 1849 |
| HYLEPL | | <i>Anthomyia zeas</i> | Riley, 1869 |
| HYLEPL | | <i>Aricia fusciceps</i> | Zetterstedt, 1845 |
| HYLEPL | | <i>Chorthophila cilicrura</i> | Rondani, 1866 |
| HYLEPL | | <i>Chorthophila cana</i> | (Macquart) |
| HYLEPL | | <i>Chorthophila cilicrura</i> | Rondani, 1866 |
| HYLEPL | | <i>Chorthophila deceptiva</i> | (Fitch) |
| HYLEPL | | <i>Chorthophila prisca</i> | (Wulp) |
| HYLEPL | | <i>Chorthophila rubrifrons</i> | Bigot, 1885 |
| HYLEPL | | <i>Chorthophila spinipes</i> | Bigot, 1885 |
| HYLEPL | | <i>Chorthophila trifilis</i> | (Giglio-Tos) |
| HYLEPL | | <i>Delia cilicrura</i> | (Rondani) |
| HYLEPL | | <i>Delia prisca</i> | (Wulp) |
| HYLEPL | | <i>Dalyta cupreifrons</i> | Walker, 1849 |
| HYLEPL | | <i>Eriphia marginata</i> | Walker, 1849 |
| HYLEPL | | <i>Homalomyia rava</i> | Hutton, 1901 |
| HYLEPL | | <i>Homalomyia rupecula</i> | Bigot, 1885 |
| HYLEPL | | <i>Hylemya cana</i> | (Macquart) |
| HYLEPL | | <i>Hylemya cilicrura</i> | (Rondani) |
| HYLEPL | | <i>Hylemya deceptiva</i> | Fitch, 1856 |
| HYLEPL | | <i>Hylemya fusciceps</i> | (Zetterstedt) |
| HYLEPL | | <i>Hylemya platura</i> | (Meigen) |
| HYLEPL | | <i>Hylemya prisca</i> | (Wulp) |
| HYLEPL | | <i>Hylemya spinipes</i> | Bigot |
| HYLEPL | | <i>Hylemya trifilis</i> | (Giglio-Tos) |
| HYLEPL | | <i>Pegomyia fusciceps</i> | |
| HYLEPL | | <i>Phorbia cilicrura</i> | (Rondani) |
| HYLEPL | | <i>Phorbia fusciceps</i> | (Zetterstedt) |
| HYLEPL | | <i>Phorbia novaezealandiae</i> | Hutton, 1901 |
| HYLEPL | | <i>Phorbia novazealandica</i> | Hutton |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|--------------------------------------|---------------------------------|
| HYLEPL | | <i>Phorbia platura</i> | (Meigen) |
| HYLEPL | | <i>Phorbia prisca</i> | Wulp, 1896 |
| HYLEPL | | <i>Phorbia spinipes</i> | (Bigot) |
| DIAACI | <i>Diaphorina citri</i> | | Kuwayama, 1908 |
| DIAACI | | <i>Euphalerus citri</i> | (Kuwayama, 1908) |
| DPREAB | <i>Diaprepes abbreviatus</i> | | (Linnaeus, 1758) Hustache, 1929 |
| DPREAB | | <i>Curculio abbreviatus</i> | Linnaeus, 1758 |
| DPREAB | | <i>Diaprepes festivus</i> | (Fabricius, 1792) |
| DPREAB | | <i>Diaprepes irregularis</i> | (Panzer, 1798) |
| DPREAB | | <i>Diaprepes quadrilineatus</i> | (Olivier, 1807) |
| DPREAB | | <i>Exophthalmus abbreviatus</i> | |
| DIASBR | <i>Diaspis bromeliae</i> | | (Kerner, 1778) Kerner |
| DIASBR | | <i>Aspidiotes bromeliae</i> | Bouche, 1844 |
| DIASBR | | <i>Aspidiotus bromeliae</i> | Curtis, 1843 |
| DIASBR | | <i>Aulacaspis bromeliae</i> | Cockerell, 1894 |
| DIASBR | | <i>Chermes bromeliae</i> | Boisduval, 1868 |
| DIASBR | | <i>Coccus bromeliae</i> | Kerner, 1778 |
| DIASBR | | <i>Diaspis bromeliae</i> | Signoret, 1869 |
| DIASBR | | <i>Diaspis tillandsiae</i> | del Guercio, 1894 Erroneo |
| DIASEC | <i>Diaspis echinocacti</i> | | (Bouche, 1833) |
| DIASEC | | <i>Aspidiotus calyptroides</i> | Targioni Tozzetti, 1868 |
| DIASEC | | <i>Aspidiotus echinocacti</i> | Bouche, 1833 |
| DIASEC | | <i>Carulaspis calyptroides</i> | Bodenheimer, 1953 |
| DIASEC | | <i>Chermes echinocacti</i> | Boisduval, 1868 |
| DIASEC | | <i>Chionaspis cacti</i> | Autran, 1907 |
| DIASEC | | <i>Coccus luteus</i> | Lancry, 1791 |
| DIASEC | | <i>Diaspis cacti</i> | Comstock, 1883 |
| DIASEC | | <i>Diaspis cacti opuntiae</i> | Cockerell, 1893 |
| DIASEC | | <i>Diaspis cacti opunticola</i> | Cockerell, 1894 |
| DIASEC | | <i>Diaspis calyptroides cacti</i> | Charmoy, 1899 |
| DIASEC | | <i>Diaspis calyptroides</i> | Costa, 1829 |
| DIASEC | | <i>Diaspis calyptroides opuntiae</i> | Cockerell y Parrott, 1899 |
| DIASEC | | <i>Diaspis dactylpoides</i> | Bodenheimer, 1949 |
| DIASEC | | <i>Diaspis echinocacti cacti</i> | Fernald, 1903 |
| DIASEC | | <i>Diaspis echinocacti</i> | Fernald, 1903 |
| DIASEC | | <i>Diaspis echinocacti opuntiae</i> | Fernald, 1903 |
| DIASEC | | <i>Diaspis lutea</i> | Lindigner, 1943 |
| DIASEC | | <i>Diaspis opuntiae</i> | Newstead, 1893 |
| DIASEC | | <i>Diaspis opunticola</i> | Newstead, 1893 |
| HISPAR | <i>Dicladispa armigera</i> | | (Olivier, 1808) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------|--|------------------------------|
| HISPAR | | <i>Dicladispa aenescens</i> | (Baly) |
| HISPAR | | <i>Dicladispa armigera</i> subsp. <i>boutani</i> | |
| HISPAR | | <i>Dicladispa armigera</i> subsp. <i>similis</i> | |
| HISPAR | | <i>Dicladispa armigera</i> subsp. <i>yunnanica</i> | |
| HISPAR | | <i>Dicladispa similis</i> | (Uhmann) |
| HISPAR | | <i>Hispa aenescens</i> | Baly |
| HISPAR | | <i>Hispa armigera</i> | Olivier, 1808 |
| HISPAR | | <i>Hispa similis</i> | |
| DINDMI | <i>Dinoderus minutus</i> | | (Fabricius, 1775) |
| DINDMI | | <i>Apate minutus</i> | Fabricius |
| DINDMI | | <i>Dinoderus siculus</i> | Baudi |
| DINDMI | | <i>Dinoderus substriatus</i> | Stephens |
| DROSSZ | <i>Drosophila suzukii</i> | | (Matsumura, 1931) |
| DROSSZ | | <i>Drosophila indicus</i> | Parshad y Paika, 1965 |
| DROSSZ | | <i>Leucophenga suzukii</i> | Matsumura, 1931 |
| DYSATU | <i>Dysaphis tulipae</i> | | Boyer de Fonscolombe, 1841 |
| DYSATU | | <i>Anuraphis gladioli</i> | |
| DYSATU | | <i>Anuraphis iridis</i> | |
| DYSATU | | <i>Anuraphis tulipae</i> | (Boyer de Fonscolombe, 1841) |
| DYSATU | | <i>Aphis gladioli</i> | |
| DYSATU | | <i>Aphis tulipae</i> | Boyer de Fonscolombe, 1841 |
| DYSATU | | <i>Dysaphis palaestinensis</i> | |
| DYSATU | | <i>Sappaphis tulipae</i> | (Boyer de Fonscolombe) |
| DYSATU | | <i>Yezabura tulipae</i> | (Boyer de Fonscolombe, 1841) |
| DYSDCI | <i>Dysdercus cingulatus</i> | | (Fabricius, 1775) |
| DYSDCI | | <i>Astemma koeningii</i> | Blanchard, 1840 |
| DYSDCI | | <i>Cimex cingulatus</i> | Fabricius, 1775 |
| DYSDCI | | <i>Dysdercus megalopygus</i> | Breddin, 1909 |
| DYSDCI | | <i>Lygaeus cingulatus</i> | (Fabricius, 1794) |
| DYSDCI | | <i>Pyrrhocoris koeningii</i> | Burmeister, 1835 |
| EARIBI | <i>Earias biplaga</i> | | Walker, 1866 |
| EARIBI | | <i>Earias aurantiaca</i> | Strand, 1917 |
| EARIBI | | <i>Earias carnea</i> | Strand, 1917 |
| EARIBI | | <i>Earias citrina</i> | Saalmdller, 1884 |
| EARIBI | | <i>Earias citrinella</i> | Strand, 1917 |
| EARIBI | | <i>Earias citrinoides</i> | Strand, 1917 |
| EARIBI | | <i>Earias crocea</i> | Mabille, 1899 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|--|-------------------|
| EARIBI | | <i>Earias fuscuciliana</i> | Snellen, 1972 |
| EARIBI | | <i>Earias luteolaria</i> | Hampson, 1891 |
| EARIBI | | <i>Earias maculana</i> | Snellen, 1872 |
| EARIBI | | <i>Earias plaga</i> | Felder, 1974 |
| EARIBI | | <i>Earias punctilinealis</i> | Strand, 1917 |
| EARICU | <i>Earias cupreoviridis</i> | | Walker, 1862 |
| EARICU | | <i>Xanthoptera cupreoviridis</i> | Walker |
| EARICU | | <i>Earias chromataria</i> | |
| EARICU | | <i>Earias chromataria</i> | |
| EARIIN | <i>Earias insulana</i> | | Boisduval, 1833 |
| EARIIN | | <i>Acontia xanthophila</i> | Walker, 1863 |
| EARIIN | | <i>Earias chlorion</i> | Rambur |
| EARIIN | | <i>Earias frondosana</i> | Walker |
| EARIIN | | <i>Earias gossypii</i> | Frauenfeld |
| EARIIN | | <i>Earias insulana syn. anthophilana</i> | Snellen |
| EARIIN | | <i>Earias siliquana</i> | H.S., 1851 |
| EARIIN | | <i>Earias simillema</i> | Walker, 1866 |
| EARIIN | | <i>Earias smaragdina</i> | Zeller |
| EARIIN | | <i>Earias tristrigosa</i> | Butler, 1881 |
| EARIIN | | <i>Tortrix insulana</i> | Boisduval |
| EARIVI | <i>Earias vittella</i> | | (Fabricius, 1794) |
| EARIVI | | <i>Aphusia speiplena</i> | Walker, 1858 |
| EARIVI | | <i>Earias fabia</i> | (Stoll, 1781) |
| EARIVI | | <i>Earias huegeli</i> | Rogenhofer |
| EARIVI | | <i>Micra partita</i> | Walker, 1865 |
| ELDASA | <i>Eldana saccharina</i> | | Walker, 1865 |
| ELDASA | | <i>Eldana conipyga</i> | Strand, 1912 |
| ENNETS | <i>Enneadesmus trispinosus</i> | | (Olivier, 1795) |
| ENNETS | | <i>Bostrichus trispinosus</i> | Olivier, 1795 |
| ENNETS | | <i>Enneadesmus trispinosus trispinosus</i> | (Olivier, 1795) |
| ENNETS | | <i>Xylopertha lesnei</i> | Chobaut, 1898 |
| EPIAPN | <i>Epicauta pensylvanica</i> | | (De Geer, 1775) |
| EPIAPN | | <i>Epicauta pennsylvanica</i> | (De Geer, 1775) |
| EPIAPN | | <i>Epicauta atrata</i> | (F.) |
| EPIAPN | | <i>Epicauta morio</i> | Leconte |
| EPIAPN | | <i>Epicauta nigra</i> | Woodh. |
| EPIAPN | | <i>Epicauta potosina</i> | Duges |
| EPIOIO | <i>Epichoristodes acerbella</i> | | (Walker, 1864) |
| EPIOIO | | <i>Epichorista ionephela</i> | (Meyrick) |
| EPIOIO | | <i>Depressaria acerbella</i> | Walker, 1864 |
| EPIOIO | | <i>Proselena ionephela</i> | Meyrick, 1909 |
| EPIOIO | | <i>Tortrix iocoma</i> | Meyrick, 1908 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|-------------------------------------|-----------------|
| EPIOIO | | <i>Tubula acerbella</i> | Walker |
| EPIOIO | | <i>Epichoristodes ionephela</i> | (Meyrick) |
| EPIOIO | | <i>Epichorista acerbella</i> | Walker |
| EPIOIO | | <i>Epychoristodes acerbella</i> | |
| TORTPO | <i>Epiphyas postvittana</i> | | Walker, 1863 |
| TORTPO | | <i>Archips postvittanus</i> | Walker |
| TORTPO | | <i>Austrotortrix postvittana</i> | Walker |
| TORTPO | | <i>Cacoecia postvittana</i> | Walker |
| TORTPO | | <i>Teras postvittana</i> | Walker |
| TORTPO | | <i>Tortrix postvittana</i> | Walker |
| EUDOFU | <i>Eudocima fullonia</i> | | (Clerck, 1764) |
| EUDOFU | | <i>Noctua dioscoreae</i> | Fabricius |
| EUDOFU | | <i>Ophideres fullonia</i> | Clerck |
| EUDOFU | | <i>Ophideres fullonica</i> | Linnaeus |
| EUDOFU | | <i>Ophideres oblitera</i> | Walker |
| EUDOFU | | <i>Othreis fullonia</i> | Clerck, 1764 |
| EUDOFU | | <i>Othreis fullonica</i> | Linnaeus |
| EUDOFU | | <i>Othreis pomona</i> | HQbner |
| EUDOFU | | <i>Phalaena (Attacus) fullonica</i> | Linnaeus |
| EUDOFU | | <i>Phalaena (Noctua) phalonia</i> | Linnaeus |
| EUDOFU | | <i>Phalaena pomona</i> | Cramer |
| EULOMY | <i>Eulophonotus myrmeleon</i> | | Felder, 1874 |
| EULOMY | | <i>Duomitus armstrongi</i> | Hampson |
| EULOMY | | <i>Engyophlebus obesus</i> | (Karsch) |
| EULOMY | | <i>Eulophonotus obesus</i> | Karsch |
| EUMETU | <i>Eumerus funeralis</i> | | Meigen, 1822 |
| EUMETU | | <i>Eumerus tuberculatus</i> | Rondani, 1857 |
| EUMETU | | <i>Eumerus victorianus</i> | Paramonov, 1957 |
| EUMETU | | <i>Microxylota robii</i> | Jones, 1917 |
| CASTDA | <i>Eupalamides cyparissias</i> | | Fabricius, 1777 |
| CASTDA | | <i>Castnia dedalus</i> | Cramer |
| CASTDA | | <i>Lapaeumides dedalus</i> | Cramer |
| CASTDA | | <i>Castnia daedalus</i> | Cramer |
| CASTDA | | <i>Eupalamides dedalus</i> | Cramer |
| CASTDA | | <i>Lapaeumides daedalus</i> | Cramer |
| CASTDA | | <i>Papilio cyparissias</i> | Fabricius |
| CASTDA | | <i>Papilio dedalus</i> | Cramer |
| EPOCCA | <i>Euphranta canadensis</i> | | (Loew, 1873) |
| EPOCCA | | <i>Epochra canadensis</i> | Loew |
| EPOCCA | | <i>Epochra lunifera</i> | Hering, 1940 |
| EPOCCA | | <i>Trypeta canadensis</i> | Loew, 1873 |
| CLYSAM | <i>Eupoecilia ambiguella</i> | | HQbner, 1796 |
| CLYSAM | | <i>Clysia ambiguella</i> | HQbner |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|--|--------------------------------------|
| CLYSAM | | <i>Clysiana ambiguella</i> | HQbner |
| CLYSAM | | <i>Cochylis ambiguella</i> | HQbner |
| CLYSAM | | <i>Conchylis ambiguella</i> | |
| CLYSAM | | <i>Eupoecilia ambiguella</i> | Meyrick, 1921 |
| CLYSAM | | <i>Eupoecilia ambiguella</i> | Walsingham, 1900 |
| CLYSAM | | <i>Tinea ambiguella</i> | HQbner |
| EUPRCH | <i>Euproctis chrysorrhoea</i> | | (Linnaeus, 1758) |
| EUPRCH | | <i>Arctornis chrysorrhoea</i> | (Linnaeus, 1758) |
| EUPRCH | | <i>Bombyx phaeorrhoeus</i> | Donovan, 1801 |
| EUPRCH | | <i>Euproctis auriflua</i> | Esper |
| EUPRCH | | <i>Euproctis chrysorrhoea xanthorrhoea</i> | OberthQr, 1916 |
| EUPRCH | | <i>Euproctis phaeorrhoea</i> | (Donovan, 1801) |
| EUPRCH | | <i>Euproctis xanthorrhoea</i> | (Obertlw, 1916) |
| EUPRCH | | <i>Liparis chrysorrhoea</i> | (Linnaeus, 1758) |
| EUPRCH | | <i>Nygma phaeorrhoea</i> | (Donovan, 1801) |
| EUPRCH | | <i>Phalaena chrysorrhoea</i> | Linnaeus, 1758 |
| EUPRCH | | <i>Phalaena phaeorrhoea</i> | (Donovan, 1801) |
| EUPRCH | | <i>Porthesia chrysorrhoea</i> | (Linnaeus, 1758) |
| EUPRCH | | <i>Porthesia phaeorrhoea</i> | (Donovan, 1801) |
| EUSPPO | <i>Euscepes postfasciatus</i> | | (Fairmaire, 1849) |
| EUSPPO | | <i>Batatarhynchus destructor</i> | Hustache, 1933 |
| EUSPPO | | <i>Cryptorhynchus batatae</i> | Waterhouse, 1850 |
| EUSPPO | | <i>Cryptorhynchus postfasciatus</i> | Fairmaire, 1849 |
| EUSPPO | | <i>Euscepes batatae</i> | (Waterhouse, 1850) |
| EUSPPO | | <i>Hyperomorpha squamosa</i> | Blackburn, 1885 |
| EUTIBR | <i>Eutinobothrus brasiliensis</i> | | (Hambleton, 1937) Lima, 1938 |
| EUTIBR | | <i>Gasterocercodes brasiliensis</i> | Hambleton, 1937 |
| EUTIBR | | <i>Gasterocercodes gossypii</i> | Pierce, 1915 Erroneo |
| XYLBFO | <i>Euwallacea fornicatus</i> | | (Eichhoff, 1868) Wood y Bright, 1992 |
| XYLBFO | | <i>Anisandrus fornicatus</i> | (Eichhoff) |
| XYLBFO | | <i>Xyleborus fornicator</i> | Eggers, 1923 |
| XYLBFO | | <i>Xyleborus fornicatus</i> | Eichhoff, 1868 |
| XYLBFO | | <i>Xyleborus perbrevis</i> | Schedl, 1951 |
| XYLBFO | | <i>Xyleborus schultzei</i> | Schedl, 1951 |
| XYLBFO | | <i>Xyleborus tapatapaoensis</i> | Schedl, 1951 |
| XYLBFO | | <i>Xyleborus whitfordiodendrus</i> | Schedl, 1942 |
| XYLBFO | | <i>Xylosandrus fornicatus</i> | (Eichhoff) |
| FRANIT | <i>Frankliniella intosa</i> | | (Trybom, 1895) |
| FRANIT | | <i>Frankliniella breviceps</i> | Bagnall, 1911 |
| FRANIT | | <i>Frankliniella brevistylis</i> | Karny, 1912 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|--|----------------------------|
| FRANIT | | <i>Frankliniella formosae f. tricolor</i> | Moulton, 1928 |
| FRANIT | | <i>Frankliniella formosae</i> | Moulton, 1928 |
| FRANIT | | <i>Frankliniella intonsa f. norashensis</i> | Yakhontov y Jurbanov, 1957 |
| FRANIT | | <i>Frankliniella intonsa var. maritima</i> | Priesner, 1925 |
| FRANIT | | <i>Frankliniella intonsa var. rufula</i> | Keler, 1936 |
| FRANIT | | <i>Frankliniella vicina</i> | Karny, 1922 |
| FRANIT | | <i>Physopus brevistylis</i> | Karny, 1908 |
| FRANIT | | <i>Physopus vulgarissimus</i> | Uzel, 1895 |
| FRANIT | | <i>Physopus vulgarissimus var. adusta</i> | Uzel, 1896 |
| FRANIT | | <i>Physopus vulgarissimus var. albicornis</i> | Uzel, 1897 |
| FRANIT | | <i>Physopus vulgarissimus var. fulvicornis</i> | Uzel, 1898 |
| FRANIT | | <i>Physopus vulgarissimus var. nigropilosa</i> | Uzel, 1899 |
| FRANIT | | <i>Thrips intonsa</i> | Trybom, 1895 |
| FRANOC | <i>Frankliniella occidentalis</i> | | (Pergande, 1895) |
| FRANOC | | <i>Euthrips helianthi</i> | Moulton, 1911 |
| FRANOC | | <i>Euthrips occidentalis</i> | Pergande, 1895 |
| FRANOC | | <i>Euthrips tritici var. californicus</i> | Moulton, 1911 |
| FRANOC | | <i>Frankliniella californica</i> | Moulton |
| FRANOC | | <i>Frankliniella canadensis</i> | Morgan, 1925 |
| FRANOC | | <i>Frankliniella chrysanthemi</i> | Kurosawa, 1941 |
| FRANOC | | <i>Frankliniella claripennis</i> | Morgan, 1925 |
| FRANOC | | <i>Frankliniella conspicua</i> | Moulton, 1936 |
| FRANOC | | <i>Frankliniella dahliae</i> | Moulton, 1948 |
| FRANOC | | <i>Frankliniella dianthi</i> | Moulton, 1948 |
| FRANOC | | <i>Frankliniella helianthi</i> | (Moulton) |
| FRANOC | | <i>Frankliniella moultoni</i> | Hood |
| FRANOC | | <i>Frankliniella nubila</i> | Treherne, 1924 |
| FRANOC | | <i>Frankliniella occidentalis f. brunnescens</i> | Priesner, 1932 |
| FRANOC | | <i>Frankliniella occidentalis f. dubia</i> | Priesner, 1932 |
| FRANOC | | <i>Frankliniella syringae</i> | Moulton, 1948 |
| FRANOC | | <i>Frankliniella trehernei</i> | Morgan |
| FRANOC | | <i>Frankliniella tritici maculata</i> | Priesner, 1925 |
| FRANOC | | <i>Frankliniella tritici var. moultoni</i> | Hood, 1914 |
| FRANOC | | <i>Frankliniella umbrosa</i> | Moulton, 1948 |
| FRANOC | | <i>Frankliniella venusta</i> | Moulton, 1936 |
| FRANSC | <i>Frankliniella schultzei</i> | | (Trybom, 1910) |
| FRANSC | | <i>Euthrips gossypii</i> | Shiraki, 1912 |
| FRANSC | | <i>Frankliniella aeschyli</i> | Girault, 1927 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|---------|-----------------------------|--|--------------------------|
| FRANSC | | <i>Frankliniella africana</i> | Bagnall, 1926 |
| FRANSC | | <i>Frankliniella anglicana</i> | Bagnall, 1926 |
| FRANSC | | <i>Frankliniella clitoriae</i> | Moulton, 1940 |
| FRANSC | | <i>Frankliniella dampfi interocellaris</i> | Karny, 1925 |
| FRANSC | | <i>Frankliniella dampfi nana</i> | Priesner, 1936 |
| FRANSC | | <i>Frankliniella dampfi</i> | Priesner, 1923 |
| FRANSC | | <i>Frankliniella delicatula</i> | Bagnall, 1919 |
| FRANSC | | <i>Frankliniella favoniana</i> | Priesner, 1938 |
| FRANSC | | <i>Frankliniella insularis</i> | (Franklin) Morison, 1930 |
| FRANSC | | <i>Frankliniella ipomoeae</i> | Moulton, 1948 |
| FRANSC | | <i>Frankliniella kellyana</i> | Kelly y Mayne, 1934 |
| FRANSC | | <i>Frankliniella lycopersici</i> | Andrewartha, 1937 |
| FRANSC | | <i>Frankliniella paucispinosa</i> | Moulton, 1933 |
| FRANSC | | <i>Frankliniella pembertoni</i> | Moulton, 1940 |
| FRANSC | | <i>Frankliniella persetosa</i> | Karny, 1922 |
| FRANSC | | <i>Frankliniella schultzei nigra</i> | Moulton, 1948 |
| FRANSC | | <i>Frankliniella sulphurea</i> | Schmutz, 1913 |
| FRANSC | | <i>Frankliniella tabacicolia</i> | Karny, 1925 |
| FRANSC | | <i>Frankliniella trybomi</i> | Karny, 1920 |
| FRANSC | | <i>Parafrankliniella nigripes</i> | Girault, 1928 |
| FRANSC | | <i>Physopeltis schultzei</i> | Trybom, 1910 |
| LASPFU | <i>Grapholita funebrana</i> | | Treitschke, 1835 |
| LASPFU | | <i>Carpocapsa funebrana</i> | (Treitschke, 1835) |
| LASPFU | | <i>Cydia funebrana</i> | (Treitschke, 1835) |
| LASPFU | | <i>Enarmonia funebrana</i> | (Treitschke, 1835) |
| LASPFU | | <i>Grapholita funebrana</i> | (Treitschke, 1835) |
| LASPFU | | <i>Laspeyresia funebrana</i> | (Treitschke, 1835) |
| LASPFU | | <i>Opadia funebrana</i> | (Treitschke, 1835) |
| LASPFU | | <i>Tortrix funebrana</i> | (Treitschke, 1835) |
| CYDIIN | <i>Grapholita inopinata</i> | | Heinrich, 1928 |
| CYDIIN | | <i>Cydia inopinata</i> | (Heinrich, 1928) |
| CYDIIN | | <i>Cydia prunifoliae</i> | (Kozhanchikov) |
| CYDIIN | | <i>Grapholita inopinata</i> | (Heinrich, 1928) |
| CYDIIN | | <i>Grapholita inopinata</i> | Heinrich, 1928 |
| CYDIIN | | <i>Laspeyresia inopinata</i> | |
| CYDIIN | | <i>Laspeyresia prunifoliae</i> | (Kozhanchikov) |
| LASPOMO | <i>Grapholita molesta</i> | | (Busck, 1916) |
| LASPOMO | | <i>Carpocapsa molesta</i> | Busck |
| LASPOMO | | <i>Cydia molesta</i> | (Busck, 1916) |
| LASPOMO | | <i>Laspeyresia molesta</i> | Busck |
| LASPPA | <i>Grapholita packardi</i> | | Zeller |
| LASPPA | | <i>Cydia packardi</i> | (Zeller) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|--|--------------------------------|
| LASPPA | | <i>Enarmonia packardi</i> | (Zeller) |
| LASPPA | | <i>Enarmonia pyricolana</i> | (Murtfeldt) |
| LASPPA | | <i>Grapholitha packardi</i> | Zeller |
| LASPPA | | <i>Laspeyresia packardi</i> | (Zeller) |
| LASPPA | | <i>Laspeyresia pyricolana</i> | (Murtfeldt) |
| LASPPA | | <i>Steganoptyla pyricolana</i> | Murtfeldt |
| LASPPR | <i>Grapholita prunivora</i> | | (Walsh) |
| LASPPR | | <i>Cydia prunivora</i> | (Walsh) |
| LASPPR | | <i>Enarmonia prunivora</i> | (Walsh) |
| LASPPR | | <i>Grapholita prunivora</i> | (Walsh) |
| LASPPR | | <i>Laspeyresia prunivora</i> | (Walsh) |
| LASPPR | | <i>Semasia prunivora</i> | Walsh |
| GYNAAE | <i>Gymnaspis aechmeae</i> | | Newstead, 1898 |
| GYNAAE | | <i>Aonidia picea</i> | Leonardi, 1906 |
| SCOOTR | <i>Hadula trifolii</i> | | (Hufnagel, 1766) |
| SCOOTR | | <i>Apamea glaucovaria</i> | Walker, 1860 |
| SCOOTR | | <i>Apamea inquieta</i> | Walker, 1857 |
| SCOOTR | | <i>Cardepia taylori</i> | Rothschild, 1921 |
| SCOOTR | | <i>Discestra trifolii</i> | (Hufnagel, 1766) |
| SCOOTR | | <i>Discestra trifolii</i> | Hufnagel, 1767 |
| SCOOTR | | <i>Hadena albifusa</i> | Walker, 1857 |
| SCOOTR | | <i>Hadena intermissa</i> | Walker, 1857 |
| SCOOTR | | <i>Mamestra canescens</i> | Moore, 1878 |
| SCOOTR | | <i>Mamestra trifolii var. major</i> | Speyer, 1875 |
| SCOOTR | | <i>Noctua chenopodii</i> | (Denis y SchiffermOller), 1775 |
| SCOOTR | | <i>Noctua contribulis</i> | Duponchel, 1827 |
| SCOOTR | | <i>Noctua infraina</i> | Haworth, 1809 |
| SCOOTR | | <i>Noctua verna</i> | Esper, 1787 |
| SCOOTR | | <i>Orthosia farkasii</i> | Treitschke, 1835 |
| SCOOTR | | <i>Phalaena (Noctua) saucia</i> | Esper, 1790 |
| SCOOTR | | <i>Scotogramma cinnamomina</i> | Rothschild, 1913 |
| SCOOTR | | <i>Scotogramma trifolii var. major</i> | Speyer, 1875 |
| SCOOTR | | <i>Scotogramma trifolii f. zermattensis</i> | Draudt, 1934 |
| SCOOTR | | <i>Scotogramma trifolii var. fructicosae</i> | Dumont, 1925 |
| HALCCI | <i>Halticus bractatus</i> | | (Say, 1832) |
| HALCCI | | <i>Halticus citri</i> | |
| HALCCI | | <i>Halticus uhleri</i> | |
| HATHKU | <i>Haplothrips kurdjumovi</i> | | Karny, 1913 |
| HATHKU | | <i>Haplothrips floricola</i> | |
| HATHKU | | <i>Haplothrips faurei</i> | |
| HEILLA | <i>Heilipus lauri</i> | | Boheman, 1845 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|------------------------------------|---|--------------------------|
| HEILLA | | <i>Hilipus lauri</i> | Boheman |
| HELIAR | <i>Helicoverpa armigera</i> | | (HQbner, 1809) |
| HELIAR | | <i>Chloridea armigera</i> | HQbner |
| HELIAR | | <i>Chloridea obsoleta</i> | |
| HELIAR | | <i>Helicoverpa obsoleta</i> | Auct. |
| HELIAR | | <i>Heliothis armigera</i> | HQbner |
| HELIAR | | <i>Heliothis fusca</i> | Cockerell |
| HELIAR | | <i>Heliothis obsoleta</i> | Auct. |
| HELIAR | | <i>Heliothis rama</i> | Bhattacherjee y Gupta |
| HELIAR | | <i>Noctua armigera</i> | HQbner |
| HELIZE | <i>Helicoverpa zea</i> | | (Boddie, 1850) |
| HELIZE | | <i>Bombyx obsoleta</i> | Fabricius |
| HELIZE | | <i>Chloridea obsoleta</i> | Fabricius |
| HELIZE | | <i>Heliothis armigera</i> | (Huebner) HQbner Erroneo |
| HELIZE | | <i>Heliothis ochracea</i> | Cockerell |
| HELIZE | | <i>Heliothis umbrosa</i> | Grote |
| HELIZE | | <i>Heliothis zea</i> | Boddie, 1850 |
| HELIZE | | <i>Phalaena zea</i> | (Boddie, 1850) |
| HELIVI | <i>Heliothis virescens</i> | | (Fabricius, 1777) |
| HELIVI | | <i>Chloridea rheiae</i> | (Smith) |
| HELIVI | | <i>Chloridea virescens</i> | (Fabricius, 1777) |
| HELIVI | | <i>Helicoverpa virescens</i> | (Fabricius, 1777) |
| HELIVI | | <i>Heliothis rheiae</i> | (Smith) |
| HELIVI | | <i>Heliothis spectanda</i> | Strecker |
| HELIVI | | <i>Noctua virescens</i> | Fabricius, 1777 |
| HELIVI | | <i>Xanthia prasina</i> | Walker |
| HELIVI | | <i>Xanthia viridescens</i> | Walker |
| HELTHA | <i>Heliothrips haemorrhoidalis</i> | | (Bouche, 1833) |
| HELTHA | | <i>Dinurothrips rufiventris</i> | Girault |
| HELTHA | | <i>Heliothrips adonium</i> | Haliday |
| HELTHA | | <i>Heliothrips ceylonicus</i> | |
| HELTHA | | <i>Heliothrips haemorrhoidalis</i> var. <i>abdominalis</i> | Reuter |
| HELTHA | | <i>Heliothrips haemorrhoidalis</i> var. <i>andustior</i> | Priesner |
| HELTHA | | <i>Heliothrips haemorrhoidalis</i> var. <i>ceylonicus</i> | Schmutz |
| HELTHA | | <i>Heliothrips semiaureus</i> | Girault |
| HELTHA | | <i>Heterothrips haemorrhoidalis</i> | |
| HELTHA | | <i>Thrips haemorrhoidalis</i> | Bouche, 1833 |
| HEBERA | <i>Hemiberlesia rapax</i> | | (Comstock, 1881) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|---------------------------------|---------------------------|
| HEBERA | | <i>Aspidiotus acuminatus</i> | Targioni Tozzetti, 1881 |
| HEBERA | | <i>Aspidiotus argentina</i> | Sasscer, 1912 |
| HEBERA | | <i>Aspidiotus argintina</i> | Chou, 1985 |
| HEBERA | | <i>Aspidiotus camelliae</i> | Hempel, 1900 |
| HEBERA | | <i>Aspidiotus camelliae</i> | Signoret, 1869 Erroneo |
| HEBERA | | <i>Aspidiotus convexus</i> | Comstock, 1881 |
| HEBERA | | <i>Aspidiotus euonymi</i> | Cockerell, 1899 |
| HEBERA | | <i>Aspidiotus evonymi</i> | Targioni Tozzetti, 1888 |
| HEBERA | | <i>Aspidiotus flavescens</i> | Green, 1890 |
| HEBERA | | <i>Aspidiotus lacumae</i> | Chou, 1985 |
| HEBERA | | <i>Aspidiotus lucumae</i> | Cockerell, 1899 |
| HEBERA | | <i>Aspidiotus napax</i> | Newstead, 1897 |
| HEBERA | | <i>Aspidiotus rapax</i> | Cockerell, 1897 |
| HEBERA | | <i>Aspidiotus rapax evonymi</i> | Cockerell, 1899 |
| HEBERA | | <i>Aspidiotus tricolor</i> | Cockerell, 1897 |
| HEBERA | | <i>Aspidiotus tricolor</i> | Townsend, 1897 |
| | | | |
| HEBERA | | <i>Diaspidiotus camelliae</i> | Bodenheimer, 1949 Erroneo |
| HEBERA | | <i>Diaspis circulata</i> | Green, 1896 |
| HEBERA | | <i>Hemiberlesea camelliae</i> | Balachowsky, 1935 |
| HEBERA | | <i>Hemiberlesea camelliae</i> | Ortega, 1937 |
| HEBERA | | <i>Hemiberlesea rapax</i> | Balachowsky, 1935 |
| HEBERA | | <i>Hemiberlesia acuminatus</i> | Cockerell, 1905 |
| HEBERA | | <i>Hemiberlesia argentina</i> | Leonardi, 1911 |
| HEBERA | | <i>Hemiberlesia camelliae</i> | Leonardi, 1897 |
| HEBERA | | <i>Hemiberlesia rapax</i> | Ferris, 1938 |
| HEBERA | | <i>Hemiberlesia repax</i> | Tippins y Beshear, 1972 |
| HEBERA | | <i>Hemiberlesia tricolor</i> | Leonardi, 1900 |
| HEBERA | | <i>Hemiberlesiana camelliae</i> | Thiem y Gerneck, 1934 |
| HEBERA | | <i>Hendaspidiotus tricolor</i> | MacGillivray, 1921 |
| HERCBI | <i>Hercinothrips bicinctus</i> | | (Bagnall, 1919) |
| HERCBI | | <i>Caliothrips bicinctus</i> | |
| HERCBI | | <i>Heliothrips bicinctus</i> | |
| HERCBI | | <i>Hercothrips bicinctus</i> | Bagnall, 1919 |
| HERCFE | <i>Hercinothrips femoralis</i> | | (Reuter, 1891) |
| HERCFE | | <i>Heliothrips femoralis</i> | Reuter, 1891 |
| HERCFE | | <i>Hercothrips femoralis</i> | |
| HOMLTR | <i>Homalodisca vitripennis</i> | | Germar, 1821 |
| HOMLTR | | <i>Homalodisca coagulata</i> | (Say, 1832) |
| HOMLTR | | <i>Homalodisca triquetra</i> | Turner |
| HOMLTR | | <i>Phera coagulata</i> | Stal |
| HOMLTR | | <i>Phera vitripennis</i> | (Germar, 1821) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|---|--------------------------------------|
| HOMLTR | | <i>Tettigonia coagulata</i> | Say, 1832 |
| HORCNO | <i>Horcius nobilellus</i> | | (Berg, 1883) |
| HORCNO | | <i>Capsus (Deraeocoris) nobilitatus</i> | Stal y Berg, 1878 Erroneo |
| HORCNO | | <i>Horcius (horcioides) nobilellus</i> | (Berg, 1883) |
| HORCNO | | <i>Horcius plagosus</i> | Distant y Reuter, 1907 Erroneo |
| HORCNO | | <i>Poecilocopsus nobilellus</i> | Berg, 1883 |
| HYPRZO | <i>Hypera zoilus</i> | | (Fabricius, 1763) |
| HYPRZO | | <i>Brachyrhinus punctatus</i> | Latreille, 1804 |
| HYPRZO | | <i>Curculio punctatus</i> | Fabricius, 1775 |
| HYPRZO | | <i>Curculio zoilus</i> | (Scopoli, 1763) |
| HYPRZO | | <i>Hypera austriaca</i> | (Schrank, 1781) |
| HYPRZO | | <i>Hypera media</i> | (Marsham, 1802) |
| HYPRZO | | <i>Hypera opima</i> | (Scopoli, 1763) |
| HYPRZO | | <i>Hypera punctata</i> | (Fabricius, 1775) |
| HYPRZO | | <i>Hypera rufa</i> | (Boheman, 1834) |
| HYPRZO | | <i>Phytonomus punctatus</i> | (Fabricius, 1775) |
| HYPRZO | | <i>Rhynchaenus punctatus</i> | Fabricius, 1802 |
| STEHHA | <i>Hypothenemus hampei</i> | | (Ferrari, 1867) Wood y Bright , 1992 |
| STEHHA | | <i>Cryphalus hampei</i> | Ferrari, 1867 |
| STEHHA | | <i>Hypothenemus coffeae</i> | (Hagedorn) |
| STEHHA | | <i>Stephanoderes coffeae</i> | Hagedorn, 1910 |
| STEHHA | | <i>Stephanoderes hampei</i> | Ferrari, 1871 |
| STEHHA | | <i>Xyleborus cofeicola</i> | Campos Novaes, 1922 |
| STEHHA | | <i>Xyleborus coffeivorus</i> | van der Weele, 1910 |
| ICERAE | <i>Icerya aegyptiaca</i> | | (Douglas, 1890) |
| ICERAE | | <i>Crossotosoma aegyptiacum</i> | Douglas, 1890 |
| ICERAE | | <i>Icerya aegyptiaca</i> | Maskell, 1893 |
| ICERAE | | <i>Icerya aegyptiacum</i> | Riley, 1890 |
| ICERAE | | <i>Icerya tangalla</i> | Green, 1896 |
| IDIPNE | <i>Idiopterus nephrelepidis</i> | | Davis, 1909 |
| IDIPNE | | <i>Idopterus nephrolepsis</i> | |
| IDIPNE | | <i>Macrosiphum kirkaldyi</i> | Fullaway, 1910 |
| LEPSUL | <i>Lepidosaphes ulmi</i> | | (Linnaeus, 1758) |
| LEPSUL | | <i>Aspidiotus conchiformis</i> | Curtis, 1843 |
| LEPSUL | | <i>Aspidiotus conchiformis</i> | Fitch, 1855 Erroneo |
| LEPSUL | | <i>Aspidiotus falciformis</i> | Baerensprung, 1849 |
| LEPSUL | | <i>Aspidiotus juglandis</i> | Fitch, 1855 |
| LEPSUL | | <i>Aspidiotus pomorum</i> | Bouche, 1851 |
| LEPSUL | | <i>Aspidiotus pyrus-malus</i> | Cockerell, 1894 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---------------------------|
| LEPSUL | | <i>Aspidiotus pyrus-malus</i> | Kennicott y Fernald, 1903 |
| LEPSUL | | <i>Aspidiotus saliceti</i> | (Lindinger) Ferris, 1941 |
| LEPSUL | | <i>Aspidiotus saliceti</i> | Ferris, 1941 Erroneo |
| LEPSUL | | <i>Aspidius fraxini</i> | Altum, 1882 |
| LEPSUL | | <i>Coccus amygdali</i> | Schrank, 1801 |
| LEPSUL | | <i>Coccus berberidis</i> | Schrank, 1801 |
| LEPSUL | | <i>Coccus conchiformis</i> | (Curtis) Ferris, 1936 |
| LEPSUL | | <i>Coccus conchiformis</i> | Ferris, 1936 Erroneo |
| LEPSUL | | <i>Coccus ulmi</i> | Linnaeus, 1758 |
| LEPSUL | | <i>Diaspis linearis</i> | Costa, 1829 Erroneo |
| LEPSUL | | <i>Diaspis linearis</i> | Costa, 1835 |
| LEPSUL | | <i>Lepidosaphes (Mytilaspis) ulmi</i> | (Linnaeus) Hall, 1922 |
| LEPSUL | | <i>Lepidosaphes beckii oleae</i> | Leonardi, 1908 |
| LEPSUL | | <i>Lepidosaphes bicolor</i> | Sanders, 1909 |
| LEPSUL | | <i>Lepidosaphes ceratoniae</i> | (Gennadios) Fernald, 1903 |
| LEPSUL | | <i>Lepidosaphes ceratoniae</i> | Fernald, 1903 |
| LEPSUL | | <i>Lepidosaphes conchiformis</i> | (Curtis) Shimer, 1868 |
| LEPSUL | | <i>Lepidosaphes conchiformis</i> | Shimer, 1868 Erroneo |
| LEPSUL | | <i>Lepidosaphes fici</i> | Lindinger, 1954 |
| LEPSUL | | <i>Lepidosaphes juglandis</i> | (Fitch) Fernald, 1903 |
| LEPSUL | | <i>Lepidosaphes juglandis</i> | Fernald, 1903 |
| LEPSUL | | <i>Lepidosaphes linearis</i> | Lindinger, 1936 |
| LEPSUL | | <i>Lepidosaphes mesasiatica</i> | Borchsenius, 1962 |
| LEPSUL | | <i>Lepidosaphes oleae</i> | Balachowsky, 1954 |
| LEPSUL | | <i>Lepidosaphes pinnaeformis oleae</i> | Leonardi, 1920 |
| LEPSUL | | <i>Lepidosaphes pinniformis</i> | Lindinger, 1912 Erroneo |
| LEPSUL | | <i>Lepidosaphes pomorum</i> | (Bouche) Kirkaldy, 1902 |
| LEPSUL | | <i>Lepidosaphes pomorum</i> | Kirkaldy, 1902 |
| LEPSUL | | <i>Lepidosaphes populi</i> | Savescu, 1955 |
| LEPSUL | | <i>Lepidosaphes tiliae</i> | Savescu, 1955 |
| LEPSUL | | <i>Lepidosaphes ulmi</i> | (Linnaeus) Fernald, 1903 |
| LEPSUL | | <i>Lepidosaphes ulmi bisexualis</i> | Thiem, 1933 |
| LEPSUL | | <i>Lepidosaphes ulmi candida</i> | Fernald, 1903 |
| LEPSUL | | <i>Lepidosaphes ulmi cotini</i> | Koroneos, 1934 |
| LEPSUL | | <i>Lepidosaphes ulmi</i> | Danzig, 1980 |
| LEPSUL | | <i>Lepidosaphes ulmi</i> | Girault, 1909 |
| LEPSUL | | <i>Lepidosaphes ulmi</i> | Hall, 1922 |
| LEPSUL | | <i>Lepidosaphes ulmi oleae</i> | Koroneos, 1934 |
| LEPSUL | | <i>Lepidosaphes ulmi rosae</i> | Koroneos, 1934 |
| LEPSUL | | <i>Lepidosaphes ulmi ulicis</i> | Fernald, 1903 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|--|----------------------------|
| LEPSUL | | <i>Lepidosaphes ulmi unisexualis</i> | Thiem, 1933 |
| LEPSUL | | <i>Lepidosaphes ulmi vitis</i> | Fernald, 1903 |
| LEPSUL | | <i>Lepidosaphes ulmi-cotini</i> | Koroneos, 1934 |
| LEPSUL | | <i>Lepidosaphes ulmi-rosae</i> | Koroneos, 1934 |
| LEPSUL | | <i>Lepidosaphes vulva</i> | Nel, 1933 |
| LEPSUL | | <i>Mytilaspis (Lepidosaphes) pomorum</i> | (Bouche) Lindinger, 1907 |
| LEPSUL | | <i>Mytilaspis bicolor</i> | Newstead, 1906 |
| LEPSUL | | <i>Mytilaspis ceratoniae</i> | Gennadius, 1895 |
| LEPSUL | | <i>Mytilaspis fraxini</i> | Borchsenius, 1966 |
| LEPSUL | | <i>Mytilaspis juglandis</i> | (Fitch) Signoret, 1870 |
| LEPSUL | | <i>Mytilaspis juglandis</i> | Signoret, 1870 |
| LEPSUL | | <i>Mytilaspis pomicorticis</i> | Riley, 1873 |
| LEPSUL | | <i>Mytilaspis pomorum</i> | (Bouche) Signoret, 1870 |
| LEPSUL | | <i>Mytilaspis pomorum candidus</i> | Newstead, 1901 |
| LEPSUL | | <i>Mytilaspis pomorum</i> | Lindinger, 1907 |
| LEPSUL | | <i>Mytilaspis pomorum</i> | Signoret, 1870 |
| LEPSUL | | <i>Mytilaspis pomorum ulicis</i> | Newstead, 1901 |
| LEPSUL | | <i>Mytilaspis pomorum var. candidus</i> | Newstead, 1901 |
| LEPSUL | | <i>Mytilaspis pomorum var. ulicis</i> | Newstead, 1901 |
| LEPSUL | | <i>Mytilaspis pomorum vitis</i> | Newstead, 1907 |
| LEPSUL | | <i>Mytilaspis ulicis</i> | Douglas, 1886 |
| LEPSUL | | <i>Mytilaspis ulmi</i> | (Linnaeus) Cockerell, 1899 |
| LEPSUL | | <i>Mytilaspis ulmi</i> | Cockerell, 1899 |
| LEPSUL | | <i>Mytilaspis ulmi corticis</i> | Riley, 1874 |
| LEPSUL | | <i>Mytilaspis ulmicorticis</i> | Riley, 1874 |
| LEPSUL | | <i>Mytilaspis vitis</i> | Goethe, 1884 |
| LEPSUL | | <i>Mytilococcus communis</i> | Amerling, 1858 |
| LEPSUL | | <i>Mytilococcus linearis</i> | Lindinger, 1954 |
| LEPSUL | | <i>Mytilococcus oleae</i> | Lupo, 1939 |
| LEPSUL | | <i>Mytilococcus populi</i> | Zahradmk, 1972 |
| LEPSUL | | <i>Mytilococcus saliceti</i> | Lindinger, 1936 |
| LEPSUL | | <i>Mytilococcus tiliae</i> | Zahradmk, 1972 |
| LEPSUL | | <i>Mytilococcus ulmi</i> | (Linnaeus) Lindinger, 1935 |
| LEPSUL | | <i>Mytilococcus ulmi</i> | Lindinger, 1936 |
| LEPSUL | | <i>Mytilococcus ulmi</i> | Monti, 1956 |
| LPTNDE | <i>Leptinotarsa decemlineata</i> | | Say, 1824 |
| LPTNDE | | <i>Chrysomela decemlineata</i> | Say |
| LPTNDE | | <i>Doryphora decemlineata</i> | Say |
| LPTNDE | | <i>Leptinotarsa multitaeniata</i> | Stal |
| LPTNDE | | <i>Polygramma decemlineata</i> | Say |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | |
|--------|----------------------------------|--------------------|
| LIGYEB | <i>Ligyrus ebenus</i> | (De Geer, 1774) |
| LIGYEB | <i>Cyclocephala scarabaeinus</i> | Perty, 1830 |
| LIGYEB | <i>Scarabaeus cordatus</i> | Fabricius, 1792 |
| LIGYEB | <i>Bothynusebenus</i> | De Geer, 1774 |
| LIGYGI | <i>Ligyrus gibbosus</i> | (Degeer, 1774) |
| LIGYGI | <i>Bothynus obsoletus</i> | LeConte, 1847 |
| LIGYGI | <i>Geotrupes juvencus</i> | Fabricius, 1775 |
| LIGYGI | <i>Ligyrus arizonensis</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus bicorniculatus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus brevipes</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus breviusculus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus californicus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus curtipennis</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus effetus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus farctus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus lacustris</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus laetulus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus laevicauda</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus laticauda</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus laticollis</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus lucublandus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus parallelus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus puncticauda</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus rubidus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus scitulus</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus spissipes</i> | Casey, 1915 |
| LIGYGI | <i>Ligyrus texanus</i> | Casey, 1915 |
| LIGYGI | <i>Podalpus variolosus</i> | Burmeister, 1847 |
| LIRIBO | <i>Liriomyza bryoniae</i> | (Kaltenbach, 1858) |
| LIRIBO | <i>Agromyza bryoniae</i> | Kaltenbach, 1858 |
| LIRIBO | <i>Liriomyza citrulli</i> | Rohdendorf, 1950 |
| LIRIBO | <i>Liriomyza hydrocotylae</i> | Hering, 1930 |
| LIRIBO | <i>Liriomyza mercurialis</i> | Hering, 1932 |
| LIRIBO | <i>Liriomyza nipponallia</i> | Sasakawa, 1961 |
| LIRIBO | <i>Liriomyza solani</i> | Hering, 1927 |
| LIRIBO | <i>Liriomyza triton</i> | Frey, 1945 |
| LIRIBO | <i>Liriomyza citrulla</i> | Rohdendorf |
| LIRIHU | <i>Liriomyza huidobrensis</i> | (Blanchard, 1926) |
| LIRIHU | <i>Agromyza huidobrensis</i> | Blanchard, 1926 |
| LIRIHU | <i>Liriomyza cucumifoliae</i> | Blanchard, 1938 |
| LIRIHU | <i>Liriomyza decora</i> | Blanchard, 1954 |
| LIRIHU | <i>Liriomyza dianthi</i> | Frick, 1958 |
| LIRIHU | <i>Liriomyza langei</i> | Frick, 1951 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|---------------------------------|--|
| LIRIPU | <i>Liriomyza pusilla</i> | | (Meigen, 1830) |
| LIRIPU | | <i>Agromyza pusilla</i> | Meigen, 1830 |
| LIRIPU | | <i>Liriomyza compositella</i> | Spencer, 1961 |
| LIRISA | <i>Liriomyza sativae</i> | | Blanchard, 1938 |
| LIRISA | | <i>Agromyza subpusilla</i> | Frost, 1943 |
| LIRISA | | <i>Lemurimyza lycopersicae</i> | Pla y de la Cruz, 1981 |
| LIRISA | | <i>Liriomyza canomarginis</i> | Frick, 1952 |
| LIRISA | | <i>Liriomyza guytona</i> | Freeman, 1958 |
| LIRISA | | <i>Liriomyza minutisetosa</i> | Frick, 1952 |
| LIRISA | | <i>Liriomyza munda</i> | Frick, 1957 |
| LIRISA | | <i>Liriomyza propepusilla</i> | Frost, 1954 |
| LIRISA | | <i>Liriomyza pullata</i> | Frick, 1952 |
| LIRISA | | <i>Liriomyza subpusilla</i> | (Frost, 1943) |
| LIRISA | | <i>Liriomyza verbenicola</i> | Hering, 1951 |
| LIRITR | <i>Liriomyza trifolii</i> | | (Burgess in Comstock, 1880) Burgess, 1880 |
| LIRITR | | <i>Agromyza phaseolunata</i> | Frost, 1943 |
| LIRITR | | <i>Liriomyza alliovora</i> | Frick, 1955 |
| LIRITR | | <i>Liriomyza alliivora</i> | Frick, 1955 |
| LIRITR | | <i>Liriomyza phaseolunata</i> | (Frost, 1943) |
| LIRITR | | <i>Oscinis trifolii</i> | Burgess in Comstock, 1880 |
| LISTCO | <i>Listroderes costirostris</i> | | Schonherr, 1826 |
| LISTCO | | <i>Listroderes costirostris</i> | Schoenherr , 1826 |
| LISTCO | | <i>Listroderes costirostris</i> | Schoenherr , 1823 |
| LISTCO | | <i>Desiantha nociva</i> | French |
| LISTCO | | <i>Listroderes difficilis</i> | Germain |
| LISTCO | | <i>Listroderes hypocritus</i> | Hustache |
| LISTCO | | <i>Listroderes lugubris</i> | Germain |
| LISTCO | | <i>Listroderes obliquus</i> | Klug |
| LISTCO | | <i>Listroderes paranensis</i> | Hustache |
| LISTCO | | <i>Listroderes vicinus</i> | Hustache |
| POLYBO | <i>Lobesia botrana</i> | | Denis y SchiffermOller, 1776 |
| POLYBO | | <i>Coccyx botrana</i> | Praun, 1869 |
| POLYBO | | <i>Cochylis botrana</i> | Herrich-Schaffer, 1843 |
| POLYBO | | <i>Cochylis vitisana</i> | Audouin, 1842 |
| POLYBO | | <i>Eudemis botrana</i> | Frey, 1880 |
| POLYBO | | <i>Eudemis rosmarinana</i> | Milliere, 1866 |
| POLYBO | | <i>Grapholita botrana</i> | Heinemann, 1863 |
| POLYBO | | <i>Lobesia botrana</i> | Denis y SchiffermOller, 1775 |
| POLYBO | | <i>Lobesia rosmariana</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|-------------------------------|
| POLYBO | | <i>Noctua romani</i> | Costa, 1840 |
| POLYBO | | <i>Paralobesia botrana</i> | |
| POLYBO | | <i>Penthina vitivorana</i> | Packard, 1860 |
| POLYBO | | <i>Polychrosis botrana</i> | Ragonot, 1894 |
| POLYBO | | <i>Tinea premixtana</i> | HObner, 1796 |
| POLYBO | | <i>Tinea reliquana</i> | HObner, 1816 |
| | | | Denis y SchiffermOller, 1776 |
| POLYBO | | <i>Tortrix botrana</i> | |
| POLYBO | | <i>Tortrix reliquana</i> | Treitschke, 1835 |
| POLYBO | | <i>Tortrix romaniana</i> | Costa, 1840 |
| POLYBO | | <i>Tortrix vitisana</i> | Jacquin, 1788 |
| PERGTR | <i>Longicaudus trirhodus</i> subsp. <i>trirhodus</i> | | |
| PERGTR | | <i>Hemiaphis trirhoda</i> | |
| PERGTR | | <i>Hyalopterus aquilegiae</i> | Koch, 1854 |
| PERGTR | | <i>Hyalopterus dilineatus</i> | Buckton, 1879 |
| PERGTR | | <i>Hyalopterus rosa-suaveolens</i> | Wilson, 1910 |
| PERGTR | | <i>Hyalopterus trirhoda</i> | |
| PERGTR | | <i>Longicaudus trirhodus</i> | |
| PERGTR | | <i>Pergandeida trirhoda</i> | |
| PERGTR | | <i>Pergandeida trirhodus</i> | |
| PERGTR | | <i>Pergandeida thalictri</i> | |
| PERGTR | | <i>Semiaphis trirhodus</i> | |
| LOPLJA | <i>Lopholeucaspis japonica</i> | | (Cockerell, 1897) |
| LOPLJA | | <i>Fiorinia japonica</i> | |
| LOPLJA | | <i>Leucaspis hydrangeae</i> | Takahashi, 1939 |
| LOPLJA | | <i>Leucaspis japonica</i> | Cockerell |
| LOPLJA | | <i>Leucaspis japonica</i> | Fernald, 1903 |
| LOPLJA | | <i>Leucaspis japonica</i> | Lindinger, 1906 |
| LOPLJA | | <i>Leucaspis japonica darwiniensis</i> | Green, 1916 |
| LOPLJA | | <i>Leucaspis japonica var. darwiniensis</i> | Green, 1916 |
| LOPLJA | | <i>Leucaspis japonicus</i> | Cockerell, 1897 |
| LOPLJA | | <i>Leucaspis menoni</i> | Takagi, 1969 |
| LOPLJA | | <i>Leucodiaspis hydrangeae</i> | Takahashi, 1934 |
| LOPLJA | | <i>Leucodiaspis iaponica</i> | Lindinger, 1932 |
| LOPLJA | | <i>Leucodiaspis japonica</i> | (Cockerell) Takahashi, 1934 |
| LOPLJA | | <i>Leucodiaspis japonica</i> | Takahashi, 1934 |
| LOPLJA | | <i>Leucodiaspis japonica darwiniensis</i> | Takahashi, 1934 |
| LOPLJA | | <i>Lopholeucaspis darwiniensis</i> | Borchsenius, 1966 |
| LOPLJA | | <i>Lopholeucaspis japonica</i> | (Cockerell) Balachowsky, 1953 |
| LOPLJA | | <i>Lopholeucaspis japonica</i> | Balachowsky, 1953 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--------------------------|
| LOPLJA | | <i>Lopholeucaspis japonica darwiniensis</i> | Balachowsky, 1953 |
| LOPLJA | | <i>Lopholeucaspis menoni</i> | Borchsenius, 1964 |
| LOPIDV | <i>Lopidea davisii</i> | | Knight, 1917 |
| LOPIDV | | <i>Lopidea arkansae</i> | Knight, 1965 |
| LOPIDV | | <i>Lopidea bisselli</i> | Knight, 1965 |
| LYMADI | <i>Lymantria dispar</i> | | Linnaeus, 1758 |
| LYMADI | | <i>Bombyx dispar</i> | Linnaeus |
| LYMADI | | <i>Hypogymna dispar</i> | Linnaeus |
| LYMADI | | <i>Liparis dispar</i> | Linnaeus |
| LYMADI | | <i>Ocneria dispar</i> | Linnaeus |
| LYMADI | | <i>Phalaena dispar</i> | Linnaeus |
| LYMADI | | <i>Porthesia dispar</i> | Linnaeus |
| LYMADI | | <i>Porthetria dispar</i> | Linnaeus |
| PHENHI | <i>Maconellicoccus hirsutus</i> | | (Green, 1908) |
| PHENHI | | <i>Maconellicoccus hirsutus</i> | Ezzat, 1958 |
| PHENHI | | <i>Maconellicoccus pasaniae</i> | (Borchsenius) Tang, 1992 |
| PHENHI | | <i>Maconellicoccus pasaniae</i> | Tang, 1992 |
| PHENHI | | <i>Maconellicoccus perforatus</i> | (DeLotto) DeLotto, 1964 |
| PHENHI | | <i>Paracoccus pasaniae</i> | Borchsenius, 1962 |
| PHENHI | | <i>Phenacoccus glomeratus</i> | Green, 1922 |
| PHENHI | | <i>Phenacoccus hirsutus</i> | Green, 1908 |
| PHENHI | | <i>Phenacoccus querternus</i> | Ayyar, 1921 |
| PHENHI | | <i>Phenacoccus querternus</i> | Shafee et al., 1989 |
| PHENHI | | <i>Phenacoccus querternus</i> | Varshney, 1992 |
| PHENHI | | <i>Phenacoccus querternus</i> | Ayyar, 1921 |
| PHENHI | | <i>Pseudococcus hibisci</i> | Hall, 1921 |
| PHENHI | | <i>Spilococcus perforatus</i> | De Lotto, 1954 |
| MACSAR | <i>Macrosiphoniella artemisiae</i> subsp. <i>artemisiae</i> | | (Harrington, 1985) |
| MACSAR | | <i>Aphis absinthii</i> | |
| MACSAR | | <i>Macrosiphoniella artemesiae</i> | Harrington, 1985 |
| MACSAR | | <i>Macrosiphoniella artemisiae</i> | Harrington, 1985 |
| MACSAR | | <i>Macrosiphum artemisiae</i> | |
| MACSAR | | <i>Macrosiphum basilicum</i> | Hottes, 1930 |
| MACSAR | | <i>Neoacaudus inflatus</i> | |
| MACSAR | | <i>Siphonophora artemisiae</i> | |
| MACRCH | <i>Macrosiphoniella sanborni</i> | | (Gillette, 1908) |
| MACRCH | | <i>Macrosiphoniella bedfordi</i> | Theobald, 1914 |
| MACRCH | | <i>Macrosiphoniella chrysanthemi</i> | del Guercio |
| MACRCH | | <i>Macrosiphoniella nishigahara</i> | Holman et al., 2006 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|--|---------------------------------|
| MACRCH | | <i>Macrosiphoniella nishigaharae</i> | (Essig y Kuwana) |
| MACRCH | | <i>Macrosiphum chrysanthemi</i> | |
| MACRCH | | <i>Macrosiphum sanborni</i> | Gillette, 1908 |
| MACRCH | | <i>Pyrethromyzus sanborni</i> | |
| MACRCH | | <i>Pyrethromyzus sanborni</i> | (Gillette, 1908) |
| MACRCH | | <i>Siphonophora chrysanthemicola</i> | Williams |
| MACSEU | <i>Macrosiphum euphorbiae</i> | | Thomas, 1878 |
| MACSEU | | <i>Acyrtosiphon solanifolii</i> | |
| MACSEU | | <i>Acyrtosiphon solanifolii</i> | |
| MACSEU | | <i>Illinoia cucurbitae</i> | |
| MACSEU | | <i>Illinoia solanifolii</i> | |
| MACSEU | | <i>Illinoia tulipae</i> | (Monell, 1879) |
| MACSEU | | <i>Macrosiphon citrifolii</i> | |
| MACSEU | | <i>Macrosiphon euphorbiae</i> | Thomas |
| MACSEU | | <i>Macrosiphon solanifolii</i> | Ashmead, 1882 |
| MACSEU | | <i>Macrosiphum amygdaloïdes</i> | |
| MACSEU | | <i>Macrosiphum asclepiadifolii</i> | |
| MACSEU | | <i>Macrosiphum asclepiadi</i> | (Cowen, 1895) |
| MACSEU | | <i>Macrosiphum citrifolii</i> | |
| MACSEU | | <i>Macrosiphum cucurbitae</i> | |
| MACSEU | | <i>Macrosiphum cypriissiae var. cucurbitae</i> | del Guercio, 1913 |
| MACSEU | | <i>Macrosiphum euphorbiellum</i> | Theobald, 1917 |
| MACSEU | | <i>Macrosiphum koehleri</i> | Borner, 1937 |
| MACSEU | | <i>Macrosiphum rosaeollae</i> | Theobald, 1915 |
| MACSEU | | <i>Macrosiphum solanifolii</i> | (Ashmead) |
| MACSEU | | <i>Macrosiphum tabaci</i> | Pergande, 1898 |
| MACSEU | | <i>Macrosiphum tulipae</i> | (Mondell, 1879) |
| MACSEU | | <i>Myzus lycopersici</i> | (Clarke, 1903) |
| MACSEU | | <i>Nectarophora asclepiadis</i> | Cowen ex Gillette y Baker, 1895 |
| MACSEU | | <i>Nectarophora asclepiadi</i> | Cowen, 1895 |
| MACSEU | | <i>Nectarophora citrifolii</i> | |
| MACSEU | | <i>Nectarophora cucurbitae</i> | |
| MACSEU | | <i>Nectarophora euphorbiae</i> | (Thomas, 1878) |
| MACSEU | | <i>Nectarophora euphorbicola</i> | (Thomas, 1878) |
| MACSEU | | <i>Nectarophora heleniella</i> | Cockerell, 1903 |
| MACSEU | | <i>Nectarophora lycopersici</i> | Clarke, 1903 |
| MACSEU | | <i>Nectarophora solanifolii</i> | |
| MACSEU | | <i>Nectarophora tabaci</i> | Pergande, 1898 |
| MACSEU | | <i>Nectarophora tulipae</i> | (Mondell, 1879) |
| MACSEU | | <i>Siphonophora asclepiadifolii</i> | Thomas |
| MACSEU | | <i>Siphonophora citrifolii</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|----------------------------------|---------------------------|
| MACSEU | | <i>Siphonophora cucurbitae</i> | |
| MACSEU | | <i>Siphonophora cucurbitae</i> | Middleton ex Thomas, 1878 |
| MACSEU | | <i>Siphonophora euphorbiae</i> | Thomas, 1878 |
| MACSEU | | <i>Siphonophora euphorbicola</i> | Thomas, 1878 |
| MACSEU | | <i>Siphonophora solanifolia</i> | |
| MACSEU | | <i>Siphonophora solanifolia</i> | Ashmead, 1882 |
| MACSEU | | <i>Siphonophora tulipae</i> | Mondell, 1879 |
| MALAAM | <i>Malacosoma americanum</i> | | Fabricius, 1793 |
| MALAAM | | <i>Malacosoma americana</i> | Fabricius, 1793 |
| MALADI | <i>Malacosoma disstria</i> | | HQbner, 1819 |
| MALADI | | <i>Malacosoma disstria</i> | HQbner, 1822 |
| MALADI | | <i>Malacosoma distria</i> | HQbner, 1816 |
| MALADI | | <i>Clisiocampa anita</i> | Reiff, 1913 |
| MALADI | | <i>Clisiocampa astriata</i> | Reiff, 1913 |
| MALADI | | <i>Clisiocampa disstria</i> | HQbner, 1819 |
| MALADI | | <i>Clisiocampa drupacearum</i> | (Boisduval, 1868) |
| MALADI | | <i>Clisiocampa erosa</i> | (Stretch, 1881) |
| MALADI | | <i>Clisiocampa neustria</i> | Smith, 1797 |
| MALADI | | <i>Clisiocampa nubilis</i> | (Guerin-Meneville, 1832) |
| MALADI | | <i>Clisiocampa perversa</i> | (Neumoegen y Dyar, 1893) |
| MALADI | | <i>Clisiocampa sylvatica</i> | (Harrison, 1841) |
| MALADI | | <i>Clisiocampa sylvaticoides</i> | (Neumoegen y Dyar, 1893) |
| MALADI | | <i>Clisiocampa thoracicoides</i> | (Neumoegen y Dyar, 1893) |
| AUTSCA | <i>Maladera castanea</i> | | (Arrow, 1913) |
| AUTSCA | | <i>Aserica castanea</i> | (Arrow) |
| AUTSCA | | <i>Autoserica castanea</i> | Arrow |
| AUTSCA | | <i>Autoserica korgei</i> | Petrovitz, 1967 |
| MRASTR | <i>Marasmia trapezalis</i> | | (Guenee) |
| MRASTR | | <i>Neomarasmia trapezalis</i> | (Guenee) |
| MRASTR | | <i>Salbia trapezalis</i> | Guenee |
| MAYEDE | <i>Mayetiola destructor</i> | | (Say, 1817) |
| MAYEDE | | <i>Cecidomyia culmicola</i> | Morris, 1849 |
| MAYEDE | | <i>Cecidomyia destructor</i> | Say, 1817 |
| MAYEDE | | <i>Cecidomyia frumentaria</i> | Rondani, 1864 |
| MAYEDE | | <i>Cecidomyia secalina</i> | Loew, 1859 |
| MAYEDE | | <i>Mayetiola mimeuri</i> | Mesnil |
| MAYEDE | | <i>Mayetiola orientalis</i> | Bollow, 1955 |
| MAYEDE | | <i>Mayetiola secalis</i> | Bollow, 1955 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|-----------------------------------|--------------------|
| MAYEDE | | <i>Phytophaga cerealis</i> | Rondani, 1843 |
| MAYEDE | | <i>Phytophaga destructor</i> | |
| MAYEDE | | <i>Rhabdophaga elymi</i> | Felt, 1909 |
| MAYEDE | | <i>Rhabdophaga pratensis</i> | Felt, 1908 |
| MELOME | <i>Melolontha melolontha</i> | | (Linnaeus, 1758) |
| MELOME | | <i>Melolontha albida</i> | Mulsant, 1842 |
| MELOME | | <i>Melolontha albida</i> | Redtenbacher, 1849 |
| MELOME | | <i>Melolontha amblypyga</i> | Lomnický, 1923 |
| MELOME | | <i>Melolontha asiatica</i> | Brenské, 1900 |
| MELOME | | <i>Melolontha bioculatus</i> | Papp, 1943 |
| MELOME | | <i>Melolontha bipunctatus</i> | Papp, 1943 |
| MELOME | | <i>Melolontha colpopygia</i> | Petz, 1905 |
| MELOME | | <i>Melolontha discicollis</i> | Mulsant, 1842 |
| MELOME | | <i>Melolontha femoralis</i> | Kraatz, 1885 |
| MELOME | | <i>Melolontha funesta</i> | Westhoff, 1884 |
| MELOME | | <i>Melolontha humeralis</i> | Westhoff, 1884 |
| MELOME | | <i>Melolontha luctuosa</i> | Westhoff, 1884 |
| MELOME | | <i>Melolontha lugubris</i> | Mulsant, 1842 |
| MELOME | | <i>Melolontha marginata</i> | Kraatz, 1888 |
| MELOME | | <i>Melolontha melanopus</i> | Westhoff, 1884 |
| MELOME | | <i>Melolontha nigra</i> | Kellner, 1876 |
| MELOME | | <i>Melolontha nigritarsis</i> | Pfanneberg, 1905 |
| MELOME | | <i>Melolontha nigroapicalis</i> | Papp, 1943 |
| MELOME | | <i>Melolontha nigromarginalis</i> | Papp, 1943 |
| MELOME | | <i>Melolontha nigropygidalis</i> | Papp, 1943 |
| MELOME | | <i>Melolontha obscuripes</i> | Westhoff, 1884 |
| MELOME | | <i>Melolontha pulcherrima</i> | Dallatorre, 1879 |
| MELOME | | <i>Melolontha redtenbacheri</i> | Dallatorre, 1912 |
| MELOME | | <i>Melolontha ruficeps</i> | Kraatz, 1885 |
| MELOME | | <i>Melolontha ruficollis</i> | Mulsant, 1842 |
| MELOME | | <i>Melolontha scapularis</i> | Westhoff, 1884 |
| MELOME | | <i>Melolontha unicolor</i> | Papp, 1943 |
| MELOME | | <i>Melolontha unipunctatus</i> | Papp, 1943 |
| MELOME | | <i>Melolontha vulgaris</i> | Fabricius, 1775 |
| MELOME | | <i>Scarabaeus majalis</i> | Moll, 1785 |
| MELOME | | <i>Scarabaeus melolonthus</i> | Linnaeus, 1758 |
| MELOME | | <i>Scarabaeus vulgaris</i> | Fabricius, 1775 |
| LAMTEQ | <i>Merodon equestris</i> | | Fabricius, 1794 |
| LAMTEQ | | <i>Lampetia equestris</i> | Fabricius |
| LAMTEQ | | <i>Syrphus equestris</i> | |
| LAMTEQ | | <i>Eristalis ferrugineus</i> | Fabricius, 1805 |
| LAMTEQ | | <i>Eristalis narcissi</i> | Fabricius, 1805 |
| LAMTEQ | | <i>Merodon bulborum</i> | Rondani, 1845 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------------|------------------------------|------------------|
| LAMTEQ | | <i>Merodon constans</i> | Wiedemann, 1822 |
| LAMTEQ | | <i>Merodon nigrithorax</i> | Bezzi, 1900 |
| LAMTEQ | | <i>Merodon nobilis</i> | Meigen, 1822 |
| LAMTEQ | | <i>Merodon transversalis</i> | Wiedemann, 1822 |
| LAMTEQ | | <i>Merodon tuberculatus</i> | Rondani, 1845 |
| LAMTEQ | | <i>Merodon validus</i> | Wiedemann, 1822 |
| LAMTEQ | | <i>Musca bombyliformis</i> | Geoffroy, 1785 |
| LAMTEQ | | <i>Syrphus equestris</i> | Fabricius, 1794 |
| LAMTEQ | | <i>Syrphus flavicans</i> | Fabricius, 1794 |
| ORMEPR | <i>Metcalfa pruinosa</i> | | (Say, 1830) |
| ORMEPR | | <i>Flata pruinosa</i> | Say, 1830 |
| ORMEPR | | <i>Ormenis pruinosa</i> | (Say, 1830) |
| ORMEPR | | <i>Ormenis pruinosa</i> | Glover, 1877 |
| ORMEPR | | <i>Poeciloptera pruinosa</i> | Schaum, 1850 |
| ORMEPR | | <i>Poeciloptera prumosa</i> | Dohrn, 1859 |
| MITHAB | <i>Microcephalothrips abdominalis</i> | | (Crawford, 1910) |
| MITHAB | | <i>Thrips abdominalis</i> | Crawford, 1910 |
| MACSEV | <i>Microlophium carnosum</i> | | (Buckton, 1876) |
| MACSEV | | <i>Acyrtosiphon urticae</i> | |
| MACSEV | | <i>Amphorophora evansi</i> | |
| MACSEV | | <i>Aphis urticae</i> | Schrank, 1801 |
| MACSEV | | <i>Macrosiphon evansi</i> | (Theobald) |
| MACSEV | | <i>Macrosiphum carnosa</i> | (Buckton, 1876) |
| MACSEV | | <i>Macrosiphum carnosum</i> | |
| MACSEV | | <i>Macrosiphum evansi</i> | |
| MACSEV | | <i>Macrosiphum lamii</i> | |
| MACSEV | | <i>Macrosiphum schranki</i> | |
| MACSEV | | <i>Macrosiphum urticae</i> | (Schrank, 1801) |
| MACSEV | | <i>Microlophium evansi</i> | |
| MACSEV | | <i>Microlophium urticae</i> | (Schrank, 1801) |
| MACSEV | | <i>Microsiphum urticae</i> | (Schrank, 1801) |
| MACSEV | | <i>Myzus pseudolamii</i> | |
| MACSEV | | <i>Siphonophora carnosa</i> | Buckton, 1876 |
| MACSEV | | <i>Siphonophora urticae</i> | (Schrank, 1801) |
| MACSEV | | <i>Urticifex urticae</i> | (Schrank, 1801) |
| MNARBU | <i>Monarthropalpus buxi</i> | | (Laboulbene) |
| MNARBU | | <i>Cecidomyia buxi</i> | Laboulbene |
| MYNDCR | <i>Myndus crudus</i> | | Van Duzee, 1907 |
| MYNDCR | | <i>Haplaxius cocois</i> | (Fennah, 1945) |
| MYNDCR | | <i>Haplaxius crudus</i> | Van Duzee |
| MYNDCR | | <i>Myndus cocois</i> | |
| MYNDCR | | <i>Myndus cruda</i> | Van Duzee, 1907 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|--|--|
| MYNDCR | | <i>Paramyndus cocois</i> | Fennah, 1945 |
| PSEDUN | <i>Mythimna unipuncta</i> | | Haworth |
| PSEDUN | | <i>Cirphis unipuncta</i> | Haworth |
| PSEDUN | | <i>Heliphila saccharivora</i> | Butl. |
| PSEDUN | | <i>Heliphila unipuncta</i> | Haworth |
| PSEDUN | | <i>Leucania antica</i> | Walker |
| PSEDUN | | <i>Leucania extranea</i> | Guenee |
| PSEDUN | | <i>Leucania saccharivora</i> | Butl. |
| PSEDUN | | <i>Leucania unipuncta</i> | Haworth |
| PSEDUN | | <i>Leucania unipuncta tseki</i> | Koutsaftikis |
| PSEDUN | | <i>Noctua unipuncta</i> | Haworth |
| PSEDUN | | <i>Pseudaletia adultera</i> | |
| PSEDUN | | <i>Pseudaletia unipuncta</i> | (Haworth) |
| PSEDUN | | <i>Pseudaletia unipuncta quecha</i> | Franclemont |
| PSEDUN | | <i>Sideridis unipuncta</i> | Haworth |
| MYZARO | <i>Myzaphis rosarum</i> | | (Kaltenbach, 1843) |
| MYZARO | | <i>Aphis rosarum</i> | Kaltenbach, 1843 |
| MYZARO | | <i>Capitophorus rosarum</i> | (Kaltenbach, 1843) |
| MYZARO | | <i>Francoa elegans</i> | del Guercio, 1917 |
| MYZARO | | <i>Francoa rosarum</i> | (Kaltenbach, 1843) |
| MYZARO | | <i>Myzus rosarum</i> | (Kaltenbach, 1843) |
| HEDYOC | <i>Nacoleia octasema</i> | | Meyrick (1886) |
| HEDYOC | | <i>Hedylepta octasema</i> | |
| HEDYOC | | <i>Lamprosema octasema</i> | |
| HEDYOC | | <i>Notarcha octasema</i> | |
| HEDYOC | | <i>Omiodes octasema</i> | |
| GRAGLE | <i>Naupactus leucoloma</i> | | Boheman , 1840 |
| GRAGLE | | <i>Graphognathus leucoloma</i> | Boheman |
| GRAGLE | | <i>Naupactus leucoloma</i> | Boheman in Schoenh. , 1840 |
| GRAGLE | | <i>Naupactus leucoloma</i> | Dejean , 1835 |
| GRAGLE | | <i>Pantomorus leucoloma</i> | Boheman |
| NAUPXA | <i>Naupactus xanthographus</i> | | (Germar) Boheman in Schoenh. , 1833 |
| NAUPXA | | <i>Naupactus xanthographus</i> | Sturm , 1826 |
| NAUPXA | | <i>Pantomorus xanthographus</i> | (Germar) |
| AMAZMA | <i>Nemorimyza maculosa</i> | | (Malloch, 1913) |
| AMAZMA | | <i>Agromyza guaranitica</i> | Brethes, 1920 |
| AMAZMA | | <i>Agromyza maculosa</i> | Malloch, 1913 |
| AMAZMA | | <i>Amauromyza (Annimyzella) maculosa</i> | Spencer, 1981 |
| AMAZMA | | <i>Amauromyza maculosa</i> | Malloch, 1913 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|---|-------------------------|
| AMAZMA | | <i>Dizygomyza (Amauromyza) maculosa</i> | Hendel, 1931 |
| AMAZMA | | <i>Dizygomyza maculosa</i> | Blanchard, 1938 |
| AMAZMA | | <i>Phytobia (Amauromyza) maculosa</i> | Frick, 1952 |
| AMAZMA | | <i>Phytobia maculosa</i> | |
| MYZUCI | <i>Neomyzus circumflexum</i> | | (Buckton, 1876) |
| MYZUCI | | <i>Aulacorthum circumflexum</i> | (Buckton, 1876) |
| MYZUCI | | <i>Aulacorthum circumflexus</i> | (Buckton, 1876) |
| MYZUCI | | <i>Macrosiphum circumflexum</i> | (Buckton, 1876) |
| MYZUCI | | <i>Macrosiphum primulana</i> | Matsumura, 1917 |
| MYZUCI | | <i>Myzodes circumflexus</i> | (Buckton, 1876) |
| MYZUCI | | <i>Myzus circumflexum</i> | (Buckton, 1876) |
| MYZUCI | | <i>Myzus circumflexus</i> | (Buckton, 1876) |
| MYZUCI | | <i>Myzus vincae</i> | Gillette, 1908 |
| MYZUCI | | <i>Nectarophora circumflexa</i> | (Buckton, 1876) |
| MYZUCI | | <i>Neomyzus circumflexus</i> | (Buckton, 1876) |
| MYZUCI | | <i>Siphonophora circumflexa</i> | (Buckton, 1876) |
| MYZUCI | | <i>Macrosiphum circumflexum</i> | (Buckton, 1876) |
| MYZUCI | | <i>Aulacorthum circumflexus</i> | (Buckton, 1876) |
| CAROPE | <i>Neosilba pendula</i> | | (Bezzi, 1919) |
| CAROPE | | <i>Carpolonchaea pendula</i> | (Bezzi, 1919) |
| CAROPE | | <i>Lonchaea aenea</i> | Ihering, 1905 |
| CAROPE | | <i>Lonchaea pendula</i> | Bezzi, 1919 |
| CAROPE | | <i>Silba pendula</i> | (Bezzi, 1919) |
| OBERBI | <i>Oberea bimaculata</i> | | (Olivier, 1795) |
| OBERBI | | <i>Lamia bimaculata</i> | Latreille, 1804 |
| OBERBI | | <i>Oberea bimaculata</i> | Linsley y Chemsak, 1995 |
| OBERBI | | <i>Saperda bimaculata</i> | Olivier, 1795 |
| OBERBI | | <i>Saperda bipunctata</i> | Creutzer, 1796 |
| OMOPLE | <i>Omophlus lepturoides</i> | | (Fabricius, 1787) |
| OMOPLE | | <i>Odontomophlus lepturoides</i> | (Fabricius, 1787) |
| CHEIBR | <i>Operophtera brumata</i> | | Linnaeus, 1758 |
| CHEIBR | | <i>Cheimatobia brumata Linnaeus</i> | Linnaeus |
| CHEIBR | | <i>Phalaena brumata Linnaeus</i> | Linnaeus |
| OPOGSC | <i>Opogona sacchari</i> | | Bojer, 1856 |
| OPOGSC | | <i>Alucita sacchari</i> | Bojer |
| OPOGSC | | <i>Gelechia ligniferalla</i> | Walker |
| OPOGSC | | <i>Gelechia ligniferella</i> | Walker, 1875 |
| OPOGSC | | <i>Gelechia sanctaehelena</i> | Walker, 1875 |
| OPOGSC | | <i>Hierohestis ligniferella</i> | |
| OPOGSC | | <i>Hierohestis plumipes</i> | Butler |
| OPOGSC | | <i>Hierohestis sanctaehelena</i> | Walker |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|----------------------------------|------------------------------|
| OPOGSC | | <i>Hierohestis subcervinella</i> | Walker |
| OPOGSC | | <i>Laverna plumipes</i> | Butler, 1876 |
| OPOGSC | | <i>Opogona sanctaehelenae</i> | Walker |
| OPOGSC | | <i>Opogona subcervinella</i> | (Walker) |
| OPOGSC | | <i>Tinea subcervinella</i> | Walker, 1863 |
| ORCHAT | <i>Orchidophilus aterrimus</i> | | (Waterhouse) |
| ORCHAT | | <i>Acythopeus aterrimus</i> | Waterhouse |
| ORCHAT | | <i>Orchidophilus orchivorus</i> | (Blackburn) |
| ORCHAT | | <i>Acythopeus orchivorus</i> | (Blackburn) |
| ORSEOV | <i>Orseolia oryzivora</i> | | Harris y Gagne, 1982 |
| ORSEOV | | <i>Orseolia oryzivora</i> | Gagne, 1982 |
| ORTOHI | <i>Orthosia hibisci</i> | | (Guenee, 1852) |
| ORTOHI | | <i>Monima hibisci</i> | Guenee, 1852 |
| ORTOHI | | <i>Monima insciens</i> | Walker |
| PYRUNU | <i>Ostrinia nubilalis</i> | | (HQbner) |
| PYRUNU | | <i>Botys nubilalis</i> | Robin y Laboulbene, 1884 |
| PYRUNU | | <i>Botys silacealis</i> | HQbner, 1796 |
| PYRUNU | | <i>Micracris nubilalis</i> | |
| PYRUNU | | <i>Micractis nubilalis</i> | HQbner |
| PYRUNU | | <i>Pyralis nubilalis</i> | HQbner, 1796 |
| PYRUNU | | <i>Pyrausta nubilalis</i> | Meyrick, 1890 |
| PYRUNU | | <i>Pyrausta silacealis</i> | |
| OTIOSU | <i>Otiorhynchus sulcatus</i> | | (Fabricius, 1775) Germar |
| OTIOSU | | <i>Brachyrhinus sulcatus</i> | Fabricius |
| OTIOSU | | <i>Curculio sulcatus</i> | Fabricius, 1775 |
| OTIOSU | | <i>Otiorhynchus linearis</i> | Stierlin, 1861 |
| OVALVI | <i>Ovalisia virgata</i> | | (Motschulsky) |
| OVALVI | | <i>Ovalisia (Palmar) virgata</i> | Motschulsky |
| PACNAZ | <i>Pachnaeus azurescens</i> | | Gyllenhal , 1834 |
| PACNAZ | | <i>Pachnaeus azurescens</i> | Gyllenhal in Schonherr, 1834 |
| PALCVE | <i>Paleacrita vernata</i> | | (Peck, 1795) |
| PALCVE | | <i>Alsophila vernata</i> | Peck, 1795 |
| PANDHE | <i>Pandemis heparana</i> | | Denis y SchiffermQller |
| PANDHE | | <i>Argyroploce heparana</i> | |
| PANDHE | | <i>Pandemis heparana</i> | SchiffermQller, 1776 |
| PANDHE | | <i>Tortrix heparana</i> | Denis y SchiffermQller |
| PANMCE | <i>Pantomorus cervinus</i> | | (Bohemian) |
| PANMCE | | <i>Aramigus fulleri</i> | Horn |
| PANMCE | | <i>Asynonychus cervinus</i> | (Bohemian) |
| PANMCE | | <i>Asynonychus godmani</i> | Crotch |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------------|--------------------------------|-------------------------------------|
| PANMCE | | <i>Asynonychus godmanni</i> | Crotch |
| PANMCE | | <i>Asynonychus godnami</i> | Crotch |
| PANMCE | | <i>Pantomorus fulleri</i> | Horn |
| PANMCE | | <i>Pantomorus godmani</i> | (Crotch) |
| PANMCE | | <i>Pantomorus godmani</i> | Crotch, 1867 |
| PANMCE | | <i>Pantomorus godmani</i> | Clerc , 1928 |
| PAPANE | <i>Papaipema nebris</i> | | Guenee, 1852 |
| PAPANE | | <i>Papaipema nitela</i> | Guenee |
| PAPAPU | <i>Papaipema purpurifasciata</i> | | Grote y Robinson, 1868 |
| PAPAPU | | <i>Papaipema purpurifascia</i> | Grote y Robinson, 1868 |
| PRABMY | <i>Parabemisia myricae</i> | | (Kuwana, 1927) |
| PRABMY | | <i>Bemisia myricae</i> | Kuwana, 1927 |
| PARTLO | <i>Paratachardina lobata lobata</i> | | (Chamberlin, 1923) |
| PARTLO | | <i>Paratachardina lobata</i> | Varshney, 1976 |
| PARTLO | | <i>Paratachardina lobata</i> | Varshney, 1984 |
| PARTLO | | <i>Tachardia lobata</i> | Ayyar, 1919 |
| PARTLO | | <i>Tachardia lobata</i> | Ayyar, 1921 |
| PARTLO | | <i>Tachardia minuta</i> | Green, 1922 Erroneo |
| PARTLO | | <i>Tachardina lobata</i> | Chamberlin, 1923 |
| PARTLO | | <i>Tachardina lobata</i> | Chamberlin, 1925 |
| PARTLO | | <i>Tachardina lobata</i> | Kapur, 1958 |
| PARLBL | <i>Parlatoria blanchardi</i> | | (Targioni Tozzetti) Leonardi, 1899 |
| PARLBL | | <i>Aonidia blanchardi</i> | Targioni Tozzetti, 1892 |
| PARLBL | | <i>Apterонидия blanchardi</i> | (Targioni Tozzetti) Berlese, 1895 |
| PARLBL | | <i>Apterонидия blanchardi</i> | (Targioni Tozzetti), 1892 |
| PARLBL | | <i>Apterонидия blanchardi</i> | Berlese, 1895 |
| PARLBL | | <i>Apterонидия blanchardii</i> | (Targioni Tozzetti) Ghauri, 1962 |
| PARLBL | | <i>Apterонидия blanchardii</i> | Ghauri, 1962 |
| PARLBL | | <i>Coccus blanchardi</i> | (Targioni Tozzetti, 1868) |
| PARLBL | | <i>Coccus blanchardi</i> | Ferris, 1936 |
| PARLBL | | <i>Parlatorea blanchardi</i> | (Targioni Tozzetti) Lindinger, 1912 |
| PARLBL | | <i>Parlatorea blanchardi</i> | Lindinger, 1912 |
| PARLBL | | <i>Parlatorea blanchardi</i> | Malenotti, 1916 |
| PARLBL | | <i>Parlatoria blanchardi</i> | Leonardi, 1899 |
| PARLBL | | <i>Parlatoria blanchardi</i> | Leonardi, 1901 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|---------------------------------------|---|
| PARLBL | | <i>Parlatoria blanchardi victrix</i> | Cockerell, 1899 |
| PARLBL | | <i>Parlatoria blanchardii</i> | (Targioni Tozzetti) Fernald, 1903 |
| PARLBL | | <i>Parlatoria blanchardii</i> | Fernald, 1903 |
| PARLBL | | <i>Parlatoria brauchardi</i> | Borchsenius, 1937 |
| PARLBL | | <i>Parlatoria palmae</i> | (Maskell) McKenzie, 1945 |
| PARLBL | | <i>Parlatoria palmae</i> | McKenzie, 1945 |
| PARLBL | | <i>Parlatoria proteus palmae</i> | Maskell, 1898 |
| PARLBL | | <i>Parlatoria proteus var. palmae</i> | Maskell, 1898 |
| PARLBL | | <i>Parlatoria victrix</i> | Cockerell, 1896 |
| PARLBL | | <i>Parlatoria victrix</i> | Cockerell, 1895 |
| PARLBL | | <i>Websteriella blanchardi</i> | (Targioni Tozzetti) MacGillivray, 1921 |
| PARLBL | | <i>Websteriella blanchardii</i> | Ferris, 1937 |
| PARLZI | <i>Parlatoria ziziphi</i> | | (Lucas, 1853) |
| PARLZI | | <i>Apteronidia ziziphi</i> | Lindinger, 1934 |
| PARLZI | | <i>Chermes aurantii</i> | Boisduval, 1867 |
| PARLZI | | <i>Coccus ziziphi</i> | Lucas, 1853 |
| PARLZI | | <i>Diaspis ziziphus</i> | Lindinger, 1934 |
| PARLZI | | <i>Parlatoreea zizyphi</i> | Lindinger, 1912 |
| PARLZI | | <i>Parlatoreopsis ziziphi</i> | Kawai, 1972 |
| PARLZI | | <i>Parlatoria lucasi</i> | Targioni Tozzetti, 1884 |
| PARLZI | | <i>Parlatoria lucassii</i> | Targioni Tozzetti |
| PARLZI | | <i>Parlatoria lucassi</i> | Targioni Tozzetti, 1868 |
| PARLZI | | <i>Parlatoria ziziphe</i> | Osborn, 1898 |
| PARLZI | | <i>Parlatoria ziziphi</i> | Grandpre y Charmoy, 1899 |
| PARLZI | | <i>Parlatoria ziziphus</i> | (Lucas) Fernald |
| PARLZI | | <i>Parlatoria ziziphus</i> | Fernald, 1903 |
| PARLZI | | <i>Parlatoria ziziphus</i> | Ayyar, 1919 |
| PARLZI | | <i>Parlatoria zizyphi</i> | Leonardi, 1899 |
| PARLZI | | <i>Parlatoria zizyphi</i> | Signoret, 1869 |
| PARLZI | | <i>Parlatoria zizyphus</i> | (Lucas) Cockerell |
| PARLZI | | <i>Parlatoria zizyphus</i> | Cockerell, 1900 |
| PARLZI | | <i>Parlatoria zozyptium</i> | Froggatt, 1914 |
| PARLZI | | <i>Parlatoria zyziphi</i> | Leonardi, 1907 |
| PECTGO | <i>Pectinophora gossypiella</i> | | Saunders, 1843 |
| PECTGO | | <i>Depressaria gossypiella</i> | Saunders |
| PECTGO | | <i>Epehestia gossypiella</i> | Saunders |
| PECTGO | | <i>Gelechia gossypiella</i> | Saunders |
| PECTGO | | <i>Gelechiella gossypiella</i> | Saunders |
| PECTGO | | <i>Platyedra gossypiella</i> | Saunders |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|----------------------------------|--------------------------|
| PLAYSC | <i>Pectinophora scutigera</i> | | Holdaway, 1926 |
| PLAYSC | | <i>Platyedra scutigera</i> | Holdaway |
| PERIMA | <i>Peridroma saucia</i> | | HQbner, 1803/808 |
| PERIMA | | <i>Agrotis angulifera</i> | Wallengren, 1860 |
| PERIMA | | <i>Agrotis impacta</i> | Walker, 1857 |
| PERIMA | | <i>Agrotis inermis</i> | Harris, 1841 |
| PERIMA | | <i>Agrotis intecta</i> | Walker, 1857 |
| PERIMA | | <i>Agrotis ortonii</i> | Packard, 1869 |
| PERIMA | | <i>Agrotis saucia</i> | (HQbner) |
| PERIMA | | <i>Lycophotia margaritosa</i> | (Haworth) |
| PERIMA | | <i>Lycophotia ochronota</i> | Hampson, 1903 |
| PERIMA | | <i>Lycophotia saucia</i> | (HQbner) |
| PERIMA | | <i>Noctua aequa</i> | HQbner, 1813 |
| PERIMA | | <i>Noctua majuscula</i> | Haworth, 1809 |
| PERIMA | | <i>Noctua margaritosa</i> | Haworth, 1809 |
| PERIMA | | <i>Noctua saucia</i> | HQbner, 1808 |
| PERIMA | | <i>Peridroma margaritosa</i> | (Haworth) |
| PERIMA | | <i>Peridroma marginata</i> | Especie Inexistente (EI) |
| PERIMA | | <i>Rhyacia margaritosa</i> | (Haworth) |
| PERIMA | | <i>Rhyacia saucia</i> | (HQbner) |
| PERKSA | <i>Perkinsiella saccharicida</i> | | Kirkaldy, 1903 |
| PERKSA | | <i>Perkinsiella saccaricida</i> | Earle, 1927 |
| PERKSA | | <i>Perkinsiella saccharacida</i> | Mungomery, 1927 |
| PERKSA | | <i>Perkinsiella saccharida</i> | Kirkaldy, 1906 |
| PERKSA | | <i>Perkinsiella sacharicida</i> | Melichar, 1914 |
| PERKSA | | <i>Perkinsiella vastatrix</i> | |
| PHOEMA | <i>Phoenicococcus marlatti</i> | | Cockerell, 1899 |
| PHOEMA | | <i>Kermicoides minimus</i> | Tang, 1977 |
| PHOEMA | | <i>Phaenococcus marlatti</i> | Wardle, 1929 |
| PHOEMA | | <i>Sphaerococcus draperi</i> | Newstead, 1906 |
| PHOEMA | | <i>Sphaerococcus marlatti</i> | Newstead, 1911 |
| PHTOOP | <i>Phthorimaea operculella</i> | | (Zeller 1873) |
| PHTOOP | | <i>Bryotropha solanella</i> | Boisduval |
| PHTOOP | | <i>Gelechia operculella</i> | Zeller |
| PHTOOP | | <i>Gelechia tabacella</i> | Ragonot |
| PHTOOP | | <i>Gelechia terrella</i> | Walker |
| PHTOOP | | <i>Gnorimoschema operculella</i> | Zeller |
| PHTOOP | | <i>Lita operculella</i> | |
| PHTOOP | | <i>Lita solanella</i> | Boisduval |
| PHTOOP | | <i>Phthorimaea solanella</i> | |
| PHTOOP | | <i>Phthorimaea terrella</i> | |
| PHTOOP | | <i>Scrobipalpa operculella</i> | |
| PHTOOP | | <i>Scrobipalpulus solanivora</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|---------------------------------------|-------------------------|
| PHTOOP | | <i>Scrobipalpus solanivora</i> | |
| PHYNCI | <i>Phyllocnistis citrella</i> | | Stainton, 1856 |
| PHYNCI | | <i>Phyllocnistis citricola</i> | (Shiraki, 1913) |
| PHYNCI | | <i>Phyllocnistis minutella</i> | van Deenter, 1904 |
| PHYNCI | | <i>Lithocolletis citricola</i> | |
| PHYNCI | | <i>Phyllocnistis citricola</i> | Shiraki |
| PHGNEX | <i>Phyllognathus excavatus</i> | | (Forster, 1771) |
| PHGNEX | | <i>Phyllognathus bacchus</i> | Mulsant, 1842 |
| PHGNEX | | <i>Phyllognathus cephalotes</i> | Laboulbene, 1859 |
| PHGNEX | | <i>Phyllognathus curvicornis</i> | Mulsant, 1842 |
| PHGNEX | | <i>Phyllognathus gibbifrons</i> | Mulsant, 1842 |
| PHGNEX | | <i>Phyllognathus hauseri</i> | Reitter, 1894 |
| PHGNEX | | <i>Phyllognathus inermis</i> | Motschulsky, 1849 |
| PHGNEX | | <i>Phyllognathus maritimus</i> | Petagna, 1819 |
| PHGNEX | | <i>Phyllognathus punctatostriatus</i> | Motschulsky, 1845 |
| PHGNEX | | <i>Phyllognathus silenus</i> | Fabricius, 1775 |
| LITHBL | <i>Phyllonorycter blancardella</i> | | (Fabricius, 1781) |
| LITHBL | | <i>Lithocolletis blancardella</i> | Fabricius |
| LITHBL | | <i>Lithocolletis concomitella</i> | Bankes |
| LITHBL | | <i>Phyllonorycta blancardella</i> | Auct. (Alford, 1984) |
| LITHBL | | <i>Phyllonorycter concomitella</i> | Bankes, 1899 |
| LITHBL | | <i>Phyllonorycter pyrariella</i> | (Tutt, 1898) |
| LITHBL | | <i>Tinea blancardella</i> | Fabricius |
| PHYLCR | <i>Phyllotreta cruciferae</i> | | (Goeze, 1777) |
| PHYLCR | | <i>Phyllotreta colorea</i> | Foud. |
| PHYLCR | | <i>Phyllotreta columbiana</i> | Chittenden |
| PHYLCR | | <i>Phyllotreta obscurella</i> | Illiger |
| PHYLCR | | <i>Phyllotreta poeciloceras</i> | Com. |
| PHYYDE | <i>Phytomyza aconiti</i> | | Hendel, 1920 |
| PHYYDE | | <i>Phytomyza delphiniae</i> | Frost, 1928 |
| PHYYIC | <i>Phytomyza ilicis</i> | | Curtis, 1846 |
| PHYYIC | | <i>Chromatomyia ilicis</i> | |
| PHYYIC | | <i>Phytomyza aquifolii</i> | Goureau, 1851 |
| PHYYMI | <i>Phytomyza minuscula</i> | | Goureau, 1851 |
| PHYYMI | | <i>Phytomyza ancholiae</i> | Goureau, 1851 |
| PHYYMI | | <i>Phytomyza aquilegiae</i> | Robineau-Desvoidy, 1851 |
| PHYYMI | | <i>Phytomyza nitida</i> | Melander, 1913 |
| PHYYRU | <i>Phytomyza rufipes</i> | | Meigen, 1830 |
| PHYYRU | | <i>Phytomyza bistrigata</i> | Strobl, 1906 |
| PHYYRU | | <i>Phytomyza femoralis</i> | Brischke, 1881 |
| PHYYRU | | <i>Phytomyza genislatisissimus</i> | Strobl, 1893 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------|---------------------------------|------------------------------------|
| PHYYRU | | <i>Phytomyza ruficornis</i> | Zetterstedt, 1848 |
| PHYYRU | | <i>Phytomyza sulphuripes</i> | Meigen, 1830 |
| PINNMI | <i>Pinnaspis dysoxyli</i> | | (Maskell, 1885) |
| PINNMI | | <i>Chionaspis dysoxyli</i> | Maskell, 1885 |
| PINNMI | | <i>Chionaspis minor</i> | Maskell, 1885 |
| PINNMI | | <i>Chionaspis quercus</i> | Granpre y Charmoy, 1899 Erroneo |
| PINNMI | | <i>Chionaspis timidus</i> | Riley y Howard, 1893 |
| PINNMI | | <i>Hemichionaspis minor</i> | Hempel, 1900 |
| PINNMI | | <i>Hemichionaspis minor</i> | Maskell |
| PINNMI | | <i>Phenacaspis dysoxyli</i> | Borchsenius, 1966 |
| PINNMI | | <i>Pinnaspis minor</i> | Lindinger, 1935 |
| PINNMI | | <i>Pinnaspis dysoxyli</i> | Deitz y Tocker, 1980 |
| PINNMI | | <i>Pinnaspis minor</i> | (Maskell) |
| PINNMI | | <i>Pinnaspis minor</i> | Ferris y Rao, 1947 |
| PINNMI | | <i>Pinnaspis timidus</i> | Ferris y Rao, 1947 |
| PSECCI | <i>Planococcus citri</i> | | (Risso, 1813) |
| PSECCI | | <i>Coccus citri</i> | (Risso) |
| PSECCI | | <i>Coccus citri</i> | Boisduval, 1867 |
| PSECCI | | <i>Coccus citry</i> | Alfonso, 1875 |
| PSECCI | | <i>Coccus tuliparum</i> | Bouche, 1844 |
| PSECCI | | <i>Dactylopius alaterni</i> | Signoret, 1875 |
| PSECCI | | <i>Dactylopius brevispinus</i> | Targioni Tozzetti, 1881 |
| PSECCI | | <i>Dactylopius ceratoniae</i> | Signoret, 1875 |
| PSECCI | | <i>Dactylopius citri</i> | (Boisduval) |
| PSECCI | | <i>Dactylopius citri</i> | Newstead, 1908 |
| PSECCI | | <i>Dactylopius citri</i> | Signoret, 1875 |
| PSECCI | | <i>Dactylopius cyperi</i> | Signoret, 1875 |
| PSECCI | | <i>Dactylopius destructor</i> | Comstock, 1881 |
| PSECCI | | <i>Dactylopius farinosus</i> | Cockerell, 1898 Erroneo |
| PSECCI | | <i>Dactylopius robiniae</i> | Signoret, 1875 |
| PSECCI | | <i>Dactylopius secretus</i> | Hempel, 1900 |
| PSECCI | | <i>Dactylopius tuliparum</i> | Signoret, 1875 |
| PSECCI | | <i>Dorthesia citri</i> | Risso, 1813 |
| PSECCI | | <i>Lecanium phyllococcus</i> | Ashmead, 1879 |
| PSECCI | | <i>Phenacoccus spiniferus</i> | Hempel, 1901 |
| PSECCI | | <i>Phenacoccus spiriferus</i> | Hempel, 1900 |
| PSECCI | | <i>Planococcus citri</i> | Ferris, 1950 |
| PSECCI | | <i>Planococcus citricus</i> | Ezzat y McConnell, 1956 |
| PSECCI | | <i>Planococcus cubanensis</i> | Ezzat y McConnell, 1956 |
| PSECCI | | <i>Planococcus cucurbitae</i> | Ezzat y McConnell, 1956 |
| PSECCI | | <i>Pseudococcus alaterni</i> | Fernald, 1903 |
| PSECCI | | <i>Pseudococcus brevispinus</i> | (Targioni Tozzetti) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|---|---------------------------------------|
| PSECCI | | <i>Pseudococcus ceratoniae</i> | Fernald, 1903 |
| PSECCI | | <i>Pseudococcus citri</i> | (Risso) |
| PSECCI | | <i>Pseudococcus citri</i> | Cockerell, 1902 |
| PSECCI | | <i>Pseudococcus citri coleorum</i> | Marchal, 1908 |
| PSECCI | | <i>Pseudococcus citri phenacocciformis</i> | Brain, 1915 |
| PSECCI | | <i>Pseudococcus citri var. phenacocciformis</i> | Brain |
| PSECCI | | <i>Pseudococcus citricoleorum</i> | Marchal |
| PSECCI | | <i>Pseudo-Coccus citris</i> | Ortega, 1929 |
| PSECCI | | <i>Pseudococcus cyperi</i> | Fernald, 1903 |
| PSECCI | | <i>Pseudococcus robiniae</i> | Fernald, 1903 |
| PSECCI | | <i>Pseudococcus tuliparum</i> | Fernald, 1903 |
| PLANFI | <i>Planococcus ficus</i> | | Signoret, 1875 |
| PLANFI | | <i>Coccus vitis</i> | Borchsenius, 1949 |
| PLANFI | | <i>Coccus vitis</i> | Lindinger, 1912 |
| PLANFI | | <i>Coccus vitis</i> | Nedzilskii, 1869 Erroneo |
| PLANFI | | <i>Dactylopius ficus</i> | Borchsenius, 1949 |
| PLANFI | | <i>Dactylopius ficus</i> | Signoret, 1875 |
| PLANFI | | <i>Dactylopius subterraneus</i> | Hempel, 1901 |
| PLANFI | | <i>Dactylopius vitis</i> | Lichtenstein, 1870 Erroneo |
| PLANFI | | <i>Dactylopius vitis</i> | Signoret, 1875 |
| PLANFI | | <i>Planococcus citrioides</i> | Ferris, 1950 |
| PLANFI | | <i>Planococcus ficus</i> | Ezzat y McConnell, 1956 |
| PLANFI | | <i>Planococcus vitis</i> | Ezzat y McConnell, 1956 |
| PLANFI | | <i>Planococcus vitis</i> | Matile-Ferrero, 1984 |
| PLANFI | | <i>Pseudococcus citri</i> | Balachowsky y Mesnil, 1935 Erroneo |
| PLANFI | | <i>Pseudococcus citrioides</i> | Ferris, 1922 |
| PLANFI | | <i>Pseudococcus ficus</i> | Fernald, 1903 |
| PLANFI | | <i>Pseudococcus praetermissus</i> | Ezzat, 1962 |
| PLANFI | | <i>Pseudococcus vitis</i> | Bodenheimer, 1924 |
| PLANFI | | <i>Pseudococcus vitis</i> | Fernald, 1903 |
| PLANFI | | <i>Pseudococcus vitis</i> | Leonardi, 1920 |
| PLANKE | <i>Planococcus kenyae</i> | | (Le Pelley, 1935) |
| PLANKE | | <i>Planococcus kenyae</i> | Ferris, 1950 |
| PLANKE | | <i>Planococcus subukiaensis</i> | De Lotto, 1954 |
| PLANKE | | <i>Pseudococcus citri congoensis</i> | Mann, 1922 |
| PLANKE | | <i>Pseudococcus kenyae</i> | Le Pelley, 1935 |
| PLANKE | | <i>Pseudococcus kenyensis</i> | Betrem, 1936 |
| PLANLI | <i>Planococcus lilacinus</i> | | Cockerell, 1905 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------|--|------------------------|
| PLANLI | | <i>Dactylopius coffeeae</i> | Newstead, 1908 |
| PLANLI | | <i>Dactylopius crotonis</i> | Green, 1906 |
| PLANLI | | <i>Dactylopius crotonis</i> | Green, 1911 |
| PLANLI | | <i>Planococcus citri</i> | Ferris, 1954 Erroneo |
| PLANLI | | <i>Planococcus citri</i> | McKenzie, 1967 Erroneo |
| PLANLI | | <i>Planococcus crotonis</i> | (Green) |
| PLANLI | | <i>Planococcus crotonis</i> | Ferris, 1950 |
| PLANLI | | <i>Planococcus deceptor</i> | |
| PLANLI | | <i>Planococcus lilacinus</i> | Ferris, 1950 |
| PLANLI | | <i>Planococcus lilacius</i> | Tang et. al., 1992 |
| PLANLI | | <i>Planococcus tayabanus</i> | (Cockerell) |
| PLANLI | | <i>Planococcus tayabanus</i> | Ferris, 1950 |
| PLANLI | | <i>Pseudococcus coffeeae</i> | (Newstead) |
| PLANLI | | <i>Pseudococcus coffeeae</i> | Sanders, 1909 |
| PLANLI | | <i>Pseudococcus crotonis</i> | (Green) |
| PLANLI | | <i>Pseudococcus crotonis</i> | Sasscer, 1912 |
| PLANLI | | <i>Pseudococcus deceptor</i> | Betrem, 1937 |
| PLANLI | | <i>Pseudococcus lilacinus</i> | Cockerell, 1905 |
| PLANLI | | <i>Pseudococcus tayabanus</i> | Cockerell, 1905 |
| PLANLI | | <i>Tylococcus mauritiensis</i> | Mamet, 1939 |
| PLANMI | <i>Planococcus minor</i> | | (Maskell, 1897) |
| PLANMI | | <i>Dactylopius calceolariae minor</i> | Maskell, 1897 |
| PLANMI | | <i>Planococcus minor</i> | Cox, 1989 |
| PLANMI | | <i>Planococcus pacificus</i> | Cox |
| PLANMI | | <i>Pseudococcus calceolariae minor</i> | Fernald, 1903 |
| PLANMI | | <i>Pseudococcus minor</i> | |
| PLAAID | <i>Platynota idaeusalis</i> | | Walker, 1859 |
| PLAAID | | <i>Sparganothis idaeusalis</i> | Walker |
| PLUTMA | <i>Plutella xylostella</i> | | Linnaeus, 1767 |
| PLUTMA | | <i>Cerastoma maculipennis</i> | Curtis, 1832 |
| PLUTMA | | <i>Cerastoma xylostella</i> | Wood, 1839 |
| PLUTMA | | <i>Cerastoma xylostella</i> | Linnaeus |
| PLUTMA | | <i>Harpapteryx xylostella</i> | |
| PLUTMA | | <i>Phalaena Tinea xylostella</i> | Linnaeus, 1758 |
| PLUTMA | | <i>Phalaena xylostella</i> | Linnaeus |
| PLUTMA | | <i>Plodia maculipennis</i> | (Curtis) |
| PLUTMA | | <i>Plutella brassicola</i> | Fitch, 1856 |
| PLUTMA | | <i>Plutella cruciferarum</i> | Zeller |
| PLUTMA | | <i>Plutella limbipennella</i> | Clemens, 1860 |
| PLUTMA | | <i>Plutella maculata</i> | Curtis |
| PLUTMA | | <i>Plutella maculipennis</i> | (Curtis) |
| PLUTMA | | <i>Tinea galeatella</i> | Mabille, 1888 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------------|--|-----------------------------|
| PDSCAG | <i>Podischnus agenor</i> | | (Olivier, 1789) |
| PDSCAG | | <i>Podischnus propinquus</i> | Prell, 1911 |
| PDSCAG | | <i>Scarabaeus barbicornis</i> | Latreille, 1812 |
| HORCLI | <i>Poecilocapsus lineatus</i> | <i>Poecilocapsus lineatus</i> | (Fabricius, 1798) |
| HORCLI | | <i>Lygaeus lineatus</i> | Fabricius, 1798 |
| POPIJA | <i>Popillia japonica</i> | <i>Popillia japonica</i> | Newman |
| POPIJA | | <i>Aserica japonica</i> | (Motsch.) |
| POPIJA | | <i>Autoserica japonica</i> | (Motsch.) |
| POPIJA | | <i>Maladera japonica</i> | (Motsch.) |
| POPIJA | | <i>Serica japonica</i> | Motsch. |
| PRAYCI | <i>Prays citri</i> | | Milliere, 1873 |
| PRAYCI | | <i>Acrolepia citri</i> | Miniere |
| PREMLA | <i>Premnotypes latithorax</i> | | (Pierce) |
| PREMLA | | <i>Trypopremnon latithorax</i> | Pierce |
| PREMSA | <i>Premnotypes sanfordi</i> | | (Pierce) |
| PREMSA | | <i>Trypopremnon sanfordi</i> | Pierce |
| PREMVO | <i>Premnotypes vorax</i> | | (Hustache) |
| PREMVO | | <i>Solanophagus vorax</i> | Hustache |
| PEULAU | <i>Proeulia auraria</i> | | (Clarke, 1949) |
| PEULAU | | <i>Eulia auraria</i> | Clarke, 1949 |
| PEULCH | <i>Proeulia chrysopteris</i> | | (Butler, 1883) |
| PEULCH | | <i>Eulia chrysopteris</i> | Meyrick, 1912 |
| PEULCH | | <i>Tortrix chrysopteris</i> | Butler, 1883 |
| PSEACO | <i>Pseudaulacaspis cockerelli</i> | | (Cooley, 1897) |
| PSEACO | | <i>Aulacaspis dilatata</i> | Wester, 1920 |
| PSEACO | | <i>Aulacaspis natalensis</i> | Wester, 1920 |
| PSEACO | | <i>Chionaspis akebiae</i> | Takahashi, 1952 |
| PSEACO | | <i>Chionaspis aucubae</i> | Cooley, 1897 |
| PSEACO | | <i>Chionaspis candida</i> | Banks, 1906 |
| PSEACO | | <i>Chionaspis cockerelli</i> | Cooley, 1897 |
| PSEACO | | <i>Chionaspis dilatata</i> | Green, 1899 |
| PSEACO | | <i>Chionaspis dilatata</i> | Green, 1905 |
| PSEACO | | <i>Chionaspis dilatata</i> | Hall, 1929 |
| PSEACO | | <i>Chionaspis hattorii</i> | Kanda, 1941 |
| PSEACO | | <i>Chionaspis inday</i> | Banks, 1906 |
| PSEACO | | <i>Chionaspis natalensis</i> | Brain, 1920 |
| PSEACO | | <i>Chionaspis syringae</i> | Borchsenius, 1938 |
| PSEACO | | <i>Phenacaspis akebiae</i> | Ferris, 1956 |
| PSEACO | | <i>Phenacaspis aucubae</i> | Fernald, 1903 |
| PSEACO | | <i>Phenacaspis cockerelli</i> | (Cooley) Fernald, 1903 |
| PSEACO | | <i>Phenacaspis cockerelli</i> | Fernald, 1903 |
| PSEACO | | <i>Phenacaspis cockerelli sandwicensis</i> | Takahashi y Tachikawa, 1956 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|---|---|
| PSEACO | | <i>Phenacaspis dilatata</i> | Fernald, 1903 |
| PSEACO | | <i>Phenacaspis eugeniae</i> | (Maskell) Ferris, 1921 |
| PSEACO | | <i>Phenacaspis eugeniae</i> | Ferris, 1921 Erroneo |
| PSEACO | | <i>Phenacaspis eugeniae sandwicensis</i> | Fullaway, 1932 |
| PSEACO | | <i>Phenacaspis eugeniae var. sandwicensis</i> | Fullaway, 1932 |
| PSEACO | | <i>Phenacaspis ferrisi</i> | Mamet, 1959 |
| PSEACO | | <i>Phenacaspis hattorii</i> | Borchsenius, 1966 |
| PSEACO | | <i>Phenacaspis inday</i> | Robinson, 1917 |
| PSEACO | | <i>Phenacaspis natalensis</i> | Cockerell, 1902 |
| PSEACO | | <i>Phenacaspis sandwicensis</i> | (Fullaway) Zimmerman, 1948 |
| PSEACO | | <i>Phenacaspis sandwicensis</i> | Zimmerman, 1948 |
| PSEACO | | <i>Phenacaspis syringae</i> | Balachowsky, 1954 |
| PSEACO | | <i>Pseudaulacaspis biformis</i> | Takagi, 1961 |
| PSEACO | | <i>Pseudaulacaspis cockerelli</i> | Takagi y Kawai, 1967 |
| PSEACO | | <i>Trichomytilus aucubae</i> | Lindinger, 1933 |
| PSEACO | | <i>Trichomytilus cockerelli</i> | Lindinger, 1933 |
| PSEACO | | <i>Trichomytilus dilatatus</i> | Lindinger, 1933 |
| PSEACO | | <i>Trichomytilus inday</i> | Lindinger, 1933 |
| PSEACO | | <i>Trichomytilus natalensis</i> | Lindinger, 1933 |
| PSEAPE | <i>Pseudaulacaspis pentagona</i> | | (Targioni Tozzetti, 1886) MacGillivray, 1921 |
| PSEAPE | | <i>Aspidiotus lanatus</i> | (Cockerell) Ferris, 1941 |
| PSEAPE | | <i>Aspidiotus lanatus</i> | Ferris, 1941 |
| PSEAPE | | <i>Aspidiotus vitiensis</i> | Maskell, 1895 |
| PSEAPE | | <i>Aulacaspis pentagona</i> | (Targioni Tozzetti) Cockerell, 1902 |
| PSEAPE | | <i>Aulacaspis pentagona auranticolor</i> | (Cockerell) Carnes, 1907 |
| PSEAPE | | <i>Aulacaspis pentagona</i> | Cockerell, 1902 |
| PSEAPE | | <i>Aulacaspis pentagona</i> | Newstead, 1901 |
| PSEAPE | | <i>Aulacaspis pentagona rubra</i> | (Maskell) Fernald, 1903 |
| PSEAPE | | <i>Chionaspis prunicola</i> | Maskell, 1895 |
| PSEAPE | | <i>Diaspis amygdali</i> | Tryon, 1889 |
| PSEAPE | | <i>Diaspis amygdali var. rubra</i> | Maskell, 1889 |
| PSEAPE | | <i>Diaspis auranticolor</i> | Cockerell, 1899 |
| PSEAPE | | <i>Diaspis geranii</i> | Maskell, 1897 |
| PSEAPE | | <i>Diaspis gerannii</i> | Borchsenius, 1966 |
| PSEAPE | | <i>Diaspis gerannii</i> | Maskell, 1897 |
| PSEAPE | | <i>Diaspis lanata</i> | (Cockerell) Green, 1896 |
| PSEAPE | | <i>Diaspis lanata</i> | Green, 1896 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|---------|-------------------------------------|-------------------------------------|--|
| PSEAPE | | <i>Diaspis lanatus</i> | Cockerell, 1892 |
| PSEAPE | | <i>Diaspis lanatus</i> | Morgan y Cockerell in Cockerell, 1892 |
| PSEAPE | | <i>Diaspis patelliformis</i> | Sasaki, 1894 |
| PSEAPE | | <i>Diaspis pentagona</i> | Brain, 1919 |
| PSEAPE | | <i>Diaspis pentagona</i> | Targioni Tozzetti, 1886 |
| PSEAPE | | <i>Diaspis rosae geranii</i> | Lindinger, 1932 |
| PSEAPE | | <i>Diaspis rubra</i> | (Maskell) Scott, 1952 |
| PSEAPE | | <i>Epidiaspis vitiensis</i> | (Maskell) Lindinger, 1937 |
| PSEAPE | | <i>Epidiaspis vitiensis</i> | Lindinger, 1937 |
| PSEAPE | | <i>Howardia prunicola</i> | (Maskell) Kirkaldy, 1902 |
| PSEAPE | | <i>Pseudaulacaspis amygdali</i> | Tryon, 1889 |
| PSEAPE | | <i>Pseudaulacaspis pentaggona</i> | Zhang et al., 1993 |
| PSEAPE | | <i>Pseudaulacaspis pentagona</i> | MacGillivray, 1921 |
| PSEAPE | | <i>Pseudaulacaspis prunicola</i> | |
| PSEAPE | | <i>Sasakiaspis pentagona</i> | (Targioni Tozzetti) Kuwana, 1926 |
| PSEAPE | | <i>Sasakiaspis pentagona</i> | Kuwana, 1926 |
| PSCNBI | <i>Pseudocneorhinus bifasciatus</i> | | (Roelofs) |
| PSCNBI | | <i>Callirhopalus bifasciatus</i> | (Roelofs) |
| PSCNBI | | <i>Pseudocneorhinus bifasciatus</i> | Roelofs |
| PSCNBI | | <i>Pseudocneorhinus setosus</i> | |
| PSEC GA | <i>Pseudococcus calceolariae</i> | | (Maskell, 1879) |
| PSEC GA | | <i>Dactylopius calceolariae</i> | Maskell, 1879 |
| PSEC GA | | <i>Erium calceolariae</i> | (Maskell) Lindinger, 1935 |
| PSEC GA | | <i>Erium calceolariae</i> | Lindinger, 1935 |
| PSEC GA | | <i>Pseudococcus calceolariae</i> | Fernald, 1903 |
| PSEC GA | | <i>Pseudococcus citrophilus</i> | Clausen, 1915 |
| PSEC GA | | <i>Pseudococcus fragilis</i> | Brain, 1912 |
| PSEC GA | | <i>Pseudococcus gahani</i> | Green, 1915 |
| PSEC GA | | <i>Pseudococcus similans</i> | |
| PSECCO | <i>Pseudococcus comstocki</i> | | (Kuwana, 1902) |
| PSECCO | | <i>Dactylopius comstocki</i> | Kuwana, 1902 |
| PSECCO | | <i>Pseudococcus comstocki</i> | (Kuwana, 1902) Fernald, 1903 |
| PSECCO | | <i>Pseudococcus comstocki</i> | |
| PSECCO | | <i>Pseudococcus comstocki</i> | Fernald, 1903 |
| PSECAD | <i>Pseudococcus longispinus</i> | | (Targioni Tozzetti, 1867) Targioni Tozzetti |
| PSECAD | | <i>Boisduvalia lauri</i> | (Boisduval) Signoret |
| PSECAD | | <i>Boisduvalia lauri</i> | Signoret, 1875 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------|--|---------------------------|
| PSECAD | | <i>Coccus adonidum</i> | Auctorum (1767) Erroneo |
| PSECAD | | <i>Coccus adonidum</i> | Auctorum |
| PSECAD | | <i>Coccus laurinus</i> | Boisduval, 1867 |
| PSECAD | | <i>Dactylopius adonidum</i> | (Linnaeus) |
| PSECAD | | <i>Dactylopius adonidum</i> | Auctorum (1965) |
| PSECAD | | <i>Dactylopius adonidum</i> | Signoret, 1875 Erroneo |
| PSECAD | | <i>Dactylopius hoyae</i> | Signoret, 1875 |
| PSECAD | | <i>Dactylopius longifilis</i> | Comstock, 1881 |
| PSECAD | | <i>Dactylopius longispinosus</i> | Osborn, 1898 |
| PSECAD | | <i>Dactylopius longispinus</i> | Targioni Tozzetti, 1867 |
| PSECAD | | <i>Dactylopius pteridis</i> | Signoret, 1875 |
| PSECAD | | <i>Oudablis lauri</i> | (Boisduval) Cockerell |
| PSECAD | | <i>Oudablis lauri</i> | Cockerell, 1896 |
| PSECAD | | <i>Pseudococcus adonidum</i> | (Linnaeus) Westwood |
| PSECAD | | <i>Pseudococcus adonidum</i> | Auctorum (1965) |
| PSECAD | | <i>Pseudococcus adonidum</i> | Savescu, 1982 |
| PSECAD | | <i>Pseudococcus adonidum</i> | Westwood, 1840 Erroneo |
| PSECAD | | <i>Pseudococcus hoyae</i> | Fernald, 1903 |
| PSECAD | | <i>Pseudococcus laurinus</i> | (Boisduval) Fernald |
| PSECAD | | <i>Pseudococcus laurinus</i> | Fernald, 1903 |
| PSECAD | | <i>Pseudococcus longispinus</i> | Cockerell, 1902 |
| PSECAD | | <i>Pseudococcus longispinus</i> | Williams y Watson, 1988 |
| PSECOB | <i>Pseudococcus viburni</i> | | (Signoret, 1875) Signoret |
| PSECOB | | <i>Dactylopius affinis</i> | Maskell, 1894 |
| PSECOB | | <i>Dactylopius indicus</i> | Signoret, 1875 |
| PSECOB | | <i>Dactylopius viburni</i> | Signoret, 1875 |
| PSECOB | | <i>Pseudococcus affinis</i> | Ben-Dov, 1994 |
| PSECOB | | <i>Pseudococcus affinis</i> | Fernald, 1903 |
| PSECOB | | <i>Pseudococcus affinis</i> | Maskell |
| PSECOB | | <i>Pseudococcus capensis</i> | Brain, 1912 |
| PSECOB | | <i>Pseudococcus capensis</i> | Joubert, 1928 |
| PSECOB | | <i>Pseudococcus fathyi</i> | Bodenheimer, 1944 |
| PSECOB | | <i>Pseudococcus indicus</i> | Ben-Dov, 1994 |
| PSECOB | | <i>Pseudococcus longispinus latipes</i> | Green, 1917 |
| PSECOB | | <i>Pseudococcus longispinus var. latipes</i> | Green, 1917 |
| PSECOB | | <i>Pseudococcus malacearum</i> | Ferris, 1950 |
| PSECOB | | <i>Pseudococcus nicotianae</i> | Leonardi, 1913 |
| PSECOB | | <i>Pseudococcus obscurus</i> | Essig, 1909 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|--|-----------------------|
| PSECOP | | <i>Pseudococcus viburni</i> | Ben-Dov, 1994 |
| PSECOP | | <i>Pseudococcus viburni</i> | Fernald, 1903 |
| PSYLB | <i>Psylla buxi</i> | | (Linne, 1758) |
| PSYLB | | <i>Psyllia buxi</i> | Linne, 1758 |
| PYRLPE | <i>Pyrilla perpusilla</i> | | (Walker, 1851) Walker |
| PYRLPE | | <i>Dictyoptera pallida</i> | Stebbing (1903) |
| PYRLPE | | <i>Fulgora pallida</i> | Donovan (1800) |
| PYRLPE | | <i>Pyrops perpusilla</i> | Walker, 1851 |
| PYRLPE | | <i>Zamila perpusilla</i> | Distant, 1906 |
| PYRLPE | | <i>Zamila perpusilla</i> | Walker (1851) |
| RETTSY | <i>Retithrips syriacus</i> | | (Mayet, 1890) |
| RETTSY | | <i>Dictyothrips zanoniana</i> | del Guercio |
| RETTSY | | <i>Heliothrips syriacus</i> | Mayet, 1890 |
| RETTSY | | <i>Retithrips aegyptiaca</i> | Marchal |
| RETTSY | | <i>Retithrips aegyptiacus</i> | Marchal |
| RETTSY | | <i>Stylothrips bondari</i> | Morgan |
| SPPHOB | <i>Rhabdoscelus obscurus</i> | | (Boisduval) |
| SPPHOB | | <i>Calandra obscura Boisduval</i> | Boisduval |
| SPPHOB | | <i>Rhabdocnemis fausti Gahan</i> | Gahan |
| SPPHOB | | <i>Rhabdocnemis interruptostatus</i> | |
| SPPHOB | | <i>Schaufuss</i> | Schaufuss |
| SPPHOB | | <i>Rhabdocnemis maculata Schaufuss</i> | Schaufuss |
| SPPHOB | | <i>Rhabdocnemis nudicollis (Kirsch)</i> | (Kirsch) |
| SPPHOB | | <i>Rhabdocnemis obscura (Biosduval)</i> | (Boisduval) |
| SPPHOB | | <i>Rhabdocnemis obscura Boisduval</i> | Boisduval |
| SPPHOB | | <i>Rhabdocnemis promissus (Pascoe)</i> | (Pascoe) |
| SPPHOB | | <i>Rhabdoscelis obscura Boisduval</i> | Boisduval |
| SPPHOB | | <i>Rhabdoscelus maculatus Schaufuss</i> | Schaufuss |
| SPPHOB | | <i>Rhabdoscelus oscuros</i> | (Boisduval) |
| SPPHOB | | <i>Sphenophorus beccarii Pascoe</i> | Pascoe |
| SPPHOB | | <i>Sphenophorus insularis Boheman</i> | Boheman |
| SPPHOB | | <i>Sphenophorus interruptecostatus Schaufuss</i> | Schaufuss |
| SPPHOB | | <i>Sphenophorus nudicollis Kirsch</i> | Kirsch |
| SPPHOB | | <i>Sphenophorus obscurus Boisduval</i> | Boisduval |
| SPPHOB | | <i>Sphenophorus promissus Pascoe</i> | Pascoe |
| SPPHOB | | <i>Sphenophorus sulcipes Karsch</i> | Karsch |
| SPPHOB | | <i>Sphenophorus tincturatus Pascoe</i> | Pascoe |
| RHAGBA | <i>Rhagoletis basiola</i> | | (Sacken, 1877) |
| RHAGBA | | <i>Rhagoletis alternata</i> | Muesebeck, 1950 |
| RHAGBA | | <i>Spilographa setosa</i> | Doane, 1899 |
| RHAGBA | | <i>Trypeta basiolum</i> | Sacken, 1877 |
| RHAGBA | | <i>Trypeta flavonotata</i> | Loew, 1873 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------------|---|-------------------------|
| RHAGBA | | <i>Zonosema flavinotata</i> | Strickland, 1938 |
| RHAGCE | <i>Rhagoletis cerasi</i> | | Linnaeus, 1758 |
| RHAGCE | | <i>Musca cerasi</i> | Linnaeus, 1758 |
| RHAGCE | | <i>Musca solstitialis</i> | Sulzer, 1776 |
| RHAGCE | | <i>Rhagoletis cerasi fasciata</i> | Rohdendorf |
| RHAGCE | | <i>Rhagoletis cerasi nigripes</i> | Rohdendorf |
| RHAGCE | | <i>Rhagoletis cerasi obsoleta</i> | Hering |
| RHAGCE | | <i>Rhagoletis fasciata</i> | Rohdendorf, 1961 |
| RHAGCE | | <i>Rhagoletis nigripes</i> | Rohdendorf, 1961 |
| RHAGCE | | <i>Rhagoletis obsoleta</i> | Hering, 1936 |
| RHAGCE | | <i>Spilographa cerasi</i> | |
| RHAGCE | | <i>Tephritis ceraci</i> | Persson, 1958 |
| RHAGCE | | <i>Trypeta signata</i> | Meigen, 1826 |
| RHAGCE | | <i>Urophora cerasorum</i> | Dufour, 1845 |
| RHAGCE | | <i>Urophora liturata</i> | Robineau-Desvoidy, 1830 |
| RHAGCE | | <i>Zonosema cerasi</i> | (Linnaeus) |
| RHAGIN | <i>Rhagoletis indifferens</i> | | Curran, 1932 |
| RHAGIN | | <i>Rhagoletis cingulata</i> | Wilson y Lovett, 1913 |
| RHAGIN | | <i>Rhagoletis cingulata indifferens</i> | Curran |
| RHAGPO | <i>Rhagoletis pomonella</i> | | Walsh, 1867 |
| RHAGPO | | <i>Rhagoletis syphoricarpi</i> | |
| RHAGPO | | <i>Spilographa pomonella</i> | (Walsh) |
| RHAGPO | | <i>Trypeta albiscutellata</i> | Harris, 1835 |
| RHAGPO | | <i>Trypeta pomonella</i> | Walsh, 1867 |
| RHAGPO | | <i>Zonosema pomonella</i> | (Walsh) |
| RHAGCO | <i>Rhagoletis suavis</i> | | Loew, 1862 |
| RHAGCO | | <i>Trypeta suavis</i> | Loew, 1862 |
| RHAGTO | <i>Rhagoletis tomatis</i> | | Foote, 1981 |
| RHAGTO | | <i>Rhagoletis achraspis</i> | Aczel, 1954 |
| RHAGTO | | <i>Rhagoletis ochraspis</i> | Kisliuk y Cooley, 1933 |
| RHINBA | <i>Rhinostomus barbirostris</i> | | (Fabricius) Rafinesque |
| RHINBA | | <i>Rhina barbirostris</i> | (Fabricius) |
| RHIOFA | <i>Rhizoecus falcifer</i> | | Herculais, 1878 |
| RHIOFA | | <i>Rhizaecus terrestris</i> | Cockerell, 1899 |
| RHIOFA | | <i>Rhizoecus africanus</i> | Brain, 1915 |
| RHIOFA | | <i>Rhizoecus decoratus</i> | Green, 1926 |
| RHIOFA | | <i>Rhizoecus moruliferus</i> | Green, 1933 |
| RHIOFA | | <i>Ripersia terrestris</i> | Newstead, 1895 |
| RHOSLA | <i>Rhopalosiphoninus latysiphon</i> | | (Davidson, 1912) |
| RHOSLA | | <i>Amphorophora latysiphon</i> | Davidson, 1912 |
| RHOSLA | | <i>Anuraphis elegans</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|----------------------|
| RHOSLA | | <i>Eucarazzia picta</i> | |
| RHOSLA | | <i>Myzodes latysiphon</i> | (Davidson, 1912) |
| RHOSLA | | <i>Rhopalomyzus latysiphon</i> | (Davidson, 1912) |
| RHPONA | <i>Rhopobota ilicifoliana</i> | | Kearfott, 1907 |
| RHPONA | | <i>Rhopobota naevana var. ilicifolia</i> | (HUbner 1814-1817) |
| RHYCFE | <i>Rhynchophorus ferrugineus</i> | | (Olivier, 1790) |
| RHYCFE | | <i>Calandra ferruginea</i> | Fabricius, 1801 |
| RHYCFE | | <i>Curculio ferrugineus</i> | Olivier, 1790 |
| RHYCFE | | <i>Rhynchophorus ferrugineus</i> | Herbst |
| RHYCFE | | <i>Rhynchophorus ferrugineus</i> | Heyne et al., 1908 |
| RHYCFE | | <i>Rhynchophorus signaticollis</i> | Chevrolat, 1882 |
| SABUCA | <i>Sabulodes aegrotata</i> | | (Guenee, 1858) |
| SABUCA | | <i>Sabulodes caberata</i> | Guenee, 1858 |
| SHICPI | <i>Schistocerca piceifrons</i> <i>piceifrons</i> | | (Walker, 1870) |
| SHICPI | | <i>Acridium patiana</i> | Posada, 1879 |
| SHICPI | | <i>Acridium piceifrons</i> | Walker, 1870 |
| SHICPI | | <i>Acridium vicarium</i> | Walker, 1870 |
| SHICPI | | <i>Schistocerca americana americana</i> | |
| SHICPI | | <i>Schistocerca benedicto</i> | Dirsh, 1974 |
| SHICPI | | <i>Schistocerca piceifrons subsp. patiana</i> | (Posada, 1879) |
| SHICPI | | <i>Schistocerca urichi</i> | Arribalzaca, 1918 |
| SHICPI | | <i>Schistocerca vicaria</i> | (Walker, 1870) |
| SCITAU | <i>Scirtothrips aurantii</i> | | Faure, 1929 |
| SCITAU | | <i>Scirtothrips acaciae</i> | Moulton |
| SCITDO | <i>Scirtothrips dorsalis</i> | | Hood, 1919 |
| SCITDO | | <i>Anaphothrips andreae</i> | Karny, 1925 |
| SCITDO | | <i>Heliothrips minutissimus</i> | Bagnall, 1919 |
| SCITDO | | <i>Neophysopus fragariae</i> | Girault, 1927 |
| SCITDO | | <i>Scirtothrips padmae</i> | Ramakrishna, 1942 |
| SCOLRU | <i>Scolytus rugulosus</i> | | (Muller) |
| SCOLRU | | <i>Eccoptogaster mediterraneus</i> | Eggers |
| SCOLRU | | <i>Eccoptogaster rugulosus</i> | Ratzeburg , 1837 |
| SCOLRU | | <i>Ruguloscolytus rugulosus</i> | (Ratzeburg , 1837) |
| SCOLRU | | <i>Scolytus mediterraneus</i> | (Eggers) |
| SCOLRU | | <i>Scolytus rugulosus</i> | Ratzeburg , 1837 |
| SCOLRU | | <i>Scolytus rugulosus</i> | Wood y Bright , 1992 |
| SCOLRU | | <i>Ruguloscolytus mediterraneus</i> | (Eggers) |
| SCOLSC | <i>Scolytus schevyrewi</i> | | Semenov, 1902 |
| SCOLSC | | <i>Eccoptogaster emarginatus</i> | Wichmann, 1915 |
| SCOLSC | | <i>Eccoptogaster transcaspicus</i> | Eggers, 1922 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|------------------------------------|-------------------|
| SCOLSC | | <i>Scolytus frankei</i> | Wichmann, 1915 |
| SCOLSC | | <i>Scolytus seulensis</i> | Murayamas, 1930 |
| SESACA | <i>Sesamia calamistis</i> | | Hampson, 1910 |
| SESACA | | <i>Sesamia mediastriga</i> | |
| SESACA | | <i>Sesamia vutera</i> | |
| SESACR | <i>Sesamia cretica</i> | | Lederer, 1857 |
| SESACR | | <i>Sesamia cretica rufescens</i> | Schawerda |
| SESACR | | <i>Sesamia cyrnea</i> | Mabille |
| SESACR | | <i>Sesamia griselda</i> | Warren |
| SESACR | | <i>Sesamia pecki</i> | Tams |
| SESACR | | <i>Sesamia uniformis</i> | Dudgeon |
| SESACR | | <i>Sesamia vutera vuterioides</i> | Strand |
| SESAIN | <i>Sesamia inferens</i> | | (Walker, 1856) |
| SESAIN | | <i>Leucania albiciliata</i> | |
| SESAIN | | <i>Leucania inferens</i> | |
| SESAIN | | <i>Leucania proscripta</i> | Walker |
| SESAIN | | <i>Nonagria albiciliata</i> | |
| SESAIN | | <i>Nonagria gracilis</i> | Butler |
| SESAIN | | <i>Nonagria inferens</i> | Walker |
| SESAIN | | <i>Nonagria innocens</i> | Butler |
| SESAIN | | <i>Sesamia albiciliata</i> | Snellen |
| SESAIN | | <i>Sesamia tranquilaris</i> | Butler |
| SITDMO | <i>Sitodiplosis mosellana</i> | | (Gehin, 1857) |
| SITDMO | | <i>Cecidomyia aurantiaca</i> | |
| SITDMO | | <i>Cecidomyia mosellana</i> | Gehin, 1857 |
| SITDMO | | <i>Clinodiplosis aurantiaca</i> | |
| SITDMO | | <i>Clinodiplosis mosellana</i> | |
| SITDMO | | <i>Diplosis aurantiaca</i> | Wagner, 1866 |
| SITDMO | | <i>Sitodiplosis aurantiaca</i> | |
| SITDMO | | <i>Thecodiplosis mosellana</i> | |
| SPARSU | <i>Sparganothis sulfureana</i> | | Clemens, 1860 |
| SPARSU | | <i>Dichelia sulfureana Clemens</i> | Clemens |
| SPARSU | | <i>Sparganothis sulphureana</i> | |
| MARGVI | <i>Sphaeraspis vitis</i> | | Jakubski, 1965 |
| MARGVI | | <i>Heterodera vitis</i> | Philippi, 1884 |
| MARGVI | | <i>Margarodes trilobitum</i> | Reed, 1895 |
| MARGVI | | <i>Margarodes vitium</i> | Cockerell, 1902 |
| MARGVI | | <i>Margarodes vitium</i> | Costa, 1924 |
| MARGVI | | <i>Margarodes vitium</i> | Giard, 1894 |
| MARGVI | | <i>Margarodes vitium</i> | Schmutterer, 1957 |
| MARGVI | | <i>Margarodes vitis</i> | (Philippi, 1884) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------|---------------------------------|--|
| TMETOC | <i>Spilonota ocellana</i> | | (Denis y SchiffermOller) SchiffermOller |
| TMETOC | | <i>Eucosma ocellana</i> | Denis y SchiffermOller |
| TMETOC | | <i>Grapholita ocellana</i> | Denis y SchiffermOller |
| TMETOC | | <i>Grapholitha ocellana</i> | |
| TMETOC | | <i>Hedya ocellana</i> | Denis y SchiffermOller |
| TMETOC | | <i>Olethreutes ocellana</i> | Denis y SchiffermOller |
| TMETOC | | <i>Spilonota ocellana</i> | Fabricius, 1775 |
| TMETOC | | <i>Tmetocera ocellana</i> | Denis y SchiffermOller |
| TMETOC | | <i>Tortrix ocellana</i> | Denis y SchiffermOller |
| DIAIVI | <i>Spilosoma virginica</i> | | Fabricius, 1798 |
| DIAIVI | | <i>Diacrisia virginica</i> | (Fabricius) |
| LAPHEG | <i>Spodoptera exigua</i> | | (HObner- 1803-1808) |
| LAPHEG | | <i>Caradrina exigua</i> | HObner |
| LAPHEG | | <i>Laphygma exigua</i> | HObner |
| LAPHEG | | <i>Laphygma flavimaculata</i> | |
| LAPHEG | | <i>Noctua exigua</i> | HObner |
| LAPHEG | | <i>Spodoptera flavimaculata</i> | (Harvey) |
| LAPHEG | | <i>Susunai exigua</i> | (HObner) |
| SPODLI | <i>Spodoptera littoralis</i> | | (Boisduval, 1833) |
| SPODLI | | <i>Hadena littoralis</i> | Boisduval, 1833 |
| SPODLI | | <i>Noctua gossypii</i> | |
| SPODLI | | <i>Prodenia littoralis</i> | (Boisduval, 1833) |
| SPODLI | | <i>Prodenia litura</i> | Fabricius sensu auctorum |
| SPODLI | | <i>Prodenia retina</i> | (Freyer) |
| SPODLI | | <i>Prodenia testaceoides</i> | Guenee |
| PRODLI | <i>Spodoptera litura</i> | | (Fabricius, 1775) |
| PRODLI | | <i>Mamestra albisparsa</i> | Walker |
| PRODLI | | <i>Noctua elata</i> | Fabricius |
| PRODLI | | <i>Noctua histrionica</i> | Fabricius |
| PRODLI | | <i>Noctua litura</i> | Fabricius |
| PRODLI | | <i>Prodenia ciligera</i> | Guenee |
| PRODLI | | <i>Prodenia declinata</i> | Walker |
| PRODLI | | <i>Prodenia evanescens</i> | Butler |
| PRODLI | | <i>Prodenia glaucistriga</i> | Walker |
| PRODLI | | <i>Prodenia littoralis</i> | Fabricius |
| PRODLI | | <i>Prodenia litura</i> | Fabricius |
| PRODLI | | <i>Prodenia subterminalis</i> | Walker |
| PRODLI | | <i>Prodenia tasmanica</i> | Guenee |
| PRODLI | | <i>Prodenia testaceoides</i> | Walker |
| PRODLI | | <i>Spodoptera littoralis</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------|--|--|
| SPODMA | <i>Spodoptera mauritia</i> | | Boisduval, 1833 |
| SPODMA | | <i>Spodoptera mauritania</i> | (Boisduval) |
| SPODMA | | <i>Hadena mauritia</i> | Boisduval |
| SPODMA | | <i>Laphygma mauritia</i> | |
| SPODMA | | <i>Laphygma mauritia acronyctoides</i> | |
| HYMARE | <i>Spoladea recurvalis</i> | | (Fabricius, 1775) |
| HYMARE | | <i>Hydrocampus albifacialis</i> | Boisduval |
| HYMARE | | <i>Hymenia diffascialis</i> | HQbner |
| HYMARE | | <i>Hymenia exodias</i> | Meyrick |
| HYMARE | | <i>Hymenia fascialis</i> | (Butler) |
| HYMARE | | <i>Hymenia recurvalis</i> | (Fabricius, 1775) |
| HYMARE | | <i>Phalaena angustalis</i> | Fabricius |
| HYMARE | | <i>Phycis recurvella</i> | Zincker |
| HYMARE | | <i>Spoladea animalis</i> | Guenee |
| HYMARE | | <i>Zinckenia fascialis</i> | (Cramer) |
| HYMARE | | <i>Zinckenia recurvalis</i> | Fabricius, 1775 |
| TAETEU | <i>Taeniothrips eucharii</i> | | (Whetzel, 1923) |
| TAETEU | | <i>Physothrips eucharii</i> | Whetzel, 1923 |
| ARGPLE | <i>Thaumatomibia leucotreta</i> | | Meyrick |
| ARGPLE | | <i>Cryptophlebia leucotreta</i> | Meyrick, 1913 |
| ARGPLE | | <i>Cryptophlebia roerigii</i> | Zacher |
| ARGPLE | | <i>Olethreutes leucotreta</i> | Meyrick |
| ARGPLE | | <i>Thaumatomibia roerigii</i> | Zacher |
| THEROL | <i>Theretra oldenlandiae</i> | | (Fabricius, 1775) |
| THEROL | | <i>Chaerocampa argentata</i> | (Stephens) Butler, 1875 |
| THEROL | | <i>Chaerocampa drancus</i> | (Cramer) Walker, 1856 |
| THEROL | | <i>Chaerocampa firmata</i> | Walker, 1856 |
| THEROL | | <i>Chaerocampa oldenlandiae</i> | (Fabricius) Moore, 1857 |
| THEROL | | <i>Chaerocampa puellaris</i> | Butler, 1875 |
| THEROL | | <i>Deilephila argentata</i> | Stephens, 1828 |
| THEROL | | <i>Deilephila proxima</i> | Austaut, 1892 |
| THEROL | | <i>Hippotion oldenlandiae</i> | (Fabricius) Palaniswami y Pillai, 1983 |
| THEROL | | <i>Sphinx drancus</i> | Cramer, 1777 |
| THEROL | | <i>Sphinx lewini</i> | Thon, 1828 |
| THEROL | | <i>Sphinx oldenlandiae</i> | Fabricius, 1775 |
| THEROL | | <i>Theretra oldenlandiae fuscata</i> | Gehlen, 1941 |
| THEROL | | <i>Theretra oldenlandiae oldenlandiae f. olivaceus</i> | Mell, 1922 |
| THEROL | | <i>Theretra oldenlandiae olivascens</i> | Inoue, 1973 |
| THEROL | | <i>Theretra oldenlandiae samoana</i> | Gehlen, 1941 |
| THEROL | | <i>Xylophanes drancus</i> | (Cramer) HQbner, 1819 |
| THEROL | | <i>Xylophanes oldenlandiae</i> | (Fabricius) Moore, 1882 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------|---|-----------------------------------|
| THRIHA | <i>Thrips hawaiiensis</i> | | (Morgan, 1913) |
| THRIHA | | <i>Euthrips hawaiiensis</i> | Morgan, 1913 |
| THRIHA | | <i>Physothrips hawaiiensis</i> | (Morgan, 1913) |
| THRIHA | | <i>Physothrips pallipes</i> | Bagnall, 1914 |
| THRIHA | | <i>Taeniothrips eriobotryae</i> | Moulton, 1928 |
| THRIHA | | <i>Taeniothrips hawaiiensis</i> | (Morgan, 1913) |
| THRIHA | | <i>Taeniothrips pallipes var. florinatus</i> | Priesner, 1938 |
| THRIHA | | <i>Taeniothrips rhodomytri</i> | Priesner, 1938 |
| THRIHA | | <i>Thrips albipes</i> | Bagnall, 1914 |
| THRIHA | | <i>Thrips hawaiiensis f. imitator</i> | Priesner, 1934 |
| THRIHA | | <i>Thrips nigriflava</i> | Schmutz, 1913 |
| THRIHA | | <i>Thrips pallipes</i> | Bagnall, 1926 |
| THRIHA | | <i>Thrips sulphurea</i> | Schmutz, 1913 |
| THRIHA | | <i>Thrips versicolor</i> | Bagnall, 1926 |
| THRIPL | <i>Thrips palmi</i> | | Karny, 1925 |
| | | <i>Chloethrips aureus</i> | Ananthrakrishnan y Jagadish, 1967 |
| THRIPL | | <i>Thrips clarus</i> | Moulton, 1928 |
| THRIPL | | <i>Thrips gossypicola</i> | (Priesner, 1939) |
| | | <i>Thrips gracilis</i> | Ananthrakrishnan y Jagadish, 1968 |
| THRIPL | | <i>Thrips leucadophilus</i> | Priesner, 1936 |
| THRIPL | | <i>Thrips nilgiriensis</i> | Ramakrishna, 1928 |
| TAETSI | <i>Thrips simplex</i> | | (Morison, 1930) |
| TAETSI | | <i>Taeniothrips simplex</i> | Steele, 1935 |
| | | <i>Taeniothrips gladioli</i> | Moulton y Steinweden, 1931 |
| TAETSI | | <i>Physothrips simplex</i> | Morison, 1930 |
| | | <i>Physothrips spiranthidis ssp. plurisetae</i> | Giralt, 1933 |
| TAETSI | | <i>Taeniothrips quinani</i> | Moulton, 1936 |
| TAETSI | | <i>Taeniothrips gladiolicola</i> | Pussard, 1946 |
| THRISU | <i>Thrips sumatrensis</i> | | (Priesner, 1934) |
| THRISU | | <i>Isoneurothrips sumatrensis</i> | Priesner, 1934 |
| THRISU | | <i>Isothrips sumatrensis</i> | Priesner, 1940 |
| TIPUPA | <i>Tipula paludosa</i> | | Meigen, 1830 |
| TIPUPA | | <i>Tipula fimbriata</i> | Meigen, 1818 |
| TIPUPA | | <i>Tipula flavolutescens</i> | Pierre, 1921 |
| TIPUPA | | <i>Tipula flavolutescens</i> | Pierre, 1922 |
| TIPUPA | | <i>Tipula wollastoni</i> | Lackschewitz, 1936 |
| TOXOCI | <i>Toxoptera citricida</i> | | (Kirkaldy) |
| TOXOCI | | <i>Aphis aeglis</i> | Shinji |
| TOXOCI | | <i>Aphis citricidus</i> | (Kirkaldy) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|--|---------------------------------|
| TOXOCI | | <i>Aphis nigricans</i> | van der Goot, 1917 |
| TOXOCI | | <i>Aphis tavaresi</i> | Del Guercio |
| TOXOCI | | <i>Aphis tavaresi subsp. argentinensis</i> | Blanchard, 1941 |
| TOXOCI | | <i>Myzus citricidus</i> | Kirkaldy |
| TOXOCI | | <i>Paratoxoptera argentinensis</i> | (Blanchard, 1941) |
| TOXOCI | | <i>Paratoxoptera argentinensis</i> | Blanchard |
| TOXOCI | | <i>Toxoptera aphoides</i> | van der Goot |
| TOXOCI | | <i>Toxoptera citricidus</i> | Kirkaldy |
| TOXOCI | | <i>Toxoptera tavaresi</i> | (Del Guercio) |
| TREXFU | <i>Tremex fuscicornis</i> | | (Fabricius, 1787) |
| TREXFU | | <i>Sirex camelogigas</i> | Christ |
| TREXFU | | <i>Sirex fuscicornis</i> | Fabricius, 1787 |
| TREXFU | | <i>Sirex struthiocamelus</i> | Villers |
| TREXFU | | <i>Tremex juxicernis</i> | Walker |
| TREXFU | | <i>Tremex simulacrum</i> | Takeuchi |
| TREXFU | | <i>Urocerus fuscicornis</i> | Latreille |
| TREXFU | | <i>Xyloecematum fuscicornis</i> | Heyden |
| TREXFU | | <i>Xyloterus fuscicornis</i> | Boie |
| TRIAVA | <i>Trialeurodes vaporariorum</i> | | (Westwood, 1856) |
| TRIAVA | | <i>Aleurochiton vaporariorum</i> | |
| TRIAVA | | <i>Aleyrodes papillifer</i> | Maskell |
| TRIAVA | | <i>Aleyrodes sonchi</i> | Kotinsky |
| TRIAVA | | <i>Aleyrodes vaporariorum</i> | Westwood, 1856 |
| TRIAVA | | <i>Asterochiton vaporariorum</i> | Westwood |
| TRIAVA | | <i>Dialeurodes vaporariorum</i> | |
| TRIAVA | | <i>Trialeurodes mossopii</i> | |
| TRIAVA | | <i>Trialeurodes natalensis</i> | |
| TRIAVA | | <i>Trialeurodes natanensis</i> | Corbett |
| TRIAVA | | <i>Trialeurodes sonchi</i> | Kotinsky |
| TAETXA | <i>Trichromothrips xanthius</i> | | (Williams, 1917) |
| TAETXA | | <i>Taeniothrips xanthius</i> | Williams, 1917 |
| TAETXA | | <i>Dorcadothrips xanthius</i> | (Williams, 1917) Nakahara, 1993 |
| CERTCF | <i>Trirhithrum coffeae</i> | | Bezzi, 1918 |
| CERTCF | | <i>Trirhithrum coffeae</i> | (Bezzi, 1918) |
| CERTCF | | <i>Ceratitidis coffeae</i> | (Bezzi, 1918) |
| CERTCF | | <i>Trirhithrum inscriptum</i> | Bezzi, 1924 |
| TROGGA | <i>Trogoderma granarium</i> | | Everts, 1899 |
| TROGGA | | <i>Trogoderma affrum</i> | |
| TROGGA | | <i>Trogoderma khapra</i> | Arrow |
| GNORAB | <i>Tuta absoluta</i> | | (Meyrick, 1917) Povolny (1994) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------|-----------------------------------|-------------------------------|
| GNORAB | | <i>Gnorimoschema absoluta</i> | (Meyrick, 1917) Clarke, 1962 |
| GNORAB | | <i>Phthorimaea absoluta</i> | (Meyrick, 1917) |
| GNORAB | | <i>Scrobipalpula absoluta</i> | (Meyrick, 1917) Povolny, 1964 |
| GNORAB | | <i>Scrobipalpuloides absoluta</i> | (Meyrick, 1917) Povolny, 1987 |
| TYPONI | <i>Typophorus nigritus</i> | | (Fabricius, 1801) |
| TYPONI | | <i>Paria nigritus</i> | (Fabricius, 1801) |
| PHLCRU | <i>Udea rubigalis</i> | | (Guenee) Guenee, 1854 |
| PHLCRU | | <i>Phlyctaenia rubigalis</i> | Guenee |
| PHLCRU | | <i>Pionea rubigalis</i> | Guenee |
| UNASCI | <i>Unaspis citri</i> | | (Comstock, 1883) |
| UNASCI | | <i>Chionaspis annae</i> | Lindinger, 1943 |
| UNASCI | | <i>Chionaspis annae</i> | Malenotti |
| UNASCI | | <i>Chionaspis citri</i> | Comstock, 1883 |
| UNASCI | | <i>Chionaspis citricola</i> | Froggatt, 1902 |
| UNASCI | | <i>Chionaspis euonymi</i> | Comstock, 1881 Erroneo |
| UNASCI | | <i>Diaspis annae</i> | Wu, 1935 |
| UNASCI | | <i>Diaspis annae</i> | Malenotti, 1916 |
| UNASCI | | <i>Diaspis veitchi</i> | Green y Laing, 1923 |
| UNASCI | | <i>Howardia citri</i> | Berlese y Leonardi, 1896 |
| UNASCI | | <i>Prontaspis citri</i> | (Comstock) MacGillivray, 1921 |
| UNASCI | | <i>Trichomytilus veitchi</i> | Lindinger, 1934 |
| UNASCI | | <i>Unaspis annae</i> | Malenotti |
| UNASCI | | <i>Unaspis citri</i> | Ferris, 1937 |
| UNASCI | | <i>Unaspis crtri</i> | Tang, 1986 |
| UNASYA | <i>Unaspis yanonensis</i> | | (Kuwana, 1923) |
| UNASYA | | <i>Chionaspis citri</i> | Kuwana, 1907 Erroneo |
| UNASYA | | <i>Chionaspis yanonensis</i> | Kuwana, 1923 |
| UNASYA | | <i>Prontaspis yanonensis</i> | (Kuwana, 1923) |
| UNASYA | | <i>Unaspis janonensis</i> | Ter-Grigorian, 1969 |
| UNASYA | | <i>Unaspis yannonensis</i> | Chou, 1982 |
| UNASYA | | <i>Unaspis yanonensis</i> | Takahashi y Kanda, 1939 |
| VINSST | <i>Vinsonia stellifera</i> | | (Westwood, 1871) |
| VINSST | | <i>Ceroplastes stellifer</i> | Lindinger, 1913 |
| VINSST | | <i>Coccus stellifer</i> | Westwood, 1871 |
| VINSST | | <i>Vinsonia estellifera</i> | Ortega, 1929 |
| VINSST | | <i>Vinsonia pulchella</i> | Signoret, 1869 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--------------------------|--|------------------------------|
| VINSST | | <i>Vinsonia pulchella</i> | Signoret, 1872 |
| VINSST | | <i>Vinsonia pulohella</i> | Tang, 1991 |
| VINSST | | <i>Vinsonia stelifera</i> | Seabra, 1925 |
| VINSST | | <i>Vinsonia steliftra</i> | Tang, 1991 |
| VINSST | | <i>Vinsonia stellifra</i> | Tang, 1991 |
| VINSST | | <i>Vinsonia stellifera</i> | Douglas, 1888 |
| | | | |
| VINSST | | <i>Vinzonia stellifera</i> | Danzig y Konstantinova, 1990 |
| VINSST | | <i>Winsonia stellifera</i> | Fernandes, 1993 |
| VITEVI | <i>Viteus vitifoliae</i> | | (Fitch, 1851) |
| VITEVI | | <i>Daktulosphaera vitifoliae</i> | (Fitch, 1851) |
| VITEVI | | <i>Borneria danesii</i> | |
| VITEVI | | <i>Byrsocrypta vitifoliae</i> | (Fitch, 1851) |
| VITEVI | | <i>Dactylosphaera danesii</i> | |
| VITEVI | | <i>Dactylosphaera vastatrix</i> | (Planchon) |
| VITEVI | | <i>Dactylosphaera vitifoliae</i> | (Fitch, 1851) |
| VITEVI | | <i>Dactylosphaera vitifoliae</i> | (Shimer) |
| VITEVI | | <i>Dactylosphaera vitifolii</i> | (Borner, 1908) |
| VITEVI | | <i>Daktulosphaira vitifoliae</i> | (Fitch, 1851) |
| VITEVI | | <i>Daktulosphaira vitifoliae</i> | Fitch |
| VITEVI | | <i>Daktylosphaera vitifoliae</i> | Fitch |
| VITEVI | | <i>Pemphigus vitifoliae</i> | Fitch, 1851 |
| VITEVI | | <i>Peritymbia vastatrix</i> | (Planchon, 1868) |
| VITEVI | | <i>Peritymbia vastatrix</i> | Fitch |
| VITEVI | | <i>Peritymbia vitifoliae</i> | (Fitch, 1851) |
| VITEVI | | <i>Peritymbia vitifoliae</i> | (Planchon) |
| VITEVI | | <i>Peritymbia vitifolii</i> | Borner, 1908 |
| | | | |
| VITEVI | | <i>Peritymbia vitifolii subsp. <i>pervastatrix</i></i> | Borner, 1910 |
| VITEVI | | <i>Peritymbia vitisana</i> | Westwood |
| VITEVI | | <i>Phylloxera danesii</i> | |
| VITEVI | | <i>Phylloxera pemphigoides</i> | |
| VITEVI | | <i>Phylloxera pervastatrix</i> | Borner |
| VITEVI | | <i>Phylloxera rutila</i> | Dreyfus, 1889 |
| VITEVI | | <i>Phylloxera vastatrix</i> | (Planchon, 1868) |
| VITEVI | | <i>Phylloxera visitana</i> | Moreira, 1925 |
| VITEVI | | <i>Phylloxera vitifoliae</i> | (Fitch, 1851) |
| VITEVI | | <i>Phylloxera vitifolii</i> | (Fitch, 1851) |
| VITEVI | | <i>Phylloxera vitisfolii</i> | |
| VITEVI | | <i>Rhizaphis vastatrix</i> | (Planchon) |
| VITEVI | | <i>Rhizaphis vastatrix</i> | Planchon, 1868 |
| VITEVI | | <i>Viteus vastatrix</i> | (Planchon) |
| VITEVI | | <i>Viteus vitifolii</i> | (Borner, 1908) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------|---|--------------------|
| VITEVI | | <i>Viteus vitifolii</i> subsp. <i>vulpinae</i> | |
| VITEVI | | <i>Xerampelus vastatrix</i> | (Planchon, 1868) |
| AMATCN | <i>Xestia c-nigrum</i> | | (Linnaeus, 1758) |
| AMATCN | | <i>Diarsia c-nigrum</i> | Linnaeus |
| AMATCN | | <i>Agrotis c-nigrum</i> | (Linnaeus, 1758) |
| AMATCN | | <i>Agrotis c-nigrum</i> ab. <i>fritschii</i> | Culot, 1910 |
| AMATCN | | <i>Agrotis c-nigrum</i> ab. <i>umbrata</i> | Schultz, 1908 |
| AMATCN | | <i>Agrotis c-nigrum</i> f. <i>maerens</i> | Dannehl, 1925 |
| AMATCN | | <i>Agrotis c-nigrum</i> f. <i>nigrescens</i> | Buresch, 1914 |
| AMATCN | | <i>Agrotis c-nigrum</i> var. <i>depravata</i> | Bang-Haas, 1912 |
| AMATCN | | <i>Agrotis degenerata</i> | Staudinger, 1889 |
| AMATCN | | <i>Amathes c-nigrum</i> | (Linnaeus, 1758) |
| AMATCN | | <i>Amathes c-nigrum</i> ab. <i>albinotica</i> | Cockayne, 1952 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>brevipennis</i> | Lempke, 1962 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>confluens</i> | Lempke, 1939 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>cruda</i> | Lempke, 1962 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>immaculata</i> | Lempke, 1939 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>juncta</i> | Lempke, 1939 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>pallida</i> | Lempke, 1962 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>semiconfluens</i> | Lempke, 1962 |
| AMATCN | | <i>Amathes c-nigrum</i> f. <i>signata</i> | Lempke, 1962 |
| AMATCN | | <i>Amathes c-nigrum</i> <i>ignorata</i> | Eitschberger, 1972 |
| AMATCN | | <i>Amathes e-nigrum</i> f. <i>fuscolimbata</i> | Lempke, 1962 |
| AMATCN | | <i>Bombyx gothica</i> var. <i>nunatrum</i> | Esper(1786) |
| AMATCN | | <i>Bombyx gothica</i> var. <i>singularis</i> | Esper(1786) |
| AMATCN | | <i>Diarsia c-nigrum</i> <i>kurilana</i> | Bryk, 1942 |
| AMATCN | | <i>Graphiphora c-nigrum</i> | (Linnaeus, 1758) |
| AMATCN | | <i>Noctua c-nigrum</i> | (Linnaeus, 1758) |
| AMATCN | | <i>Noctua c-nigrum</i> ab. <i>grisea</i> | Turner, 1939 |
| AMATCN | | <i>Noctua c-nigrum</i> var. <i>rosea</i> | Tutt, 1892 |
| AMATCN | | <i>Phalaena c-nigrum</i> | (Linnaeus, 1758) |
| AMATCN | | <i>Phalaena Noctua c-nigrum</i> | Linnaeus, 1758 |
| AMATCN | | <i>Rhyacia c-nigrum</i> | (Linnaeus, 1758) |
| AMATCN | | <i>Xestia adela</i> | Franclemont, 1980 |
| XMYGCU | <i>Xylomyges curialis</i> | | (Grote, 1873) |
| XMYGCU | | <i>Egira curialis</i> | Grote, 1873 |
| CARNFU | <i>Xyphon fulgida</i> | | (Nottingham, 1932) |
| CARNFU | | <i>Carneocephala fulgida</i> | Nottingham, 1932 |
| ZEUZPY | <i>Zeuzera pyrina</i> | | Linnaeus, 1761 |
| ZEUZPY | | <i>Cossus aesculi</i> | (Linnaeus) |
| ZEUZPY | | <i>Zeuzera aesculi</i> | Linnaeus |
| ZEUZPY | | <i>Zeuzera leuconotum</i> | |
| RHAGEL | <i>Zonosemata electa</i> | | (Say, 1830) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|----------------|--------------------------------|---|--------------------|
| RHAGEL | | <i>Tephritis flavonotata</i> | Macquart, 1855 |
| RHAGEL | | <i>Trypeta electa</i> | Say, 1830 |
| СОРНЯКИ | | | |
| ACAU2 | <i>Acanthospermum australe</i> | | (Loefl.) Kuntze |
| ACAU2 | | <i>Acanthospermum brasiliense</i> | Schrank |
| ACAU2 | | <i>Acanthospermum hirsutum</i> | DeCandolle |
| ACAU2 | | <i>Acanthospermum xanthioides</i> | (Kunth) DeCandolle |
| ACAU2 | | <i>Centrospermum xanthioides</i> | Kunth |
| ACAU2 | | <i>Melampodium australe</i> | Loefl. |
| ACAU2 | | <i>Orcya adhaerens</i> | Vell. |
| ACAU2 | | <i>Orcya adhaerescens</i> | Vell. |
| ACNHI | <i>Acanthospermum hispidum</i> | | DeCandolle |
| ACNHI | | <i>Acanthospermum humile</i> | (Sw.) DeCandolle |
| ACNHI | | <i>Acanthospermum humile</i> | Chev. |
| ACNHI | | <i>Centrospermum humile</i> | (Sw.) Less. |
| ACNHI | | <i>Melampodium humile</i> | Sw. |
| AEGCY | <i>Aegilops cylindrica</i> | | Host |
| AEGCY | | <i>Aegilops cylindrica var. rubiginosa</i> | Popova |
| AEGCY | | <i>Aegilops tauschii</i> | Auct. non Coss. |
| AEGCY | | <i>Cylindropyrum cylindricum</i> | (Host) Love |
| AEGCY | | <i>Triticum cylindricum</i> | (Host) Ces. et al. |
| AMALI | <i>Amaranthus blitum</i> | | Linnaeus, 1753 |
| AMALI | | <i>Amaranthus ascendens</i> | Loisel., 1810 |
| AMALI | | <i>Amaranthus lividus</i> | Linnaeus, 1753 |
| AMALI | | <i>Amaranthus oleraceus</i> | Linnaeus, 1753 |
| AMALI | | <i>Amaranthus lividus subsp. polygonoides</i> | (Moq.) Probst |
| AMALI | | <i>Amaranthus lividus var. polygonoides</i> | (Moq.) Thellung |
| AMALI | | <i>Amaranthus viridis</i> | Auct. non Linnaeus |
| AMMABA | <i>Ammannia baccifera</i> | | Linnaeus, 1753 |
| AMMABA | | <i>Ammannia aegyptiaca</i> | Willd. |
| AMMABA | | <i>Ammannia auriculata var. subsessilis</i> | Willd. y Boiss. |
| AMMABA | | <i>Ammannia vescicatoria</i> | Roxb. |
| AOXOD | <i>Anthoxanthum odoratum</i> | | Linnaeus |
| AOXOD | | <i>Anthoxanthum pilosum</i> | DollSi |
| AOXPU | <i>Anthoxanthum puelii</i> | | Lecoq y Lamotte |
| AOXPU | | <i>Anthoxanthum aristatum</i> | Boiss. |
| AOXPU | | <i>Anthoxanthum angustifolium</i> | Plan. |
| AOXPU | | <i>Anthoxanthum carrenianum</i> | Parl. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|--------------------------|---|-----------------------------------|
| AOXPU | | <i>Anthoxanthum lloydii</i> | Jord. ex Boreau |
| AOXPU | | <i>Anthoxanthum odoratum var. aristatum</i> | (Boiss.) Coss. y Durieu |
| AOXPU | | <i>Anthoxanthum odoratum var. puelii</i> | (Lecoq y Lamotte) Coss. y Durieu |
| AOXPU | | <i>Anthoxanthum ovatum subsp. aristatum</i> | (Boiss.) Litard. |
| AOXPU | | <i>Anthoxanthum ovatum var. aristatum</i> | (Boiss.) Perez |
| AOXPU | | <i>Anthoxanthum puelii var. lloydii</i> | (Jord. ex Boreau) Marais y Menier |
| APESV | <i>Apera spica-venti</i> | | (Linnaeus) Beauv. |
| APESV | | <i>Agrostis spica-venti</i> | Linnaeus |
| ASCSY | <i>Asclepias syriaca</i> | | Linnaeus |
| ASCSY | | <i>Asclepias cornuti</i> | Decne. |
| ASCSY | | <i>Asclepias intermedia</i> | Vail |
| ASCSY | | <i>Asclepias kansana</i> | Vail |
| ASCSY | | <i>Asclepias syriaca var. kansana</i> | (Vail) Palmer y Steyermark |
| AVEST | <i>Avena sterilis</i> | | Linnaeus |
| AVEST | | <i>Avena ludoviciana</i> | Durieu |
| AVEST | | <i>Avena macrocarpa</i> | Moench |
| AVEST | | <i>Avena sterilis subsp. sterilis</i> | |
| BOEDI | <i>Boerhavia diffusa</i> | | Linnaeus, 1753 |
| BOEDI | | <i>Boerhavia adscendens</i> | Willd. |
| BOEDI | | <i>Boerhavia glabrata</i> | Blume |
| BOEDI | | <i>Boerhavia paniculata</i> | Rich. |
| BOEDI | | <i>Boerhavia procumbens</i> | Banks ex Roxb |
| BOEDI | | <i>Boerhavia repanda</i> | Wall. |
| BOEDI | | <i>Boerhavia repens var. diffusa</i> | (Linnaeus) Hook. |
| BROST | <i>Bromus sterilis</i> | | Linnaeus |
| BROST | | <i>Anisantha sterilis</i> | (Linnaeus) Nevski |
| BROST | | <i>Genea sterilis</i> | (Linnaeus) Dumort. |
| CAGSE | <i>Calystegia sepium</i> | | (Linnaeus) Br. |
| CAGSE | | <i>Convolvulus sepium</i> | Linnaeus |
| CAULA | <i>Carthamus lanatus</i> | | Linnaeus |
| CAULA | | <i>Anactis pilosa</i> | Raf. |
| CAULA | | <i>Atractylis fusus-agrestis</i> | Gaertn. |
| CAULA | | <i>Atractylis lanata Scop. (synonym)</i> | Scop. |
| CAULA | | <i>Atractylis leucocephala</i> | Moench |
| CAULA | | <i>Atractylis lutea</i> | Bubani |
| CAULA | | <i>Atractylis pilosa</i> | Moench |
| CAULA | | <i>Calcitrapa lanuginosa</i> | Steud. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|-------------------------------|--|------------------------|
| CAULA | | <i>Carduncellus lanatus</i> | Moris |
| CAULA | | <i>Carduus attractylis</i> | Garsault |
| CAULA | | <i>Carthamus albus</i> | Desf. |
| CAULA | | <i>Carthamus creticus</i> | Linnaeus |
| CAULA | | <i>Carthamus elatus</i> | (Gasp.) Nyman |
| CAULA | | <i>Carthamus exsuccus</i> | Chaix |
| CAULA | | <i>Carthamus lanatus subsp. baeticus</i> | (Boiss. y Reut.) Nyman |
| CAULA | | <i>Carthamus lanatus subsp. creticus</i> | (Linnaeus) Holmboe |
| CAULA | | <i>Carthamus lanatus subsp. lanatus</i> | |
| CAULA | | <i>Carthamus macedonicus</i> | Herzog |
| CAULA | | <i>Carthamus tauricus</i> | Bieb. |
| CAULA | | <i>Carthamus turbinatus</i> | (Gasp.) Nyman |
| CAULA | | <i>Carthamus turbinatus</i> | Nyman |
| CAULA | | <i>Centaurea lanata</i> | (Linnaeus) Lam. y DC. |
| CAULA | | <i>Kentrophylum baeticum</i> | Boiss. y Reut. |
| CAULA | | <i>Kentrophylum elatum</i> | Gasp. |
| CAULA | | <i>Kentrophylum lanatum</i> | (Linnaeus) DC. |
| CAULA | | <i>Kentrophylum lanatum</i> | (Linnaeus) DC. ex Duby |
| CAULA | | <i>Kentrophylum lanatum</i> | (Linnaeus) DC. |
| CAULA | | <i>Kentrophylum tauricum</i> | (Bieb.) Mey. |
| CAULA | | <i>Kentrophylum turbinatum</i> | Gasp. ex Guss. |
| CAUOX | <i>Carthamus oxyacantha</i> | | Bieb. |
| CAUOX | | <i>Carduus flavesiensis</i> | Willd. |
| CAUOX | | <i>Carthamus oxyacanthus</i> | Bieb. |
| CAUOX | | <i>Carthamus polyacantha</i> | Bieb. |
| CHEPE | <i>Chenopodium petiolare</i> | | Kunth |
| CHEPE | | <i>Chenopodium album var. andina</i> | |
| CHEPE | | <i>Chenopodium bolivianum</i> | |
| CHEPE | | <i>Chenopodium fremontii</i> | |
| CHEPE | | <i>Chenopodium paniculatum</i> | |
| CHEPE | | <i>Chenopodium sparsiflorum</i> | |
| CYSAC | <i>Chrysopogon aciculatus</i> | | (Retz.) Trin. |
| CYSAC | | <i>Andropogon aciculata</i> | Retz. |
| CYSAC | | <i>Rhaphis aciculatus</i> | (Retz.) Honda |
| CIRAR | <i>Cirsium arvense</i> | | (Linnaeus) Scop., 1772 |
| CIRAR | | <i>Breea arvensis</i> | (Linnaeus) Less. |
| CIRAR | | <i>Breea dioica</i> | (Cass.) Less. |
| CIRAR | | <i>Breea ochrolepidia</i> | (Juz.) Sojak |
| CIRAR | | <i>Breea praealta</i> | Less. |
| CIRAR | | <i>Breea setosa</i> | (Willd.) Sojak |
| CIRAR | | <i>Carduus arvensis</i> | (Linnaeus) Robson |
| CIRAR | | <i>Carduus haemorrhoidalis</i> | Auct. ex DC. |
| CIRAR | | <i>Carduus neglectus</i> | Steud. |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | |
|-------|------------------------------------|----------------------------|
| CIRAR | <i>Carduus segetum</i> | (Bunge) Franch. |
| CIRAR | <i>Carduus serratuloides</i> | Neck. |
| CIRAR | <i>Carduus setosus</i> | Bab. |
| CIRAR | <i>Cephalonoplos arvensis</i> | (Linnaeus) Fourr. |
| CIRAR | <i>Cephalonoplos ochrolepidium</i> | (Juz.) Juz. |
| CIRAR | <i>Cephalonoplos setosus</i> | (Lebed.) Kitam. |
| CIRAR | <i>Cirsium xcelakovskianum</i> | Knaf |
| CIRAR | <i>Cirsium albicans</i> | Willk. |
| CIRAR | <i>Cirsium albiflorum</i> | (Kitag.) Kitag. |
| CIRAR | <i>Cirsium argenteum</i> | Peyer ex Vest |
| CIRAR | <i>Cirsium argunense</i> | DC. |
| CIRAR | <i>Cirsium dioicum</i> | Cass. |
| CIRAR | <i>Cirsium halophilum</i> | Turcz. ex Herder |
| CIRAR | <i>Cirsium horridum</i> | (Wimm. y Grab.) Stankov |
| CIRAR | <i>Cirsium incanum</i> | (Gmel.) Fisch. |
| CIRAR | <i>Cirsium incanum</i> | (Gmel.) Fisch. ex M.Bieb. |
| CIRAR | <i>Cirsium laevigatum</i> | Tausch |
| CIRAR | <i>Cirsium lanatum</i> | Spreng. |
| CIRAR | <i>Cirsium macrostylon</i> | (Moretti) Rchb. |
| CIRAR | <i>Cirsium mutatum</i> | Menyh. |
| CIRAR | <i>Cirsium neglectum</i> | Fisch. ex Spreng. |
| CIRAR | <i>Cirsium ochrolepidium</i> | Juz. |
| CIRAR | <i>Cirsium praecultum</i> | Cass. |
| CIRAR | <i>Cirsium ruthenicum</i> | Fisch. |
| CIRAR | <i>Cirsium setosum</i> | (Willd.) Besser ex M.Bieb. |
| CIRAR | <i>Cirsium setosum</i> | (Willd.) Bieb. |
| CIRAR | <i>Cirsium sordidum</i> | Wallr. |
| CIRAR | <i>Cirsium stocksii</i> | Boiss. |
| CIRAR | <i>Cnicus arvensis</i> | (Linnaeus) Gaertn. y al. |
| CIRAR | <i>Cnicus arvensis</i> | (Linnaeus) Hoffman |
| CIRAR | <i>Cnicus arvensis</i> | (Linnaeus) Roth |
| CIRAR | <i>Cnicus arvensis</i> | Hoffman |
| CIRAR | <i>Cnicus candidans</i> | Wall. |
| CIRAR | <i>Cnicus lanatus</i> | Willd. |
| CIRAR | <i>Cnicus macrostylus</i> | Moretti |
| CIRAR | <i>Cnicus neglectus</i> | Parish ex Greene |
| CIRAR | <i>Cnicus ruthenicus</i> | |
| CIRAR | <i>Cnicus setosus</i> | (Willd.) Besser |
| CIRAR | <i>Cynara repens</i> | Stokes |
| CIRAR | <i>Serratula arvensis</i> | Linnaeus |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|------------------------------|----------------------------|
| CIRAR | | <i>Serratula incana</i> | Gmel. |
| CIRAR | | <i>Serratula setosa</i> | Willd. |
| CIRAR | | <i>Serratula spinosa</i> | Gilib. |
| COEDAY | <i>Coelogyne pulverula</i> | | Teijsm. y Binn., 1862 |
| COEDAY | | <i>Coelogyne dayana</i> | Rchb., 1882 |
| COEDAY | | <i>Coelogyne dayana</i> | (Rchb., 1882) Rolfe, 1864 |
| COEDAY | | <i>Pleione dayana</i> | (Rchb., 1882) Kuntze, 1891 |
| COMBE | <i>Commelina benghalensis</i> | | Linnaeus, 1753 |
| COMBE | | <i>Commelina prostrata</i> | Regel |
| CONOR | <i>Conringia orientalis</i> | | (Linnaeus) Dumort. |
| CONOR | | <i>Arabis orientalis</i> | (Linnaeus) Prantl |
| CONOR | | <i>Brassica orientalis</i> | Linnaeus |
| CONOR | | <i>Brassica perfoliata</i> | Lam. |
| CONOR | | <i>Brassica turrita</i> | Weigel |
| CONOR | | <i>Erysimum brassica</i> | Crantz |
| CONOR | | <i>Erysimum orientale</i> | (Linnaeus) Mill. |
| CONOR | | <i>Erysimum perfoliatum</i> | Crantz |
| CONOR | | <i>Gorinkia orientalis</i> | (Linnaeus) Presl y Presl |
| CONOR | | <i>Sisymbrium tetragonum</i> | Trautv. |
| CJNVU | <i>Crupina vulgaris</i> | | Pers. ex Cass. |
| CJNVU | | <i>Centaurea acuta</i> | Lam. |
| CJNVU | | <i>Centaurea crupina</i> | Linnaeus |
| CJNVU | | <i>Centaurea tenuifolia</i> | Salisb. |
| CJNVU | | <i>Centaurea vulgaris</i> | Person |
| CJNVU | | <i>Crupina acuta</i> | (Lam.) Fritsch ex Janch. |
| CJNVU | | <i>Crupina alpestris</i> | Arv.-Touv. |
| CJNVU | | <i>Crupina brachypappa</i> | Jord. & Fourr. |
| CJNVU | | <i>Crupina crupina</i> | (Linnaeus) Karst. |
| CJNVU | | <i>Crupina oligantha</i> | Tschern. |
| CJNVU | | <i>Crupina pauciflora</i> | Hoffmanns. y Link |
| CJNVU | | <i>Crupina pauciflora</i> | Kar. y Kir. |
| CJNVU | | <i>Crupina vulgaris</i> | Cass. |
| CJNVU | | <i>Crupina vulgaris</i> | Person |
| CJNVU | | <i>Cyanus lanceolatus</i> | Moench |
| CJNVU | | <i>Serratula crupina</i> | (Linnaeus) Vill. |
| CVCEU | <i>Cuscuta europaea</i> | | Linnaeus, 1753 |
| CVCEU | | <i>Cuscuta halophyta</i> | Fries, 1832 |
| CVCEU | | <i>Cuscuta laxiflora</i> | Aznav. non Benth., 1905 |
| CVCEU | | <i>Cuscuta major</i> | DeCandolle, 1671 |
| CVCEU | | <i>Cuscuta viciae</i> | Koch et al., 1853 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|-----------------------------|--|--------------------------|
| DIGSC | <i>Digitaria abyssinica</i> | | (Rich.) Stapf, 1907 |
| DIGSC | | <i>Digitaria abyssinica var. scalarum</i> | (Schweinf.) Stapf, 1907 |
| DIGSC | | <i>Digitaria eichingeri</i> | Mez, 1921 |
| DIGSC | | <i>Digitaria hackelii</i> | (Pilg.) Stapf, 1919 |
| DIGSC | | <i>Digitaria merkeri</i> | Mez, 1921 |
| DIGSC | | <i>Digitaria mutica</i> | Rendle, 1911 |
| | | | |
| DIGSC | | <i>Digitaria scalarum</i> | (Schweinf.) Chiov., 1916 |
| DIGSC | | <i>Digitaria somaliensis</i> | Chiov., 1917 |
| DIGSC | | <i>Digitaria tangaensis</i> | Henr., 1934 |
| DIGSC | | <i>Digitaria vestita</i> | Fig. y de Notaris, 1854 |
| DIGSC | | <i>Panicum abyssinicum</i> | Rich., 1851 |
| DIGSC | | <i>Panicum hackelii</i> | Pilg., 1901 |
| DIGSC | | <i>Panicum kafuroense</i> | Schum., 1807 |
| DIGSC | | <i>Panicum muticum</i> | Rich., 1851 |
| DIGSC | | <i>Panicum scalarum</i> | Schweinf., 1894 |
| DIGVE | <i>Digitaria velutina</i> | | (Forssk.) Beauv. |
| DIGVE | | <i>Digitaria divaricata</i> | Henr. |
| DIGVE | | <i>Digitaria fenestrata</i> | (Rich.) Rendle |
| DIGVE | | <i>Digitaria ulugurensis</i> | Pilg. |
| DIGVE | | <i>Digitaria zeyheri</i> | (Nees) Henr. |
| | | | |
| DIGVE | | <i>Panicum abyssinicum var. setigerum</i> | Chiov. |
| DIGVE | | <i>Panicum fenestratum</i> | Rich. |
| DIGVE | | <i>Panicum forskalii</i> | Christensen |
| DIGVE | | <i>Panicum psilostachyum</i> | Dur. y Schinz |
| DIGVE | | <i>Panicum redemptum</i> | Chiov. |
| DIGVE | | <i>Panicum sanguinale var. cognatum</i> | Schweinf. |
| | | | |
| DIGVE | | <i>Panicum sanguinale var. fenestratum</i> | (Rich.) Schweinf. |
| DIGVE | | <i>Panicum velutina</i> | Forssk. |
| DIGVE | | <i>Panicum zeyheri</i> | Nees |
| DIGVE | | <i>Phalaris velutina</i> | Forsk. |
| EHVU | <i>Echium vulgare</i> | | Linnaeus |
| EHVU | | <i>Echium argenteae</i> | Pau |
| EHVU | | <i>Echium asturicum</i> | Lacaita |
| EHVU | | <i>Echium granatense</i> | Coincy |
| EHVU | | <i>Echium hispanicum</i> | Asso |
| EHVU | | <i>Echium vulgare subsp. argenteae</i> | (Pau) Font Quer |
| EHVU | | <i>Echium vulgare subsp. asturicum</i> | (Lacaita) Klotz |
| EHVU | | <i>Echium wierzbickii</i> | Reichenb. |
| EMEAU | <i>Emex australis</i> | | Steinh. |
| EMEAU | | <i>Emex centropodium</i> | Meisner |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|---------------------------------|-------------------------------------|---------------------------|
| EMEAU | | <i>Vibro australis</i> | Greene |
| EMESP | <i>Emex spinosa</i> | | (Linnaeus) Campd. |
| EMESP | | <i>Rumex glaber</i> | Forsk. |
| EMESP | | <i>Rumex spinosus</i> | Linnaeus |
| EMESP | | <i>Vibo spinosa</i> | (Linnaeus) Medik. |
| EPHES | <i>Euphorbia esula</i> | | Linnaeus |
| EPHES | | <i>Euphorbia esula var. genuina</i> | Boiss. |
| EPHES | | <i>Euphorbia gmelinii</i> | Steudel |
| EPHES | | <i>Euphorbia intercedens</i> | Podp. ex Harrington |
| EPHES | | <i>Euphorbia poderae</i> | Croizat |
| EPHES | | <i>Euphorbia pseudovirgata</i> | (Schur) Soo |
| EPHES | | <i>Euphorbia x pseudovirgata</i> | (Schur) Soo |
| EPHES | | <i>Euphorbia zhiguliensis</i> | Prokh. |
| EPHES | | <i>Euphorbion esulum</i> | (Linnaeus) St.-Lag. |
| EPHES | | <i>Galarhoeus esula</i> | (Linnaeus) Rydb. |
| EPHES | | <i>Keraselma esula</i> | (Linnaeus) Raf. |
| EPHES | | <i>Tithymalus esula</i> | (Linnaeus) Hill |
| EPHHE | <i>Euphorbia helioscopia</i> | | Linnaeus, 1753 |
| EPHHE | | <i>Euphorbion helioscopium</i> | (Linnaeus, 1753) Lag. |
| EPHHE | | <i>Galarhoeus helioscopius</i> | (Linnaeus, 1753) Haw. |
| EPHHE | | <i>Tithymalus helioscopius</i> | (Linnaeus, 1753) Hill |
| GAGOF | <i>Galega officinalis</i> | | Linnaeus |
| GAGOF | | <i>Galega bicolor</i> | Regel |
| GAGOF | | <i>Galega patula</i> | Steven |
| GAGOF | | <i>Galega persica</i> | Persoon |
| GAGOF | | <i>Galega vulgaris</i> | Lam. |
| GALETE | <i>Galeopsis tetrahit</i> | | Linnaeus |
| GALETE | | <i>Galeopsis bifida</i> | Boenn. |
| GALETE | | <i>Galeopsis praecox</i> | Jord. |
| GALETE | | <i>Galeopsis reichenbachii</i> | Reut. |
| GALETE | | <i>Tetrahitz nodosum</i> | Moench |
| HERMZ | <i>Heracleum mantegazzianum</i> | | Sommier y Levier, 1895 |
| HERMZ | | <i>Heracleum asperum</i> | Bieb., 1819 |
| HERMZ | | <i>Heracleum giganteum</i> | Fischer ex Hornem., 1819 |
| HERMZ | | <i>Heracleum lemannianum</i> | Bunge |
| HERMZ | | <i>Heracleum persicum</i> | Desf. ex Fischer |
| HERMZ | | <i>Heracleum sibiricum</i> | Sphalm |
| HERMZ | | <i>Heracleum stevenii</i> | Manden. |
| HERMZ | | <i>Heracleum villosum</i> | Fischer ex Sprengel, 1818 |
| HIBTR | <i>Hibiscus trionum</i> | | Linnaeus |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|----------------------------|--|------------------------------|
| HIBTR | | <i>Ketmia trionum</i> | Scop. |
| HIBTR | | <i>Trionum diffusum</i> | Moench |
| HIBTR | | <i>Trionum trionum</i> | (Linnaeus) Woot. y Standl. |
| IMPCY | <i>Imperata cylindrica</i> | | (Linnaeus) Raeuschel, 1797 |
| IMPCY | | <i>Calamagrostis lagurus</i> | Koel., 1802 |
| IMPCY | | <i>Imperata allang</i> | Jungh., 1840 |
| IMPCY | | <i>Imperata angolensis</i> | Fritsch, 1901 |
| IMPCY | | <i>Imperata arundinacea</i> | Cyrillo, 1792 |
| IMPCY | | <i>Imperata arundinacea var. africana</i> | Andersson, 1855 |
| IMPCY | | <i>Imperata arundinacea var. europea</i> | Andersson, 1855 |
| IMPCY | | <i>Imperata arundinacea var. genuine</i> | Hack, 1889 |
| IMPCY | | <i>Imperata arundinacea var. glabrescens</i> | BQse, 1854 |
| IMPCY | | <i>Imperata arundinacea var. indica</i> | Andersson, 1855 |
| IMPCY | | <i>Imperata arundinacea var. koenigii</i> | (Retz.) Benth., 1861 |
| IMPCY | | <i>Imperata arundinacea var. latifolia</i> | Hook, 1896 |
| IMPCY | | <i>Imperata arundinacea var. pedicellata</i> | (Steud.) Debeaux, 1878 |
| IMPCY | | <i>Imperata arundinacea var. thunbergii</i> | (Retz.) Stapf, 1898 |
| IMPCY | | <i>Imperata cylindrica f. pallida</i> | Honda, 1930 |
| IMPCY | | <i>Imperata dinteri</i> | Pilg., 1912 |
| IMPCY | | <i>Imperata koenigii</i> | (Retz.) Beauv., 1812 |
| IMPCY | | <i>Imperata koenigii var. major</i> | (Retz.) Beauv., 1841 |
| IMPCY | | <i>Imperata pedicellata</i> | Steud., 1846 |
| IMPCY | | <i>Imperata sieberi</i> | Opiz, 1825 |
| IMPCY | | <i>Imperata thunbergii</i> | (Retz.) Roem y Schult., 1817 |
| IMPCY | | <i>Lagurus cylindricus</i> | Linnaeus, 1759 |
| IMPCY | | <i>Saccarum europaeum</i> | Persoon, 1805 |
| IMPCY | | <i>Saccarum sisca</i> | Cav., 1795 |
| IMPCY | | <i>Saccharum cylindricum</i> | (Linnaeus) Lam., 1785 |
| IMPCY | | <i>Saccharum koenigii</i> | Retz. |
| IMPCY | | <i>Saccharum laguroides</i> | Pourr. |
| IMPCY | | <i>Saccharum thunbergii</i> | Retz., 1789 |
| ISCRU | <i>Ischaemum rugosum</i> | | Salisb., 1791 |
| ISCRU | | <i>Colladoa distachya</i> | Cav., 1799 |
| ISCRU | | <i>Ischaemum colladoa</i> | Spreng., 1825 |
| ISCRU | | <i>Ischaemum segetum</i> | Trin., 1832 |
| ISCRU | | <i>Meoschium arnottianum</i> | Nees, 1843 |
| ISCRU | | <i>Meoschium griffithii</i> | Nees et Arn., 1838 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|------------------------------|--|----------------------------|
| ISCRU | | <i>Meoschium noyleanum</i> | Nees ex Steud., 1854 |
| LEFCH | <i>Leptochloa chinensis</i> | | (Linnaeus) Nees, 1824 |
| LEFCH | | <i>Leptochloa decipiens</i> | (Br.) Druce |
| LEFCH | | <i>Leptochloa malabarica</i> | Retz., 1789 |
| LEFCH | | <i>Poa chinensis</i> | Linnaeus, 1753 |
| LEFCH | | <i>Poa decipiens</i> | Br. |
| LINVU | <i>Linaria vulgaris</i> | | Miller |
| LINVU | | <i>Antirrhinum vulgaris</i> | Linnaeus |
| LINVU | | <i>Antirrhinum linaria</i> | Linnaeus |
| LINVU | | <i>Linaria linaria</i> | (Linnaeus) Karst. |
| LITAR | <i>Buglossoides arvensis</i> | | (Linnaeus) Johnston |
| LITAR | | <i>Lithospermum arvense</i> | Linnaeus |
| LOLRI | <i>Lolium rigidum</i> | | Gaudin, 1811 |
| LOLRI | | <i>Lolium lolium</i> | (Bory y Chaubard) Maz. |
| LOLRI | | <i>Lolium perenne subsp. rigidum</i> | (Gaudin) Love |
| LOLRI | | <i>Lolium rigidum subsp. lepturoides</i> | (Boiss.) Sennen y Mauricio |
| LOLRI | | <i>Lolium strictum</i> | Auct. non Presl |
| LOLRI | | <i>Lolium subulatum</i> | Vis. |
| LUDLI | <i>Ludwigia hyssopifolia</i> | | (Don) Exell |
| LUDLI | | <i>Fissendocarpa linifolia</i> | Bennett |
| LUDLI | | <i>Jussiaea fissendocarpa</i> | Haines |
| LUDLI | | <i>Jussiaea hyssopifolia</i> | Don |
| LUDLI | | <i>Jussiaea linifolia</i> | |
| LUDLI | | <i>Ludwigia linifolia</i> | Poir. |
| LYUFE | <i>Lycium ferocissimum</i> | | Miers |
| LYUFE | | <i>Lycium campanulatum</i> | Mey ex Wright |
| LYUFE | | <i>Lycium chinense</i> | Bentham non Miller |
| LYUFE | | <i>Lycium europeum</i> | Auct. |
| LYUFE | | <i>Lycium horridum</i> | Auct. |
| LYUFE | | <i>Lycium macrocalyx</i> | Domin |
| LYPPE | <i>Solanum peruvianum</i> | | Linnaeus |
| LYPPE | | <i>Lycopersicon commutatum</i> | (Spreng.) Roem. y Schult. |
| LYPPE | | <i>Lycopersicon dentatum</i> | Dunal |
| LYPPE | | <i>Lycopersicon peruvianum</i> | (Linnaeus) Miller |
| LYPPE | | <i>Lycopersicon peruvianum subsp. commutatum</i> | (Spreng.) Luckwill |
| LYPPE | | <i>Lycopersicon peruvianum var. Dentatum</i> | (Dunal) Dunal |
| LYPPE | | <i>Lycopersicon peruvianum subsp. dentatum</i> | (Dunal) Luckwill |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|-----------------------------------|---|-------------------------------------|
| LYPPE | | <i>Lycopersicon peruvianum var. Regulare</i> | (Dunal) Luckwill |
| LYPPE | | <i>Lycopersicon peruvianum var. Commutatum</i> | (Spreng.) Linkn et al., nomen nudum |
| LYPPE | | <i>Lycopersicon regulare</i> | Dunal |
| LYPPE | | <i>Solanum commutatum</i> | Spreng. |
| LYPPE | | <i>Solanum peruvianum</i> | Jacq., nomen nudum |
| MATIN | <i>Tripleurospermum inodorum</i> | | (Linnaeus) Sch. |
| MATIN | | <i>Camomilla inodora</i> | (Linnaeus) Gilib. |
| MATIN | | <i>Chamaemelum inodorum</i> | (Linnaeus) Vis. |
| MATIN | | <i>Chamomilla inodora</i> | (Linnaeus) Koch |
| MATIN | | <i>Chrysanthemum elegans</i> | Steud. |
| MATIN | | <i>Chrysanthemum inodorum</i> | (Linnaeus) Linnaeus |
| MATIN | | <i>Dibothrospermum agreste</i> | Knaf |
| MATIN | | <i>Matricaria inodora</i> | Linnaeus |
| MATIN | | <i>Matricaria perforata</i> | Merat |
| MATIN | | <i>Pyrethrum elegans</i> | Pollini |
| MATIN | | <i>Pyrethrum inodorum</i> | (Linnaeus) Moench |
| MATIN | | <i>Tripleurospermum maritimum subsp. inodorum</i> | |
| MATIN | | <i>Tripleurospermum perforatum</i> | (Merat) Lainz |
| MATIN | | <i>Tripleurospermum perforatum</i> | (Merat) Wagenitz |
| MATMA | <i>Tripleurospermum maritimum</i> | | (Linnaeus) Koch |
| MATMA | | <i>Chamaemelum maritimum</i> | (Linnaeus) Boiss. |
| MATMA | | <i>Chamaemelum maritimum</i> | (Linnaeus) Willk. |
| MATMA | | <i>Chrysanthemum maritimum</i> | (Linnaeus) Cav. |
| MATMA | | <i>Chrysanthemum maritimum</i> | (Linnaeus) Persoon |
| MATMA | | <i>Matricaria maritima</i> | Linnaeus |
| MLAQU | <i>Melaleuca quinquenervia</i> | | (Cav.) Blake |
| MLAQU | | <i>Melaleuca leucadendra var. angustifolia</i> | L.f. |
| MLAQU | | <i>Melaleuca leucadendra var. coriacea</i> | (Poir.) Cheel |
| MLAQU | | <i>Melaleuca maidenii</i> | Baker |
| MLAQU | | <i>Melaleuca smithii</i> | Baker |
| MLAQU | | <i>Melaleuca viridiflora var. angustifolia</i> | (L.f.) Byrnes Erroneo |
| MLAQU | | <i>Melaleuca viridiflora var. rubriflora</i> | Pancher ex Brongn. y Gris |
| MLAQU | | <i>Metrosideros albida</i> | Sieber ex Decandolle |
| MLAQU | | <i>Metrosideros coriacea</i> | Poir. Erroneo |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|-------------------------------|---|------------------------|
| MLAQU | | <i>Metrosideros quinquenervia</i> | Cav. |
| MEOCO | <i>Melochia corchorifolia</i> | | Linnaeus |
| MEOCO | | <i>Melochia concatenata</i> | Linnaeus |
| MIKCO | <i>Mikania micrantha</i> | | Kunth |
| MIKCO | | <i>Eupatorium cordatum</i> | Burm. |
| MIKCO | | <i>Eupatorium volubile</i> | (Poep.) Vahl |
| MIKCO | | <i>Eupatorium volubile</i> | Norona |
| MIKCO | | <i>Kleinia alata</i> | Mey., 1818 |
| MIKCO | | <i>Knautia sagittata</i> | Blanco |
| MIKCO | | <i>Mikania alata</i> | Prodr., 1836 |
| MIKCO | | <i>Mikania cordata</i> | (Burm.) Rob. |
| MIKCO | | <i>Mikania glechomaefolia</i> | Sch. ex Wild., 1876 |
| MIKCO | | <i>Mikania orinocensis</i> | Nov. |
| MIKCO | | <i>Mikania scandens var. alata</i> | (Linnaeus) Wild., 1876 |
| MIKCO | | <i>Mikania scandens var. subcymosa</i> | (Linnaeus) Wild., 1876 |
| MIKCO | | <i>Mikania sinuata</i> | Rusby |
| MIKCO | | <i>Mikania subcrenata</i> | H. y A., 1836 |
| MIKCO | | <i>Mikania subcymosa</i> | Gard., 1847 |
| MIKCO | | <i>Mikania umbellifera</i> | Gard., 1845 |
| MIKCO | | <i>Mikania volubilis</i> | (Vahl) Willd. |
| MIKCO | | <i>Willoughbya micrantha</i> | Rusby, 1895 |
| MOOVA | <i>Monochoria vaginalis</i> | | (Burm.) Presl, 1827 |
| MOOVA | | <i>Boottia mairei</i> | Lev. |
| MOOVA | | <i>Gomphima vaginalis</i> | (Burm.) Raf. |
| MOOVA | | <i>Gomphima vaginalis</i> | Rafin., 1836 |
| MOOVA | | <i>Monochoria junghuhniana</i> | Hassk., 1852 |
| MOOVA | | <i>Monochoria linearis</i> | (Hassk.) Miq. |
| MOOVA | | <i>Monochoria linearis</i> | Miq., 1859 |
| MOOVA | | <i>Monochoria loureiroi</i> | Kunth |
| MOOVA | | <i>Monochoria ovata</i> | Kunth, 1843 |
| MOOVA | | <i>Monochoria pauciflora</i> | (Blume) Kunth |
| MOOVA | | <i>Monochoria pauciflora</i> | Kunth, 1843 |
| MOOVA | | <i>Monochoria plantaginea</i> | (Roxb.) Kunth |
| MOOVA | | <i>Monochoria plantaginea</i> | Kunth, 1843 |
| MOOVA | | <i>Monochoria vaginalis var. angustifolia</i> | Wang |
| MOOVA | | <i>Monochoria vaginalis var. pauciflora</i> | (Blume) Merr. |
| MOOVA | | <i>Monochoria vaginalis var. plantaginea</i> | (Roxb.) Solms |
| MOOVA | | <i>Pontederia alba</i> | Ham. ex Wall. |
| MOOVA | | <i>Pontederia cordata</i> | Lour. Erroneo |
| MOOVA | | <i>Pontederia lanceolata</i> | Wall. ex Kunth |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|-----------------------------|--|---|
| MOOVA | | <i>Pontederia linearis</i> | Hassk., 1842 |
| MOOVA | | <i>Pontederia loureiroana</i> | Schult. y Schult. |
| MOOVA | | <i>Pontederia ovata</i> | Hook. y Arn. Erroneo |
| MOOVA | | <i>Pontederia pauciflora</i> | Blume, 1827 |
| MOOVA | | <i>Pontederia plantaginea</i> | Roxb. 1832 |
| MOOVA | | <i>Pontederia racemosa</i> | Ham. ex Wall. |
| MOOVA | | <i>Pontederia vaginalis</i> | Burm., 1768 |
| MOOVA | | <i>Pontederia vaginata</i> | Royle |
| | | | (Nees) Hackel ex Arech., 1896 |
| STDTR | <i>Nassella trichotoma</i> | | |
| STDTR | | <i>Agrostis trichotoma</i> | Nees ex Trin. |
| STDTR | | <i>Oryzopsis trichotoma</i> | (Nees) Druce |
| STDTR | | <i>Piptochaetium trichotomum</i> | (Nees) Griseb. |
| STDTR | | <i>Stipa trichotoma</i> | Nees, 1829 |
| STDTR | | <i>Urachne trichotoma</i> | (Nees) Trin. |
| NESPA | <i>Neslia paniculata</i> | | (Linnaeus) Desv. |
| NESPA | | <i>Alyssum paniculatum</i> | Willd., 1809 |
| NESPA | | <i>Vogelia sagittata</i> | Medik., 1792 |
| NESPA | | <i>Myagrum paniculatum</i> | Linnaeus |
| ORACE | <i>Orobanche cernua</i> | | Loefl., 1758 |
| ORACE | | <i>Orobanche bicolor</i> | Meyer, 1830 |
| ORACE | | <i>Orobanche cernua var. cumana</i> | (Wallr.) Beck |
| ORACE | | <i>Orobanche cumana</i> | Wallr. |
| ORACE | | <i>Orobanche curviflora</i> | Viv., 1830 |
| ORACE | | <i>Orobanche gallica</i> | Grenier, 1839 |
| ORACE | | <i>Orobanche glauca</i> | Trautvetter, 1874 |
| ORACE | | <i>Orobanche hispanica</i> | Boissier, 1839 |
| ORACE | | <i>Orobanche nicotiana</i> | Wight, 1850 |
| | | | |
| ORACE | | <i>Orobanche pogonanthera</i> | Reuter en Decandolle, 1847 |
| ORYLO | <i>Oryza longistaminata</i> | | Chev. y Roehr., 1914 |
| | | | |
| ORYLO | | <i>Oryza barthii sensu</i> | Hutch. y Dalz., 1836 non Chev. |
| ORYLO | | <i>Oryza dewildemanii</i> | Vanderyst, 1920 |
| ORYLO | | <i>Oryza perennis</i> | Wild, 1965 |
| ORYLO | | <i>Oryza sylvestris</i> | Chev., 1911 |
| ORYPU | <i>Oryza punctata</i> | | Kotschy ex Steud. |
| ORYPU | | <i>Oryza eichingeri var. longearistata</i> | Peter |
| | | | |
| ORYPU | | <i>Oryza sativa var. punctata</i> | (Kotschy ex Steud.) Kotschy y Schweinf. |
| | | | |
| ORYPU | | <i>Oryza sativa var. punctata</i> | (Kotschy ex Steud.) Schweinf. |
| ORYPU | | <i>Oryza schweinfurthiana</i> | Prodehl |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | |
|-------|---|---------------------------------------|
| ORYRU | <i>Oryza rufipogon</i> | Griffiths |
| ORYRU | <i>Oryza aquatica</i> | Rosh. |
| ORYRU | <i>Oryza cubensis</i> | Eckman ex Gotoh y Okura |
| ORYRU | <i>Oryza fatua</i> | Koenig ex Trin. nomen nudum |
| ORYRU | <i>Oryza formosana</i> | Masamune et Suzuki |
| ORYRU | <i>Oryza glumaepatula</i> | Steud. |
| ORYRU | <i>Oryza paraguayensis</i> | Wedd. ex Fourn |
| ORYRU | <i>Oryza sativa subsp. <i>rufipogon</i></i> | (Griff.) de Wet |
| ORYRU | <i>Oryza sativa var. <i>abuensis</i></i> | Watt |
| ORYRU | <i>Oryza sativa var. <i>bengalensis</i></i> | Watt |
| ORYRU | <i>Oryza sativa var. <i>coarctata</i></i> | Watt |
| ORYRU | <i>Oryza sativa var. <i>fatua</i></i> | Prain |
| ORYRU | <i>Oryza sativa var. <i>paraguayensis</i></i> | Parodi |
| ORYRU | <i>Oryza sativa var. <i>rubribarbis</i></i> | Desv. |
| ORYRU | <i>Oryza sativa var. <i>rufipogon</i></i> | (Griff.) Watt |
| ORYRU | <i>Oryza sativa var. <i>savannae</i></i> | Korn. |
| ORYRU | <i>Oryza sativa var. <i>sundensis</i></i> | Korn. |
| PASSC | <i>Paspalum scrobiculatum</i> | Linnaeus |
| PASSC | <i>Paspalum akoense</i> | Hay. |
| PASSC | <i>Paspalum auriculatum</i> | |
| PASSC | <i>Paspalum barbatum</i> | Schum. |
| PASSC | <i>Paspalum cartilagineum var. <i>horneri</i></i> | |
| PASSC | <i>Paspalum commersonii</i> | Lam. |
| PASSC | <i>Paspalum horneri var. <i>lanceolatum</i></i> | |
| PASSC | <i>Paspalum lamprocaryon</i> | |
| PASSC | <i>Paspalum orbiculare</i> | Forst. |
| PASSC | <i>Paspalum polystachyum</i> | Br. |
| PASSC | <i>Paspalum zollingeri var. <i>bispicatum</i></i> | |
| PESMA | <i>Pennisetum macrourum</i> | Trin. |
| PESMA | <i>Pennisetum angolense</i> | Rendle |
| PESMA | <i>Pennisetum giganteum</i> | Rich. |
| PESMA | <i>Pennisetum quartinianum</i> | Rich. |
| PESPE | <i>Pennisetum pedicellatum</i> | Trin. |
| PESPE | <i>Eriocheta secundiflora</i> | Figari y De Notaris |
| PESPE | <i>Pennisetum amoenum</i> | Rich. |
| PESPE | <i>Pennisetum densiflorum</i> | (Figari y De Notaris) Durand y Schinz |
| PESPE | <i>Pennisetum dillonii</i> | Steud. |
| PESPE | <i>Pennisetum implicatum</i> | Steud. |
| PESPE | <i>Pennisetum lanuginosum</i> | Hochst. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | |
|-------|--|----------------------------------|
| PESPO | <i>Pennisetum polystachion</i> | (Linnaeus, 1759) Schultes (1824) |
| PESPO | <i>Panicum polystachion</i> | Linnaeus, 1759 |
| PESPO | <i>Cenchrus setosus</i> | Swartz, 1788 |
| PESPO | <i>Panicum cenchroides</i> | Rich., 1792 |
| PESPO | <i>Pennisetum setosum</i> | (Swartz) Rich., 1805 |
| PESPO | <i>Panicum erubescens</i> | Willd., 1809 |
| PESPO | <i>Panicum densispica</i> | Poir. in Lam. 1816 |
| PESPO | <i>Panicum triticoides</i> | Poir. in Lam. 1816 |
| PESPO | <i>Panicum longisetum</i> | Poir. in Lam. 1816 |
| PESPO | <i>Pennisetum purpuracens</i> | H.B.K., 1816 |
| PESPO | <i>Pennisetum uniflorum</i> | H.B.K., 1816 |
| PESPO | <i>Panicum barbatum</i> | Roxb., 1820 |
| PESPO | <i>Gymnothrix geniculata</i> | Schult., 1824 |
| PESPO | <i>Panicum subangustum</i> | Schum., 1827 |
| PESPO | <i>Panicum cauda-ratti</i> | Schum., 1827 |
| PESPO | <i>Pennisetum richardii</i> | Kunth, 1829 |
| PESPO | <i>Pennisetum sieberi</i> | Kunth, 1829 |
| PESPO | <i>Pennisetum hirsutum</i> | Nees, 1820 |
| PESPO | <i>Pennisetum pallidum</i> | Nees, 1820 |
| PESPO | <i>Pennisetum flavescent</i> | Presl., 1830 |
| PESPO | <i>Pennisetum borbonicum</i> | Kunth, 1830 |
| PESPO | <i>Pennisetum gracile</i> | Benth. in Hook., 1849 |
| PESPO | <i>Pennisetum elegans</i> | Nees ex Steud., 1854 |
| PESPO | <i>Pennisetum nicaraguense</i> | Fourn., 1880 |
| PESPO | <i>Pennisetum reversum</i> | Hack. ex Buettn., 1890 |
| PESPO | <i>Pennisetum cauda-ratti</i> | (Schum.) Franch., 1895 |
| PESPO | <i>Pennisetum reversum var. gymnochaeum</i> | Hack., 1901 |
| PESPO | <i>Pennisetum stenostachyum</i> | Peter in Feddes, 1931 |
| PESPO | <i>Pennisetum subangustum</i> | (Schum.) Stapf y Hubbard, 1933 |
| PESPO | <i>Pennisetum atrichum</i> | Stapf y Hubbard, 1933 |
| PESPO | <i>Pennisetum polystachion ssp. setosum</i> | (Swartz) Brunken, 1979 |
| PESPO | <i>Pennisetum polystachion ssp. atrichum</i> | (Stapf y Hubbard) Brunken, 1979 |
| PESPO | <i>Pennisetum tenuispiculata</i> | Steud (1854) |
| POLBA | <i>Polygonum barbatum</i> | Linnaeus |
| POLBA | <i>Persicaria barbata</i> | (Linnaeus) Hara |
| POLBA | <i>Polygonum serratum</i> | Lagasca |
| POLBA | <i>Polygonum stagninum</i> | Meisner |
| POLCO | <i>Polygonum convolvulus</i> | Linnaeus |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|-------|--------------------------------|--|--------------------|
| POLCO | | <i>Bilderdykia convolvulus</i> | (Linnaeus) Dumort. |
| POLCO | | <i>Fagopyrum convolvulus</i> | (Linnaeus) Gross |
| POLCO | | <i>Fallopia convolvulus</i> | (Linnaeus) Love |
| POLCO | | <i>Tiniaria convolvulus</i> | Webb. y Moq. |
| POLLA | <i>Polygonum lapathifolium</i> | | Linnaeus |
| POLLA | | <i>Persicaria lapatifol</i> | |
| POLLA | | <i>Persicaria nodosum</i> | Persoon |
| POLLA | | <i>Polygonum andrzewskianum</i> | Klokov |
| POLLA | | <i>Polygonum brittingeri</i> | Opiz |
| POLLA | | <i>Polygonum hypanicum</i> | Klokov |
| POLLA | | <i>Polygonum incanum</i> | Schmidt |
| POLLA | | <i>Polygonum linicola</i> | Sutulov |
| POLLA | | <i>Polygonum paniculatum</i> | Andrz. |
| POLLA | | <i>Polygonum zaporoviense</i> | Klokov |
| POLLA | | <i>Persicaria incarnata</i> | (Ell.) Small |
| POLLA | | <i>Persicaria lapathifolia</i> | (Linnaeus) Gray |
| POLLA | | <i>Persicaria tomentosa</i> | (Schrank) Bickn. |
| POLLA | | <i>Polygonum incanum</i> | Schmidt |
| POLLA | | <i>Polygonum incarnatum</i> | Ell. |
| POLLA | | <i>Polygonum lapathifolium var. incanum</i> | (Schmidt) Koch |
| POLLA | | <i>Polygonum lapathifolium var. nodosum</i> | (Persoon) Small |
| POLLA | | <i>Polygonum lapathifolium var. ovatum</i> | Braun |
| POLLA | | <i>Polygonum lapathifolium subsp. pallidum</i> | (With.) Fries |
| POLLA | | <i>Polygonum lapathifolium var. prostratum</i> | Wimmer |
| POLLA | | <i>Polygonum lapathifolium var. salicifolium</i> | Sibthorp |
| POLLA | | <i>Polygonum nodosum</i> | Persoon |
| POLLA | | <i>Polygonum oneillii</i> | Brenckle |
| POLLA | | <i>Polygonum pensylvanicum subsp. oneillii</i> | (Brenckle) Hulten |
| POLLA | | <i>Polygonum scabrum</i> | Moench |
| POLLA | | <i>Polygonum tomentosum</i> | Schrank |
| RANRE | <i>Ranunculus repens</i> | | Linnaeus |
| RANRE | | <i>Ranunculus repens var. degeneratus</i> | Schur |
| RANRE | | <i>Ranunculus repens var. erectus</i> | DeCandolle |
| RANRE | | <i>Ranunculus repens var. glabratu</i> s | DeCandolle |
| RANRE | | <i>Ranunculus repens var. linearilobu</i> s | DeCandolle |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|------------------------------------|--|-------------------------------|
| RANRE | | <i>Ranunculus repens</i> var. <i>pleniflorus</i> | Fern. |
| RANRE | | <i>Ranunculus repens</i> var. <i>typicus</i> | Beck |
| RANRE | | <i>Ranunculus repens</i> var. <i>villosus</i> | Lamotte |
| RCHBR | <i>Richardia brasiliensis</i> | | Gomes, 1801 |
| RCHBR | | <i>Richardia adscendens</i> | (DeCandolle) Steud |
| RCHBR | | <i>Richardia emetica</i> | (Mart.) Schult. |
| RCHBR | | <i>Richardia pilosa</i> | Ruia y Pav., 1802 |
| RCHBR | | <i>Richardia rosea</i> | (Hil.) Schult., 1829 |
| RCHBR | | <i>Richardia rosea</i> f. <i>albiflora</i> | Kuntze |
| RCHBR | | <i>Richardia rosea</i> f. <i>lilacina</i> | Kuntze |
| RCHBR | | <i>Richardia sericea</i> | Walp. |
| RCHBR | | <i>Richardia villosa</i> | Sesse y Mog. ex DeCandolle |
| RCHBR | | <i>Richardsonia adscendens</i> | DeCandolle |
| RCHBR | | <i>Richardsonia brasiliensis</i> | (Gomes) Klotzsch |
| RCHBR | | <i>Richardsonia brasiliensis</i> | (Gomes) Hayne, 1822 |
| RCHBR | | <i>Richardsonia brasiliensis</i> var. <i>Dubia</i> | Beauverd y Felipp. |
| RCHBR | | <i>Richardsonia emetica</i> | Mart. |
| RCHBR | | <i>Richardsonia rosea</i> | Hil. |
| RCHBR | | <i>Richardsonia scabra</i> | Hil., 1827 |
| RCHBR | | <i>Richardsonia sericea</i> | Walp. |
| RCHBR | | <i>Spermacoce adscendens</i> | Pav. ex Decandolle |
| RCHBR | | <i>Spermacoce hexandra</i> | Rich. |
| ROOEX | <i>Rottboellia cochinchinensis</i> | | (Lour.) Clayton (1981) |
| ROOEX | | <i>Aegilops exaltata</i> | Linnaeus |
| ROOEX | | <i>Manisuris exaltata</i> | (Linnaeus) Kuntze |
| ROOEX | | <i>Manisuris exaltata</i> | Kuntze (1891) |
| ROOEX | | <i>Ophiurus appendiculatus</i> | Steud. |
| ROOEX | | <i>Rottboellia arundinacea</i> | Hochst. ex Rich (1851) |
| ROOEX | | <i>Rottboellia denudata</i> | Steud. (1854) |
| ROOEX | | <i>Rottboellia exaltata</i> | (Linnaeus) L. f. |
| ROOEX | | <i>Rottboellia exaltata</i> | L. f., 1781 |
| ROOEX | | <i>Rottboellia setosa</i> | Presl ex Presl |
| ROOEX | | <i>Stegosia conchinensis</i> | Lour. (1790) |
| ROOEX | | <i>Stegosia exaltata</i> | Nash (1909) |
| SACSP | <i>Saccharum spontaneum</i> | | Linnaeus, 1771 |
| SACSP | | <i>Imperata spontanea</i> | (Linnaeus, 1771) Beauv., 1812 |
| SACSP | | <i>Saccharum aegyptium</i> | Wild., 1809 |
| SACSP | | <i>Saccharum biflorum</i> | Forssk., 1775 |
| SACSP | | <i>Saccharum canaliculatum</i> | Roxb. |
| SACSP | | <i>Saccharum insulare</i> | Brongn. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|------------------------------------|--|---------------------------------|
| SACSP | | <i>Saccharum palisotii</i> | Tausch |
| SACSP | | <i>Saccharum propinquum</i> | Steud. |
| SACSP | | <i>Saccharum punctatum</i> | Schumach. |
| SACSP | | <i>Saccharum semidecumbens</i> | Roxb., 1820 |
| SASVE | <i>Salsola vermiculata</i> | | Linnaeus |
| SASVE | | <i>Salsola agrigentina</i> | Guss. |
| SASVE | | <i>Salsola damascena</i> | Botsch. |
| SASVE | | <i>Salsola flavescens</i> | Cav. |
| SASVE | | <i>Salsola hispanica</i> | Botsch. |
| SASVE | | <i>Salsola rigida</i> var. <i>tenuifolia</i> | Boissier |
| SASVE | | <i>Salsola tamariscifolia</i> | (Linnaeus) Lag. |
| SASVE | | <i>Salsola vermiculata</i> ssp. <i>tenuifolia</i> | (Boissier) Botsch. |
| SCPJU | <i>Schoenoplectiella juncoides</i> | | (Roxb.) Lye |
| SCPJU | | <i>Hymenochaeta juncoides</i> | (Roxb.) Nakai |
| SCPJU | | <i>Schoenoplectus juncoides</i> | (Roxb.) Palla |
| SCPJU | | <i>Schoenoplectus juncoides</i> subsp. <i>ohwianus</i> | (Koyama) Sojak |
| SCPJU | | <i>Schoenoplectus juncoides</i> subsp. <i>rockii</i> | (KUK.) Sojak |
| SCPJU | | <i>Schoenoplectus ohwianus</i> | (Koyama) Holub |
| SCPJU | | <i>Scirpus donianus</i> | Spreng. |
| SCPJU | | <i>Scirpus junciformis</i> | Nees Erroneo |
| SCPJU | | <i>Scirpus juncoides</i> | Roxb. |
| SCPJU | | <i>Scirpus luzonensis</i> | Presl y Presl |
| SCPJU | | <i>Scirpus ohwianus</i> | Koyama |
| SCPJU | | <i>Scirpus quadrangulus</i> | Don |
| SCPJU | | <i>Scirpus rockii</i> | Kuk. |
| SCPJU | | <i>Scirpus subquadrangularis</i> | Makino |
| SCPJU | | <i>Scirpus supinus</i> var. <i>elatior</i> | Boeckeler |
| SCPJU | | <i>Scirpus timorensis</i> | Kunth |
| SENVU | <i>Senecio vulgaris</i> | | Linnaeus, 1753 |
| SENVU | | <i>Erigeron senecio</i> | Sch. ex Webb y Berthel. |
| SENVU | | <i>Senecio vulgari-humilis</i> | Batt. y Trab. |
| SETPF | <i>Setaria pumila</i> | | (Poir.) Roemer y Schultes, 1817 |
| SETPF | | <i>Chaetochloa glauca</i> | (Linnaeus) Scribn., 1897 |
| SETPF | | <i>Chamaeraphis glauca</i> | (Linnaeus) Ktze., 1981 |
| SETPF | | <i>Ixophorus glaucus</i> | (Linnaeus) Nash, 1895 |
| SETPF | | <i>Panicum flavescens</i> | Moench., 1794 |
| SETPF | | <i>Panicum glaucum</i> | Linnaeus, 1753 |
| SETPF | | <i>Panicum glaucum</i> | Nees, 1841 |
| SETPF | | <i>Panicum holcoides</i> | Jacq., 1920 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|----------------------------|-------------------------------|-----------------------------------|
| SETPF | | <i>Panicum lutescens</i> | Weig., 1992 |
| SETPF | | <i>Panicum pallide-fuscum</i> | Schummach., 1827 |
| SETPF | | <i>Panicum penicillatum</i> | Nees, 1843 |
| SETPF | | <i>Panicum pumilum</i> | Poir., 1816 |
| SETPF | | <i>Panicum rubiginosum</i> | Steud., 1854 |
| SETPF | | <i>Pennisetum glaucum</i> | (Linnaeus) Br., 1810 |
| SETPF | | <i>Setaria erythraeae</i> | Mattei, 1910 |
| SETPF | | <i>Setaria flava</i> | Merr., 1906 |
| SETPF | | <i>Setaria glauca</i> | Hack, 1884 |
| SETPF | | <i>Setaria glauca</i> | (Linnaeus) Beauv., 1812 |
| SETPF | | <i>Setaria humifusa</i> | Dumort., 1823 |
| SETPF | | <i>Setaria imberbis</i> | Dur., 1894 |
| SETPF | | <i>Setaria lutescens</i> | (Weig.) Hubb., 1916 |
| | | | (Schumach.) Stapf y Hubbard, 1930 |
| SETPF | | <i>Setaria pallide-fusca</i> | |
| SETPF | | <i>Setaria penicillata</i> | Chiov., 1908 |
| SETPF | | <i>Setaria rubiginosa</i> | (Steud.) Miq., 1857 |
| SETPF | | <i>Setaria sciuroidea</i> | Mull., 1861 |
| SETPF | | <i>Setaria ustilata</i> | de Wit, 1941 |
| SILNO | <i>Silene noctiflora</i> | | Linnaeus |
| SILNO | | <i>Cucubalus noctiflorus</i> | (Linnaeus) Miller |
| SILNO | | <i>Elisanthe noctiflora</i> | (Linnaeus) Rupr., 1860 |
| | | | |
| SILNO | | <i>Lychnis noctiflora</i> | (Linnaeus) Schreb., 1771 |
| SILNO | | <i>Melandrium noctiflorum</i> | (Linnaeus) Fries, 1842 |
| | | | |
| SILNO | | <i>Saponaria noctiflora</i> | (Linnaeus) Fenzl en Endl. |
| SILNO | | <i>Silene pauciflora</i> | Kitt., 1863 |
| SILNO | | <i>Silene viscida</i> | Moench, 1794 |
| SLYMA | <i>Silybum Marianum</i> | | (Linnaeus) Gaertn. |
| SLYMA | | <i>Carduus lactifolius</i> | Stokes |
| SLYMA | | <i>Carduus mariae</i> | Crantz |
| SLYMA | | <i>Carduus marianus</i> | Linnaeus |
| SLYMA | | <i>Carduus versicolor</i> | Salisb. |
| SLYMA | | <i>Carthamus maculatus</i> | (Scop.) Lam. |
| SLYMA | | <i>Centaurea dalmatica</i> | Fraas |
| SLYMA | | <i>Cirsium maculatum</i> | Scop. |
| SLYMA | | <i>Mariana lactea</i> | Hill |
| SLYMA | | <i>Mariana mariana</i> | (Linnaeus) Hill |
| SLYMA | | <i>Silybum maculatum</i> | (Scop.) Moench |
| SLYMA | | <i>Silybum mariae</i> | (Crantz) Gray |
| SLYMA | | <i>Silybum pygmaeum</i> | Cass. |
| SOLCA | <i>Solanum carolinense</i> | | Linnaeus (1753) |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------|----------------------------|--|-------------------------------|
| SOLCA | | <i>Solanum carolinense f. albiflorum</i> | (Kuntze) Benke |
| SOLCA | | <i>Solanum carolinense var. albiflorum</i> | Kuntze |
| SOLCA | | <i>Solanum carolinense var. floridanum</i> | (Dunal) Chapm. |
| SOLCA | | <i>Solanum carolinense var. pohlianum</i> | Dunal |
| SOLCA | | <i>Solanum floridanum</i> | Raf. |
| SOLCA | | <i>Solanum floridanum</i> | Shuttlew. ex Dunal |
| SOLCA | | <i>Solanum godfreyi</i> | Shinners |
| SOLCA | | <i>Solanum pleei</i> | Dunal |
| SOLPT | <i>Solanum ptycanthum</i> | | Dunal |
| SOLPT | | <i>Solanum americanum</i> | Auct. non Miller |
| SOLPT | | <i>Solanum nigrum</i> | Auct. non Linnaeus |
| SOLPT | | <i>Solanum ptychanthum</i> | Dunal |
| SOLVI | <i>Solanum viarum</i> | | Dunal |
| SOLVI | | <i>Solanum chloranthum</i> | DeCandolle |
| SOLVI | | <i>Solanum khasianum var. chatterjeeanum</i> | Sengupta y Sengupta |
| SOLVI | | <i>Solanum viridiflorum</i> | Schltdl. |
| SONAR | <i>Sonchus arvensis</i> | | Linnaeus, 1753 |
| SONAR | | <i>Hieracium arvense</i> | (Linnaeus, 1753) Scop. |
| SONAR | | <i>Sonchus decorus</i> | |
| SONAR | | <i>Sonchus hispidus</i> | Gilib. |
| SONAR | | <i>Sonchus ketzkhovelii</i> | Schchian |
| SONAR | | <i>Sonchus vulgaris</i> | Rouy |
| STRAN | <i>Striga angustifolia</i> | | (Don) Saldanha, 1963 |
| STRAN | | <i>Buchnera angustifolia</i> | Benth., 1825 |
| STRAN | | <i>Buchnera euphrasioides</i> | (Benth., 1835) not Vahl, 1794 |
| STRAN | | <i>Striga euphrasioides</i> | (Benth., 1835) Benth., 1836 |
| STRLU | <i>Striga asiatica</i> | | (Linnaeus, 1753) Kuntze, 1891 |
| STRLU | | <i>Buchnera asiatica</i> | Linnaeus, 1753 |
| STRLU | | <i>Buchnera coccinea</i> | Benth., 1835 |
| STRLU | | <i>Buchnera hirsuta</i> | Benth., 1835 |
| STRLU | | <i>Campuleia coccinea</i> | Hook. |
| STRLU | | <i>Striga coccinea</i> | (Benth., 1835) Benth., 1836 |
| STRLU | | <i>Striga gracilis</i> | Miq. |
| STRLU | | <i>Striga hirsuta</i> | |
| STRLU | | <i>Striga lutea</i> | Lour. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------|--------------------------------|-------------------------------|
| STRLU | | <i>Striga parvula</i> | Miq. |
| STRLU | | <i>Striga phoenicea</i> | Benth., 1835 |
| STRLU | | <i>Striga pusila</i> | Hochst. |
| STRLU | | <i>Striga spanopheana</i> | Miq. |
| STRLU | | <i>Striga zangebarica</i> | Klotzsch |
| STRDE | <i>Striga densiflora</i> | | (Benth., 1835) Benth., 1863 |
| STRDE | | <i>Buchnera densiflora</i> | Benth., 1835 |
| STRHE | <i>Striga hermonthica</i> | | (Del., 1813) Benth., 1836 |
| STRHE | | <i>Buchnera hermontheca</i> | Del., 1813 |
| STRHE | | <i>Striga hermontheca</i> | (Del., 1813) Benth., 1836 |
| STRHE | | <i>Striga senegalensis</i> | Benth., 1846 |
| THMQU | <i>Themeda quadrivalvis</i> | | (Linnaeus) Kuntze |
| THMQU | | <i>Andropogon quadrivalvis</i> | Linnaeus |
| THLAR | <i>Thlaspi arvense</i> | | Linnaeus (1753) |
| THLAR | | <i>Teruncius arvensis</i> | (Linnaeus) Lunell |
| THLAR | | <i>Thlaspi baicalense</i> | DeCandolle |
| THLAR | | <i>Thlaspi collinum</i> | Bieb. |
| THLAR | | <i>Thlaspi strictum</i> | Dalla Torre y Sarnth. |
| THLAR | | <i>Thlaspidea arvensis</i> | (Linnaeus) Opiz |
| ULEEU | <i>Ulex europaeus</i> | | Linnaeus |
| ULEEU | | <i>Ulex armoricanus</i> | Lion |
| ULEEU | | <i>Ulex armoricanus</i> | Mabille |
| ULEEU | | <i>Ulex compositus</i> | Moench |
| ULEEU | | <i>Ulex europaea</i> | Linnaeus |
| ULEEU | | <i>Ulex floridus</i> | Salisb. |
| ULEEU | | <i>Ulex hibernicus</i> | Don |
| ULEEU | | <i>Ulex major</i> | Thore |
| ULEEU | | <i>Ulex opistholepis</i> | Webb |
| ULEEU | | <i>Ulex strictus</i> | Schischk. y Kom. |
| ULEEU | | <i>Ulex strictus</i> | Mackay |
| ULEEU | | <i>Ulex vernalis</i> | Thore |
| UROCPE | <i>Urocarpidium peruvianum</i> | | (Linnaeus, 1753) Krapov. |
| UROCPE | | <i>Fuertesimalva peruviana</i> | (Linnaeus) Fryxell, 1996 |
| UROCPE | | <i>Malva peruviana</i> | Linnaeus, 1753 |
| UROCPE | | <i>Malvastrum peruvianum</i> | (Linnaeus, 1753) Gray, 1854 |
| UROCP | | <i>Malveopsis peruviana</i> | (Linnaeus, 1753) Kuntze, 1898 |
| UROPA | <i>Urochloa panicoides</i> | | Beauv. |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------------------------|---------------------------|--------------------------------|--------------------------------------|
| UROPA | | <i>Panicum controversum</i> | Steud. |
| UROPA | | <i>Panicum helopus</i> | Trin. |
| UROPA | | <i>Panicum urochloa</i> | Desv. |
| UROPA | | <i>Urochloa helopus</i> | (Trin.) Stapf. |
| VAAPY | <i>Vaccaria hispanica</i> | | (Miller) Rauschert |
| VAAPY | | <i>Gypsophila vaccaria</i> | Sibthorp y Smith |
| VAAPY | | <i>Saponaria vaccaria</i> | Linnaeus |
| VAAPY | | <i>Vaccaria parviflora</i> | Moench |
| VAAPY | | <i>Vaccaria pyramidata</i> | Medik. |
| VAAPY | | <i>Vaccaria segetalis</i> | (Neck.) Garcke |
| VAAPY | | <i>Vaccaria segetalis</i> | Garcke ex Aschers. |
| VAAPY | | <i>Vaccaria vaccaria</i> | (Linnaeus) Britt. |
| VAAPY | | <i>Vaccaria vulgaris</i> | Host |
| КРУГЛЫЕ ЧЕРВИ | | | |
| ANGUAG | <i>Anguina agrostis</i> | | (Steinbuch, 1799) Filipjev, 1936 |
| ANGUAG | | <i>Anguillula agrostidis</i> | (Steinbuch, 1799) Warming, 1877 |
| ANGUAG | | <i>Anguillula agrostis</i> | (Steinbuch, 1799) Ehrenberg, 1838 |
| ANGUAG | | <i>Anguillula phalaridis</i> | (Steinbuch, 1799) Ehrenberg, 1838 |
| ANGUAG | | <i>Anguillulina agrostis</i> | (Steinbuch, 1799) Goodey, 1932 |
| ANGUAG | | <i>Anguillulina phalaridis</i> | (Steinbuch, 1799) Goodey, 1932 |
| ANGUAG | | <i>Anguina funesta</i> | Price et al., 1979 |
| ANGUAG | | <i>Anguina lolii</i> | Price, 1973 (nomen nudum) |
| ANGUAG | | <i>Anguina phalaridis</i> | (Steinbuch, 1779) Chizhov, 1980 |
| ANGUAG | | <i>Anguina poophila</i> | Kiryanova, 1952 |
| ANGUAG | | <i>Tylenchus agrostidis</i> | Bastian, 1865 |
| ANGUAG | | <i>Tylenchus agrostis</i> | (Steinbuch, 1799) Goodey, 1930 |
| ANGUAG | | <i>Tylenchus phalaridis</i> | (Steinbuch, 1799) Orley, 1880 |
| ANGUAG | | <i>Tylenchus phlei</i> | Horn, 1888 |
| ANGUAG | | <i>Vibrio agrostis</i> | Steinbuch, 1799 |
| ANGUAG | | <i>Vibrio phalaridis</i> | Steinbuch, 1799 |
| ANGUTR | <i>Anguina tritici</i> | | (Steinbuch, 1799) Chitwood, 1935 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------------|--|---|
| ANGUTR | | <i>Anguillula tritici</i> | Grube, 1849 |
| ANGUTR | | <i>Anguillulina tritici</i> | (Steinbuch) Gervais y van Beneden, 1859 |
| ANGUTR | | <i>Rhabditis tritici</i> | Dujardin, 1845 |
| ANGUTR | | <i>Tylenchus scandens</i> | (Schneider) Cobb |
| ANGUTR | | <i>Tylenchus tritici</i> | (Steinbuch) Bastian, 1865 |
| ANGUTR | | <i>Vibrio tritici</i> | Dujardin, 1845 |
| APLOBE | <i>Aphelenchoides besseyi</i> | | Christie, 1942 |
| APLOBE | | <i>Aphelenchoides oryzae</i> | Yokoo, 1948 |
| APLOBE | | <i>Asteroaphelenchoides besseyi</i> | (Christie, 1942) Drozdovski, 1967 |
| RHAACO | <i>Rhadinaphelenchus cocophilus</i> | | (Cobb, 1919) Goodey, 1960 |
| RHAACO | | <i>Aphelenchoides cocophilus</i> | (Cobb, 1919) Goodey, 1933 |
| RHAACO | | <i>Aphelenchus cocophilus</i> | Cobb, 1919 |
| RHAACO | | <i>Bursaphelenchus cocophilus</i> | (Cobb, 1919) Baujard, 1989 |
| RHAACO | | <i>Chitinoaphelenchus cocophilus</i> | (Cobb, 1919) Chitwood in Corbett, 1959 |
| APLOFR | <i>Aphelenchoides fragariae</i> | | (Ritzema-Bos, 1891) Christie, 1932 |
| APLOFR | | <i>Aphelenchoides olesistus</i> | (Ritzema-Bos, 1893) Steiner, 1932 |
| APLOFR | | <i>Aphelenchoides olesistus var. longicollis</i> | (Schwartz, 1911) Goodey, 1933 |
| APLOFR | | <i>Aphelenchoides pseudolesistus</i> | (Goodey, 1928) Goodey, 1933 |
| APLOFR | | <i>Aphelenchus fragariae</i> | Ritzema-Bos, 1891 |
| APLOFR | | <i>Aphelenchus olesistus</i> | Ritzema-Bos, 1893 |
| APLOFR | | <i>Aphelenchus olesistus var. longicollis</i> | Schwartz, 1911 |
| APLOFR | | <i>Aphelenchus pseudolesistus</i> | Goodey, 1928 |
| APLOPA | <i>Aphelenchoides parietinus</i> | | (Bastian, 1865) Steiner, 1932 |
| APLOPA | | <i>Aphelenchoides modestus</i> | de Man, 1876 |
| APLOPA | | <i>Aphelenchus aquaticus</i> | Micoletzky, 1917 |
| APLOPA | | <i>Aphelenchus littoralis</i> | Hofmaner in Hoffmanner y Menzel, 1915 |
| APLOPA | | <i>Aphelenchus parietinus</i> | Bastian, 1865 |
| APLOPA | | <i>Cephalobus alpinus</i> | Micoletzky, 1913 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|-----------------------------------|---|--|
| APLOPA | | <i>Tylenchus bulbosus</i> | Micoletzky, 1914 |
| APLORI | <i>Aphelenchoides ritzemabosi</i> | | (Schwartz, 1911) Steiner y Buhrer, 1932 |
| APLORI | | <i>Aphelenchoides ribes</i> | (Taylor, 1917) Goodey, 1933 |
| APLORI | | <i>Aphelenchus phyllophagus</i> | Stewart, 1921 |
| APLORI | | <i>Aphelenchus ribes</i> | (Taylor, 1917) Goodey, 1923 |
| APLORI | | <i>Aphelenchus ritzema-bosi</i> | (Schwartz, 1911) |
| APLORI | | <i>Pathoaphelenchus ritzemabosi</i> | (Schwartz, 1911) Steiner, 1932 |
| APLORI | | <i>Pseudaphelenchoides ritzemabosi</i> | (Schwartz, 1911) Drozdovski, 1967 |
| APLORI | | <i>Tylenchus ribes</i> | Taylor, 1917 |
| DITYAN | <i>Ditylenchus angustus</i> | | (Butler, 1913) Filipjev, 1936 |
| DITYAN | | <i>Anguillulina angusta</i> | (Butler, 1913) Goodey, 1932 |
| DITYAN | | <i>Tylenchus angustus</i> | Butler, 1913 |
| DITYDI | <i>Ditylenchus dipsaci</i> | | (Kuhn, 1857) Filip'ev, 1936 |
| DITYDI | | <i>Anguillula devastatrix</i> | KUhn, 1869 |
| DITYDI | | <i>Anguillula dipsaci</i> | Kuhn, 1857 |
| DITYDI | | <i>Anguillula secalis</i> | Nitschke, 1868 |
| DITYDI | | <i>Anguillulina allocatus</i> | Steiner, 1934 |
| DITYDI | | <i>Anguillulina communis</i> | Steiner y Scott, 1935 |
| DITYDI | | <i>Anguillulina dipsaci</i> | (KUhn, 1857) Gervais y van Beneden, 1859 |
| DITYDI | | <i>Anguillulina dipsaci var. communis</i> | Steiner y Scott, 1935 |
| DITYDI | | <i>Ditylenchus allocotus</i> | (Steiner, 1934) Filip'ev y Sch. |
| DITYDI | | <i>Ditylenchus amsinckiae</i> | (Steiner y Scott, 1935) Filip'ev y Sch. |
| DITYDI | | <i>Ditylenchus dipsaci var. tobaensis</i> | Schneider, 1937 |
| DITYDI | | <i>Ditylenchus falcariae</i> | Poghossian, 1967 |
| DITYDI | | <i>Ditylenchus fragariae</i> | Kir'yanova, 1951 |
| DITYDI | | <i>Ditylenchus galeopsidis</i> | Teploukhova in Paramonov, 1970 |
| DITYDI | | <i>Ditylenchus narcissi</i> | Ouboter, 1930 |
| DITYDI | | <i>Ditylenchus phloxidis</i> | Kirjanova, 1951 |
| DITYDI | | <i>Ditylenchus sonchophila</i> | Kirjanova in Paramonov, 1970 |
| DITYDI | | <i>Ditylenchus sonchophila</i> | Kir'yanova, 1951 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------------|--|---|
| DITYDI | | <i>Ditylenchus sonchophilus</i> | Kirjanova, 1958 (nomen nudum) |
| DITYDI | | <i>Ditylenchus trifolii</i> | Skarbilovich, 1958 |
| DITYDI | | <i>Tylenchus allii</i> | Beijerinck, 1883 |
| DITYDI | | <i>Tylenchus devastator</i> | |
| DITYDI | | <i>Tylenchus devastatrix</i> | (Kiihn) Oerley |
| DITYDI | | <i>Tylenchus dipsaci</i> | (Kuhn, 1857) Bastian, 1865 |
| DITYDI | | <i>Tylenchus havensteinii</i> | KUhn, 1881 |
| DITYDI | | <i>Tylenchus hyacinthi</i> | Prillieux, 1881 |
| DITYDI | | <i>Tylenchus putrefaciens</i> | Kuhn, 1879 |
| DITYDI | | <i>Tylenchus tobaensis</i> | Schneider, 1937 Erroneo |
| HETDPA | <i>Globodera pallida</i> | | (Stone, 1973) Behrens, 1975 |
| HETDPA | | <i>Heterodera pallida</i> | Stone, 1973 |
| HETDRO | <i>Globodera rostochiensis</i> | | (Wollenweber, 1923) Behrens, 1975 |
| HETDRO | | <i>Globodera rostochiensis</i> | (Wollenweber, 1923) Mulvey y Stone, 1976 |
| HETDRO | | <i>Globodera rostochiensis</i> | (Wollenweber, 1923) Skarbilovich, 1959 |
| HETDRO | | <i>Heterodera (Globodera) rostochiensis</i> | (Wollenweber, 1923) Skarbilovich, 1959 |
| HETDRO | | <i>Heterodera rostochiensis</i> | Wollenweber, 1923 |
| HETDRO | | <i>Heterodera schachtii rostochiensis</i> | Wollenweber, 1923 |
| HETDRO | | <i>Heterodera schachtii solani</i> | Zimmerman, 1927 |
| HETDRO | | <i>Heterodera solani</i> | Zimmerman, 1927 |
| HELYPS | <i>Helicotylenchus pseudorobustus</i> | | (Steiner, 1914) Golden, 1956 |
| HELYPS | | <i>Helicotylenchus bradys</i> | Thorne y Malek, 1968 |
| HELYPS | | <i>Helicotylenchus microlobus</i> | Perry in Perry et al., 1956 |
| HELYPS | | <i>Helicotylenchus phalerus</i> | Anderson, 1974 |
| HELYPS | | <i>Tylenchorhynchus robustus var. pseudorobustus</i> | (Steiner, 1914) Micoletzky, 1922 |
| HELYPS | | <i>Tylenchus (Tylenchorhynchus) pseudorobustus</i> | Steiner, 1914 |
| HELYPS | | <i>Tylenchus pseudorobustus</i> | Steiner, 1914 |
| HETDMA | <i>Heterodera avenae</i> | | Wollenweber, 1924 |
| HETDMA | | <i>Bidera avenae</i> | (Wollenweber, 1924) Krall y Krall, 1978 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-----------------------------|---|---------------------------------------|
| HETDMA | | <i>Bidera ustinovi</i> | (Kirjanova, 1969) Krall y Krall, 1978 |
| HETDMA | | <i>Heterodera major</i> | (Schmidt) Franklin |
| HETDMA | | <i>Heterodera schachtii maior</i> | (Schmidt, 1930) |
| HETDMA | | <i>Heterodera schachtii var. Avenae</i> | Wollenweber, 1924 |
| HETDMA | | <i>Heterodera ustinovi</i> | Kirjanova, 1969 |
| MELGIA | <i>Meloidogyne marioni</i> | | (Cornu, 1879) Chitwood y Oteifa, 1952 |
| MELGIA | | <i>Anguillula marioni</i> | Cornu, 1879 |
| MELGIA | | <i>Heterodera marioni</i> | (Cornu, 1879) Marcinowski, 1909 |
| MELGIA | | <i>Heterodera radicicola</i> | |
| MELGIA | | <i>Meloidogyne goeldi</i> | Lordello, 1951 |
| HETDSC | <i>Heterodera schachtii</i> | | Schmidt, 1871 |
| HETDSC | | <i>Heterobolbus schachtii</i> | (Schmidt, 1871) Railliet, 1896 |
| HETDSC | | <i>Heterodera schachtii minor</i> | Schmidt, 1930 |
| HETDSC | | <i>Tylenchus schachtii</i> | (Schmidt, 1871) Oerley, 1880 |
| LONGEL | <i>Longidorus elongatus</i> | | (de Man, 1876) Micoletzky, 1922 |
| LONGEL | | <i>Dorylaimus elongatus</i> | de Man, 1876 |
| LONGEL | | <i>Dorylaimus tenuis</i> | von Linstow, 1879 |
| LONGEL | | <i>Longidorus menthasolanus</i> | Konicek y Jensen, 1961 |
| LONGEL | | <i>Longidorus monohystera</i> | Altherr, 1953 |
| LONGEL | | <i>Trichodorus elongatus</i> | (de Man, 1876) Filipjev, 1921 |
| MELGAR | <i>Meloidogyne arenaria</i> | | (Neal, 1889) Chitwood, 1949 |
| MELGAR | | <i>Anguillula arenaria</i> | Neal, 1889 |
| MELGAR | | <i>Heterodera arenaria</i> | (Neal, 1889) Marcinowski, 1909 |
| MELGAR | | <i>Meloidogyne arenaria arenaria</i> | (Neal, 1889) Chitwood, 1949 |
| MELGAR | | <i>Meloidogyne arenaria thamesi</i> | Chitwood in Chitwood et al., 1952 |
| MELGAR | | <i>Meloidogyne thamesi</i> | (Chitwood et al., 1952) Goodey, 1963 |
| MELGAR | | <i>Tylenchus arenarius</i> | (Neal, 1889) Cobb, 1890 |
| MELGEX | <i>Meloidogyne exigua</i> | | Goeldi, 1892 |
| MELGEX | | <i>Heterodera exigua</i> | (Goeldi, 1892) Marcinowski, 1909 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------|--|---|
| MELGJA | <i>Meloidogyne javanica</i> | | (Treub, 1885) Chitwood, 1949 |
| MELGJA | | <i>Anguillula javanica</i> | (Treub, 1885) Lavergne, 1901 |
| MELGJA | | <i>Heterodera javanica</i> | Treub, 1885 |
| MELGJA | | <i>Meloidogyne javanica bauruensis</i> | Lordello, 1956 |
| MELGJA | | <i>Tylenchus javanica</i> | (Treub, 1885) Cobb, 1890 |
| PRATMU | <i>Pratylenchus coffeae</i> | | (Zimmermann, 1898) Filipjev y Stekhoven, 1941 |
| PRATMU | | <i>Anguillulina mahogani</i> | (Cobb, 1920) Goodey, 1932 |
| PRATMU | | <i>Pratylenchus mahogani</i> | (Cobb, 1920) Filipjev, 1936 |
| PRATMU | | <i>Pratylenchus musicola</i> | (Cobb, 1919) |
| PRATMU | | <i>Tylenchus coffeae</i> | Zimmermann, 1898 |
| PRATMU | | <i>Tylenchus mahogani</i> | Cobb, 1920 |
| PRATMU | | <i>Tylenchus musicola</i> | Cobb, 1919 |
| PRATPE | <i>Pratylenchus penetrans</i> | | (Cobb, 1917) Filipjev y Stekhoven, 1941 |
| PRATPE | | <i>Pratylenchus gulosus</i> | (KQhn, 1890) Filipjev y Stekhoven, 1941 |
| PRATPE | | <i>Tylenchus gulosus</i> | KQhn, 1890 |
| PRATPE | | <i>Tylenchus penetrans</i> | Cobb, 1917 |
| PRATPR | <i>Pratylenchus pratensis</i> | | (de Man, 1880) Filipjev, 1936 |
| PRATPR | | <i>Anguillulina pratensis</i> | (Goffart) Goffart |
| PRATPR | | <i>Tylenchus pratensis</i> | de Man, 1880 |
| PRATZE | <i>Pratylenchus zeae</i> | | Graham, 1951 |
| PRATZE | | <i>Pratylenchus indicus</i> | Das, 1960 |
| RADOSI | <i>Radopholus similis</i> | | (Cobb, 1893) Thorne, 1949 |
| RADOSI | | <i>Anguillulina acutocaudatus</i> | (Zimmermann, 1898) Goodey, 1932 |
| RADOSI | | <i>Anguillulina biformis</i> | (Cobb, 1909) Goodey, 1932 |
| RADOSI | | <i>Anguillulina granulosa</i> | (Cobb, 1893) Goodey, 1932 |
| RADOSI | | <i>Anguillulina similis</i> | |
| RADOSI | | <i>Radopholus acutocaudatus</i> | (Zimmermann, 1898) Siddiqi, 1986 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|----------------------------------|---------------------------------------|-----------------------------------|
| RADOSI | | <i>Radopholus biformis</i> | (Cobb, 1909) Siddiqi, 1986 |
| RADOSI | | <i>Radopholus citrophilus</i> | Huettel et al., 1984 |
| RADOSI | | <i>Radopholus granulosus</i> | (Cobb, 1893) Siddiqi, 1986 |
| RADOSI | | <i>Radopholus similis citrophilus</i> | Huettel et al., 1984 |
| RADOSI | | <i>Radopholus similis similis</i> | |
| RADOSI | | <i>Rotylenchus similis</i> | |
| RADOSI | | <i>Tetylenchus granulosus</i> | (Cobb, 1893) Filipjev, 1936 |
| RADOSI | | <i>Tylenchorhynchus acuticaudatus</i> | (Zimmermann, 1898) Filipjev, 1934 |
| RADOSI | | <i>Tylenchus acuticaudatus</i> | Zimmermann, 1898 |
| RADOSI | | <i>Tylenchus biformis</i> | Cobb, 1909 |
| RADOSI | | <i>Tylenchus granulosus</i> | Cobb, 1893 |
| RADOSI | | <i>Tylenchus similis</i> | Cobb, 1893 |
| ROTYPA | <i>Rotylenchulus parvus</i> | | (Williams, 1960) Sher, 1961 |
| ROTYPA | | <i>Helicotylenchus parvus</i> | Williams, 1960 |
| SCUNBC | <i>Scutellonema brachyurus</i> | | (Steiner, 1938) Andrassy, 1958 |
| SCUNBC | | <i>Rotylenchus brachyurus</i> | Steiner, 1938 |
| SCUNBC | | <i>Rotylenchus coheni</i> | Goodey, 1952 |
| SCUNBC | | <i>Scutellonema bangalorensis</i> | |
| SCUNBC | | <i>Scutellonema boocki</i> | Lordello, 1957 |
| SCUNBC | | <i>Scutellonema brachyurum</i> | (Steiner, 1938) Andrassy, 1958 |
| SCUNBC | | <i>Scutellonema coheni</i> | (Goodey, 1952) Andrassy, 1958 |
| SCUNBC | | <i>Scutellonema conicaudatum</i> | |
| SCUNBC | | <i>Scutellonema orientale</i> | Rashid y Khan, 1974 |
| SCUNBC | | <i>Scutellonema rami</i> | Verma, 1972 |
| SCUNBC | | <i>Scutellonema sheri</i> | Edward y Rai, 1970 |
| TYLRCL | <i>Tylenchorhynchus claytoni</i> | | Steiner, 1937 |
| TYLRCL | | <i>Tessellus claytoni</i> | Jairajpuri y Hunt, 1984 |
| XIPHCO | <i>Xiphinema coxi</i> | | Tarjan, 1964 |
| XIPHCO | | <i>Xiphinema europaeum</i> | Sturhan, 1985 |
| XIPHD1 | <i>Xiphinema diversicaudatum</i> | | (Micoletzky, 1927) Thorne, 1939 |
| XIPHD1 | | <i>Diversiphinema diversicaudatum</i> | (Micoletzky, 1927) |
| XIPHD1 | | <i>Dorylaimus diversicaudatus</i> | Micoletzky, 1927 |
| XIPHD1 | | <i>Dorylaimus elongatus apud</i> | Micoletzky, 1923 |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|-------------------|--|--|---|
| XIPHDI | | <i>Longidorus diversicaudatus</i> | (Micoletzky, 1927) Thorne y Swanger, 1936 |
| XIPHDI | | <i>Longidorus elongatus apud</i> | (Micoletzky, 1923) |
| XIPHDI | | <i>Xiphinema diversicaudatum</i> | (Micoletzky, 1927) Cohn y Sher, 1972 |
| XIPHDI | | <i>Xiphinema amaranthum</i> | Macara, 1970 |
| XIPHDI | | <i>Xiphinema basiri apud</i> | Javed, 1983 |
| XIPHDI | | <i>Xiphinema israeliae apud</i> | (Cohn, 1969) Cohn y Mordechai, 1969 |
| XIPHDI | | <i>Xiphinema paraelongatum</i> | Altherr, 1958 |
| XIPHDI | | <i>Xiphinema sahelense apud</i> | Riffle, 1968 |
| XIPHDI | | <i>Xiphinema seredouense apud</i> | Luc, 1958 |
| XIPHIN | <i>Xiphinema index</i> | | Thorne y Allen, 1950 |
| XIPHIN | | <i>Diversiphinema index</i> | (Thorne y Allen, 1950) Cohn y Sher, 1972 |
| ZYGTGU | <i>Zygotylenchus guevarai</i> | | (Jimenez, 1963) Braun y Loof, 1966 |
| ZYGTGU | | <i>Mesotylus gallicus</i> | de Guiran, 1964 |
| ZYGTGU | | <i>Pratylenchoides guevarai</i> | Jimenez, 1963 |
| ZYGTGU | | <i>Zygotylenchus browni</i> | Siddiqi, 1963 |
| ПРОСТЕЙШИЕ | | | |
| LIGNVA | <i>Ligniera vasculorum</i> | | (Matz) Cook |
| LIGNVA | | <i>Plasmodiophora vasculorum</i> | (Matz) Cook |
| LIGNVA | | <i>Sorosphaera vasculorum</i> | Schroet. |
| SPONSU | <i>Spongospora subterranea</i> | | (Wallr.) Lagerh., 1892 |
| SPONSU | | <i>Erysibe subterranea</i> | Wallr. 1842 |
| SPONSU | | <i>Sorosporium scabies</i> | (Berkeley, 1846) Waldh., 1877 |
| SPONSU | | <i>Spongospora scabies</i> | (Berkeley, 1846) Massee, 1908 |
| SPONSU | | <i>Spongospora subterranea subterranea</i> | Toml., 1892 |
| SPONSU | | <i>Tuburcinia scabies</i> | Berkeley, 1846 |
| ВИРОИДЫ | | | |
| ASBVDO | <i>Avocado sunblotch avsunviroid</i> | | |
| ASBVDO | | <i>Avocado sunblotch viroid</i> | |
| ASBVDO | | <i>Avocado sun blotch viroid</i> | |
| ASBVDO | | <i>Avocado sunblotch virus</i> | |
| ASBVDO | | <i>Sunblotch viroid (avocado) AVSBXX</i> | |
| CCMVDO | <i>Chrysanthemum chlorotic mottle pelamoviroid</i> | | |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--|--|--|
| CCMV00 | | <i>Chrysanthemum chlorotic mottle viroid</i> | |
| CHSV00 | <i>Chrysanthemum stunt pospiviroid</i> | | |
| CHSV00 | | <i>Chrysanthemum stunt viroid</i> | |
| CHSV00 | | <i>Chrysanthemum stunt virus</i> | |
| HSVD00 | <i>Citrus cachexia hostuviroid</i> | | |
| HSVD00 | | <i>Citrus cachexia viroid</i> | |
| HSVD00 | | <i>Citrus xyloporosis viroid</i> | |
| HSVD00 | | <i>Citrus xyloporosis virus</i> | |
| HSVD00 | | <i>Hop stunt hostuviroid-variante</i> | |
| CEVD00 | <i>Citrus exocortis pospiviroid</i> | | |
| CEVD00 | | <i>Citrus exocortis viroid</i> | |
| CCCV00 | <i>Coconut cadang-cadang cocadviroid</i> | | |
| CCCV00 | | <i>Cadang cadang disease</i> | |
| CCCV00 | | <i>Coconut cadang-cadang viroid</i> | |
| CCCV00 | | <i>Palm cadang-cadang viroid</i> | |
| ELVD00 | <i>Eggplant latent elaviroid</i> | | |
| ELVD00 | | <i>Eggplant latent viroid</i> | |
| PLMV00 | <i>Peach latent mosaic pelamoviroid</i> | | |
| PLMV00 | | <i>Peach american mosaic disease</i> | |
| PLMV00 | | <i>Peach American mosaic pathogen</i> | |
| PLMV00 | | <i>Peach blotch</i> | |
| PLMV00 | | <i>Peach calico</i> | |
| PLMV00 | | <i>Peach latent mosaic viroid</i> | |
| PLMV00 | | <i>Peach latent mosaic virus</i> | |
| PLMV00 | | <i>Peach mosaic</i> | |
| PLMV00 | | <i>Peach virus 6</i> | |
| PLMV00 | | <i>Peach yellow mosaic</i> | |
| PLMV00 | | <i>Peach yellow mosaic viroid</i> | |
| PLMV00 | | <i>Prunus virus 5</i> | |
| PSTV00 | <i>Potato spindle tuber pospiviroid</i> | | |
| PSTV00 | | <i>Bunchy top viroid</i> | |
| PSTV00 | | <i>Potato gothic virus</i> | |
| PSTV00 | | <i>Potato spindle tuber viroid</i> | |
| PSTV00 | | <i>Potato spindle viroid</i> | |
| PSTV00 | | <i>Spindle tuber viroid</i> | |
| PSTV00 | | <i>Tomato bunchy top viroid</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|---------------|---|--|--|
| HSVD01 | <i>Hop stunt hostuviroid</i> | | |
| HSVD01 | | <i>Hop stunt viroid</i> | |
| HSVD01 | | <i>Cucumber pale fruit viroid</i> | |
| PBCDVD | <i>Pear blister canker apscaviroid</i> | | |
| PBCDVD | | <i>Pear blister canker viroid</i> | |
| PBCDVD | | <i>Pear blister canker disease</i> | |
| ВИРУСЫ | | | |
| AMV000 | <i>Alfalfa mosaic virus</i> | | |
| AMV000 | | <i>Alfalfa mosaic alfamovirus</i> | |
| AMV000 | | <i>Alfalfa virus 1</i> | |
| AMV000 | | <i>Alfalfa virus 2</i> | |
| AMV000 | | <i>Lucerne mosaic virus</i> | |
| AMV000 | | <i>Marmor medicaginis</i> | |
| AMV000 | | <i>Potato calico virus</i> | |
| | <i>American plum line pattern virus</i> | | |
| APLPVO | | <i>American plum line pattern ilarvirus</i> | |
| APLPVO | | <i>Peach line pattern virosis virus</i> | |
| APLPVO | | <i>Plum (American) line pattern virus</i> | |
| APLPVO | | <i>Plum American line pattern ilarvirus</i> | |
| APLPVO | | <i>Plum American line pattern virus</i> | |
| APLPVO | | <i>Plum line pattern virus</i> | |
| APLPVO | | <i>Plum line pattern virus (American)</i> | |
| APLPVO | | <i>Prunus virus 10</i> | |
| | <i>Andean potato latent virus</i> | | |
| APLV00 | | <i>Andean potato latent tymovirus</i> | |
| APLV00 | | <i>Eggplant mosaic tymovirus</i> | |
| APLV00 | | <i>Eggplant mosaic virus (Andean potato latent str.)</i> | |
| APLV00 | | <i>Potato (Andean) latent virus</i> | |
| APLV00 | | <i>Potato Andean latent tymovirus</i> | |
| APLV00 | | <i>Potato Andean latent virus</i> | |
| | <i>Andean potato mottle virus</i> | | |
| APMOVO | | <i>Andean potato mottle comovirus</i> | |
| APMOVO | | <i>Potato Andean mottle comovirus</i> | |
| APMOVO | | <i>Potato Andean mottle virus</i> | |
| | <i>Apple chlorotic leaf spot virus</i> | | |
| ACLSVO | | <i>Apple chlorotic leaf spot trichovirus</i> | |
| ACLSVO | | <i>Apple latent 1 virus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------------|---|--|
| ACLSV0 | | <i>Apple latent virus type 1</i> | |
| ACLSV0 | | <i>Bark split virus</i> | |
| ACLSV0 | | <i>Peach green mottle virus</i> | |
| ACLSV0 | | <i>Pear ring mosaic virus</i> | |
| ACLSV0 | | <i>Pear ring pattern mosaic virus</i> | |
| ACLSV0 | | <i>Plum bark split virus</i> | |
| ACLSV0 | | <i>Plum pseudopox virus</i> | |
| ACLSV0 | | <i>Quince stunt virus</i> | |
| APMV00 | <i>Apple mosaic virus</i> | | |
| APMV00 | | <i>Apple mosaic ilarvirus</i> | |
| APMV00 | | <i>Birch line pattern virus</i> | |
| APMV00 | | <i>Birch ringspot virus</i> | |
| APMV00 | | <i>Dutch plum line pattern virus</i> | |
| APMV00 | | <i>European plum line pattern virus</i> | |
| APMV00 | | <i>Hop A virus</i> | |
| APMV00 | | <i>Hop virus A</i> | |
| APMV00 | | <i>Hop virus C</i> | |
| APMV00 | | <i>Horsechestnut yellow mosaic virus</i> | |
| APMV00 | | <i>Mountain ash variegation virus</i> | |
| APMV00 | | <i>Rose mosaic virus</i> | |
| APSBD0 | <i>Platycarpa scaly bark disease</i> | | |
| APSBD0 | | <i>Apple Platycarpa scaly bark agent ASPV</i> | |
| APSBD0 | | <i>Apple platycarpa scaly bark disease</i> | |
| APSBD0 | | <i>Apple stem pitting foveavirus*</i> | |
| APSBD0 | | <i>Apple stem pitting virus*</i> | |
| APSBD0 | | <i>Platycarpa scaly bark disease VLD</i> | |
| ARSV00 | <i>Apple ringspot disease</i> | | |
| ARSV00 | | <i>Apple Henderson spot virus</i> | |
| ARSV00 | | <i>Apple ringspot virus</i> | |
| ASGV00 | <i>Apple stem grooving virus</i> | | |
| ASGV00 | | <i>Apple brown line virus</i> | |
| ASGV00 | | <i>Apple dark green epinasty virus</i> | |
| ASGV00 | | <i>Apple E36 virus</i> | |
| ASGV00 | | <i>Apple latent virus type 2</i> | |
| ASGV00 | | <i>Apple stem grooving capillovirus</i> | |
| ASGV00 | | <i>apple topworking disease</i> | |
| ASGV00 | | <i>brown line virus disease</i> | |
| ASGV00 | | <i>Chenopodium dark green epinasty virus</i> | |
| ASGV00 | | <i>Citrangue stunt virus</i> | |
| ASGV00 | | <i>Citrus tatter leaf capillovirus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|--|
| ASGV00 | | <i>Citrus tatter leaf virus</i> | |
| ASGV00 | | <i>Virginia crab apple decline</i> | |
| ASGV00 | | <i>Virginia crab stem grooving virus</i> | |
| APCLSV | <i>Apricot pseudo-chlorotic leaf spot virus</i> | | |
| APCLSV | | <i>Apricot pseudo-chlorotic leaf spot trichovirus</i> | |
| ARMV00 | <i>Arabis mosaic virus</i> | | |
| ARMV00 | | <i>Arabis mosaic nepovirus</i> | |
| ARMV00 | | <i>Ash ring and line pattern virus</i> | |
| ARMV00 | | <i>Forsythia yellow net virus</i> | |
| ARMV00 | | <i>Hop nettlehead virus</i> | |
| ARMV00 | | <i>Jasmine yellow blotch virus</i> | |
| ARMV00 | | <i>Raspberry yellow dwarf virus</i> | |
| ARMV00 | | <i>Rhabarber-Mosaik-Virus</i> | |
| ARMV00 | | <i>Rhubarb mosaic virus</i> | |
| ARLV00 | <i>Artichoke latent virus</i> | | |
| ARLV00 | | <i>Artichoke latent potyvirus</i> | |
| ARLV00 | | <i>Artichoke (Californian) latent virus</i> | |
| ARLV00 | | <i>Artichoke potyvirus</i> | |
| AV-100 | <i>Asparagus virus 1</i> | | |
| AV-100 | | <i>Asparagus virus I</i> | |
| AV-100 | | <i>Asparagus 1 potyvirus</i> | |
| AV-100 | | <i>Asparagus virus B</i> | |
| AV-100 | | <i>Asparagus potyvirus 1</i> | |
| AV-200 | <i>Asparagus virus 2</i> | | |
| AV-200 | | <i>Asparagus virus II</i> | |
| AV-200 | | <i>Asparagus 2 ilarvirus</i> | |
| AV-200 | | <i>Asparagus virus C</i> | |
| AV-200 | | <i>Asparagus latent virus</i> | |
| AV-200 | | <i>Asparagus ilarvirus 2</i> | |
| BBTV00 | <i>Banana bunchy top virus</i> | | |
| BBTV00 | | <i>Abaca bunchy top virus</i> | |
| BBTV00 | | <i>Banana bunchy top nanavirus</i> | |
| BBTV00 | | <i>Bunchy top of banana</i> | |
| BBTV00 | | <i>Bunchy top virus</i> | |
| CYDVRO | <i>Barley yellow dwarf viruses</i> | | |
| CYDVRO | | <i>Barley yellow dwarf luteovirus</i> | |
| CYDVRO | | <i>Barley yellow dwarf luteoviruses</i> | |
| CYDVRO | | <i>Barley yellow dwarf virus</i> | |
| CYDVRO | | <i>Cereal yellow dwarf virus</i> | |
| CYDVRO | | <i>Hordeum virus nanescens</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|--|----------------------|
| CYDVRO | | <i>Maize leaf fleck virus</i> | |
| CYDVRO | | <i>Red leaf disease of barley</i> | |
| CYDVRO | | <i>Rice gallum virus</i> | |
| CYDVRO | | <i>Wheat cereal yellow dwarf virus</i> | |
| BLRV00 | <i>Bean leafroll virus</i> | | |
| BLRV00 | | <i>Bean leaf roll luteovirus</i> | |
| BLRV00 | | <i>Pea leafroll virus</i> | |
| BLRV00 | | <i>Broad bean leaf roll virus</i> | |
| BLRV00 | | <i>Bean leaf roll virus</i> | |
| BLRV00 | | <i>Legume yellows virus</i> | |
| BLRV00 | | <i>Pea tip yellowing virus</i> | |
| BLRV00 | | <i>Pea yellow top virus</i> | |
| BLRV00 | | <i>Alfalfa (Michigan) virus</i> | |
| BLRV00 | | <i>Chickpea stunt virus</i> | |
| BCTV00 | <i>Beet curly top virus</i> | | |
| BCTV00 | | <i>Beet curly top geminivirus</i> | |
| BCTV00 | | <i>Beet curly top hybrigeminivirus</i> | |
| BCTV00 | | <i>Curly top virus</i> | |
| BCTV00 | | <i>Potato green dwarf virus</i> | |
| BCTV00 | | <i>Sugarbeet curly top virus</i> | |
| BCTV00 | | <i>Sugarbeet curly-leaf virus</i> | |
| BCTV00 | | <i>Sugarbeet virus 1</i> | |
| BCTV00 | | <i>Tomato yellow virus</i> | |
| BCTV00 | | <i>Tomato yellows virus</i> | |
| BCTV00 | | <i>Western yellow blight virus</i> | |
| BWYV00 | <i>Beet western yellows virus</i> | | |
| BWYV00 | | <i>Beet western yellows polerovirus</i> | |
| BWYV00 | | <i>Brassica virus 5</i> | |
| BWYV00 | | <i>Malva yellows virus</i> | |
| BWYV00 | | <i>Radish yellows virus</i> | |
| BWYV00 | | <i>Turnip mild yellows virus</i> | |
| BWYV00 | | <i>Turnip yellows luteovirus</i> | |
| BWYV00 | | <i>Vergilbungsvirus der Stoppelrube</i> | |
| BIMOVO | <i>Bidens mottle virus</i> | | |
| BIMOVO | | <i>Bidens mottle potyvirus</i> | |
| BLLMOX | <i>Blueberry leaf mottle virus</i> | | |
| BLLMOX | | <i>Blueberry leaf mottle nepovirus</i> | |
| BBWV00 | <i>Broad bean wilt virus</i> | | |
| BBWV00 | | <i>Broad bean wilt fabavirus</i> | |
| BBWV00 | | <i>Catalpa chlorotic leaf spot virus</i> | |
| BBWV00 | | <i>Nasturtium ringspot virus</i> | Smith, 1949 |
| BBWV00 | | <i>Nasturtium white spot virus</i> | |
| BBWV00 | | <i>Pea streak virus P. O.</i> | Kim & Hagedorn, 1959 |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|---|---|------------------------------|
| BBWV00 | | <i>Patchouli mild mosaic virus</i> | |
| BBWV00 | | <i>Patchouli mild mottle virus</i> | |
| BBWV00 | | <i>Petunia ringspot virus</i> | Rubio-Huertos, 1959 |
| BBWV00 | | <i>Tropaeolum ringspot virus</i> | |
| CSSV00 | <i>Cacao swollen shoot virus</i> | | |
| CSSV00 | | <i>Cacao swollen shoot badnavirus</i> | |
| CSSV00 | | <i>Cacao virus I</i> | |
| CSSV00 | | <i>Cocoa swollen shoot badnavirus</i> | |
| CSSV00 | | <i>Theobroma virus I</i> | |
| CYMV00 | <i>Cacao yellow mosaic virus</i> | | |
| CYMV00 | | <i>Cacao yellow mosaic tymovirus</i> | |
| CYMV00 | | <i>Cocoa yellow mosaic virus</i> | |
| CVX000 | <i>Cactus virus X</i> | | |
| CVX000 | | <i>Cactus (zygocactus) potexvirus</i> | |
| CVX000 | | <i>Cactus (zygocactus) X potexvirus</i> | |
| CVX000 | | <i>Cactus X potexvirus</i> | |
| CVX000 | | <i>Zygocactus X potexvirus</i> | |
| CERV00 | <i>Carnation etched ring virus</i> | | |
| CERV00 | | <i>Carnation etched ring caulimovirus</i> | |
| CNFV00 | <i>Carnation necrotic fleck virus</i> | | Inouye & Mitsuhasha, 1973 |
| CNFV00 | | <i>Carnation necrotic fleck closterovirus</i> | |
| CNFV00 | | <i>Carnation streak virus</i> | Poupet et al., 1975 |
| CNFV00 | | <i>Carnation yellow fleck virus</i> | Smookler & Loebenstein, 1974 |
| CELV00 | <i>Celery latent virus</i> | | |
| CELV00 | | <i>Celery western mosaic virus</i> | |
| CEMV00 | <i>Celery mosaic virus</i> | | |
| CEMV00 | | <i>Apium virus 1</i> | |
| CEMV00 | | <i>Celery (western) mosaic virus</i> | |
| CEMV00 | | <i>Celery crinkle-leaf strain</i> | |
| CEMV00 | | <i>Celery mosaic potyvirus</i> | |
| CEMV00 | | <i>Celery ringspot virus</i> | |
| CEMV00 | | <i>Italian parsley strain</i> | |
| CEMV00 | | <i>Poison hemlock ringspot virus</i> | |
| CLRV00 | <i>Cherry leaf roll virus</i> | | |
| CLRV00 | | <i>Cherry leaf roll nepovirus</i> | |
| CRNRMO | <i>Cherry necrotic rusty mottle virus</i> | | |
| CRNRMO | | <i>Cherry necrotic rusty mottle disease</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|---------|
| CRNRMO | | <i>Cherry necrotic rusty mottle foveavirus</i> | |
| CRLV00 | <i>Cherry rasp leaf virus</i> | | |
| CRLV00 | | <i>Apple flat apple virus</i> | |
| CRLV00 | | <i>Cherry rasp leaf nepovirus</i> | |
| CRLV00 | | <i>Flat apple virus</i> | |
| CRMV00 | <i>Cherry rusty mottle disease</i> | | |
| CRMV00 | | <i>Cerasusvirus rubiginosum</i> | Roland |
| CRMV00 | | <i>Cherry American rusty mottle</i> | |
| CRMV00 | | <i>Cherry rusty mottle virus</i> | |
| CRMV00 | | <i>Marmor rubiginosum</i> | Reeves |
| CRMV00 | | <i>Prunivir rubiginosum</i> | Fawcett |
| CVB000 | <i>Chrysanthemum virus B</i> | | |
| CVB000 | | <i>Chrysanthemum B carlavirus</i> | |
| CVB000 | | <i>Chrysanthemum dwarf mottle</i> | |
| CVB000 | | <i>Chrysanthemum mild mosaic</i> | |
| CVB000 | | <i>Chrysanthemum necrotic mottle</i> | |
| CVB000 | | <i>Chrysanthemum Q virus</i> | |
| CVB000 | | <i>Gynura latent virus</i> | |
| CHFDV0 | <i>Chrysanthemum flower distortion virus</i> | | |
| CHFDV0 | | <i>Tomato aspermy virus*</i> | |
| CHFDV0 | | <i>Tomato aspermy cucumovirus*</i> | |
| CIW00 | <i>Citrus infectious variegation virus</i> | | |
| CIW00 | | <i>Citrus crinkly leaf virus</i> | |
| CIW00 | | <i>Citrus infectious variegation ilarvirus</i> | |
| CIVVOO | | <i>Citrus psorosis complex virus</i> | |
| CIVVOO | | <i>Citrus psorosis complex virus (A and B)</i> | |
| CIVVOO | | <i>Citrus variegation ilarvirus</i> | |
| CIVVOO | | <i>Citrus variegation virus</i> | |
| CIVVOO | | <i>Maybe citrus crinkly leaf ilarvirus</i> | |
| CILVOO | <i>Citrus leprosis virus</i> | | |
| CILVOO | | <i>Citrus leprosis rhabdovirus</i> | |
| CIRSVO | <i>Citrus psorosis B</i> | | |
| CIRSVO | | <i>Citrus psorosis disease</i> | |
| CIRSVO | | <i>Citrus psorosis virus</i> | |
| CIRSVO | | <i>Citrus ringspot virus</i> | |
| CIRSVO | | <i>Citrus concave gum - blind pocket virus</i> | |
| CIRSVO | | <i>Psorosis B</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|---------------|
| CTV000 | <i>Citrus tristeza virus</i> | | |
| CTV000 | | <i>Citrus decline virus</i> | |
| CTV000 | | <i>Citrus quick decline virus</i> | |
| CTV000 | | <i>Citrus seedling yellows virus</i> | |
| CTV000 | | <i>Citrus tristeza closterovirus</i> | |
| CTV000 | | <i>Ellendale mandarin decline virus</i> | |
| CTV000 | | <i>Grapefruit stem pitting virus</i> | |
| CTV000 | | <i>Grapefruit stunt bush virus</i> | |
| CTV000 | | <i>Grapevine A virus</i> | |
| CTV000 | | <i>Lime die-back virus</i> | |
| CVEV00 | <i>Citrus vein enation disease</i> | | |
| CVEV00 | | <i>Citrus vein enation virus</i> | |
| CONV00 | <i>Cocoa necrosis virus</i> | | |
| CONV00 | | <i>Cacao necrosis nepovirus</i> | |
| CONV00 | | <i>Cacao necrosis virus</i> | |
| CONV00 | | <i>Cacao swollen shoot virus - strain S</i> | |
| CRSV00 | <i>Coffee ringspot virus</i> | | |
| CRSV00 | | <i>Coffee ringspot nucleorhabdovirus</i> | |
| CRSV00 | | <i>Coffee ringspot rhabdovirus</i> | |
| CAV000 | <i>Cotton anthocyanosis virus</i> | | |
| CAV001 | | <i>Cotton anthocyanosis luteovirus (?)</i> | Costa & Sauer |
| CLCV00 | <i>Cotton leaf curl virus</i> | | |
| CLCV00 | | <i>Cotton leaf curl bigeminivirus</i> | |
| CLCV00 | | <i>Cotton leaf curl geminivirus</i> | |
| CLCV00 | | <i>Cotton leaf curl virus begomovirus</i> | |
| CMV000 | <i>Crocus mosaic virus</i> | <i>Peperomia ringspot virus</i> | |
| CMV000 | | <i>Iris severe mosaic virus*</i> | |
| CMV000 | | <i>Iris severe mosaic potyvirus*</i> | |
| CGMMV0 | <i>Cucumber green mottle mosaic virus</i> | | |
| CGMMV0 | | <i>Bottlegourd Indian mosaic virus</i> | |
| CGMMV0 | | <i>Cucumber green mottle mosaic tobamovirus</i> | |
| CGMMV0 | | <i>Cucumber green mottle mosaic watermelon str. W</i> | |
| CGMMV0 | | <i>Cucumber mottle virus</i> | |
| CGMMV0 | | <i>Cucumber virus 2</i> | |
| CGMMV0 | | <i>Cucumber virus 3</i> | |
| CGMMV0 | | <i>Cucumber virus 4</i> | |
| CGMMV0 | | <i>Cucumis virus 2</i> | |
| CGMMV0 | | <i>Tobacco mosaic virus watermelon str. W</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------------|---|--|
| CLSV00 | <i>Cucumber leaf spot virus</i> | | |
| CLSV00 | | <i>Cucumber leafspot carmovirus (?)</i> | |
| CYMMV0 | <i>Cymbidium mosaic virus</i> | | |
| CYMMV0 | | <i>Cymbidium black streak virus</i> | |
| CYMMV0 | | <i>Cymbidium mosaic potexvirus</i> | |
| CYMMV0 | | <i>Orchid mosaic virus</i> | |
| CYMRSV | <i>Cymbidium ringspot virus</i> | | |
| CYMRSV | | <i>Cymbidium ringspot tombusvirus</i> | |
| DMSV00 | <i>Dahlia mosaic stunt virus</i> | | |
| DMSV00 | | <i>Dahlia mosaic caulimovirus*</i> | |
| DMSV00 | | <i>Dahlia mosaic virus*</i> | |
| DMV000 | <i>Dahlia mosaic virus</i> | | |
| DMV000 | | <i>Dahlia mosaic caulimovirus</i> | |
| DMV000 | | <i>Dahlia virus 1</i> | |
| DMV000 | | <i>Marmor dahlia</i> | |
| DMV000 | | <i>Dahliavirus masculans</i> | |
| DSMV00 | <i>Dasheen mosaic virus</i> | | |
| DSMV00 | | <i>Dasheen mosaic potyvirus</i> | |
| DEMVO0 | <i>Dendrobium mosaic virus</i> | | |
| DEMVO0 | | <i>Dendrobium mosaic potyvirus</i> | |
| DRMV00 | <i>Dracaena mottle virus</i> | | |
| DRMV00 | | <i>Dracaena mottle badnavirus</i> | |
| EMDV00 | <i>Eggplant mottled dwarf virus</i> | | |
| EMDV00 | | <i>Eggplant mottled dwarf nucleorhabdovirus</i> | |
| EMDV00 | | <i>Tomato vein yellowing virus</i> | |
| FDEV00 | <i>Pea seed-borne mosaic virus</i> | | |
| FDEV00 | | <i>Broadbean leaf roll</i> | |
| FDEV00 | | <i>Falsche Blattrollvirus der Erbse</i> | |
| FDEV00 | | <i>Falsches virus der ersbe*</i> | |
| FDEV00 | | <i>False pea leaf roll virus</i> | |
| FDEV00 | | <i>Pea fizzle top virus</i> | |
| FDEV00 | | <i>Pea leaf roll</i> | |
| FDEV00 | | <i>Pea leaf roll mosaic virus</i> | |
| FDEV00 | | <i>Pea leaf rolling mosaic virus</i> | |
| FDEV00 | | <i>Pea leaf rolling virus</i> | |
| FDEV00 | | <i>Pea leaf-rolling mosaic virus</i> | |
| FDEV00 | | <i>Pea seed-borne mosaic potyvirus</i> | |
| FDEV00 | | <i>Pea seedborne mosaic virus</i> | |
| FDEV00 | | <i>Pea seed-borne symptomless virus</i> | |
| FDEV00 | | <i>Pea seed-borne virus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|--|--|
| FDEV00 | | <i>Virus des Blattrollens der Erbse</i> | |
| FREMVO | <i>Freesia mosaic virus</i> | | |
| FREMVO | | <i>Freesia mosaic potyvirus</i> | |
| FREMVO | | <i>Freesia-virus</i> | |
| FREMVO | | <i>Freesia streak virus Erroneo</i> | |
| GEDV00 | <i>Grapevine enation disease</i> | | |
| GEDV00 | | <i>Grapevine enation disease virus</i> | |
| GLRV00 | <i>Grapevine leafroll-associated viruses</i> | | |
| GLRV00 | | <i>Grapevine B virus</i> | |
| GLRV00 | | <i>Grapevine C virus</i> | |
| GLRV00 | | <i>Grapevine leaf roll closterovirus</i> | |
| GLRV00 | | <i>Grapevine leafroll closterovirus</i> | |
| GLRV00 | | <i>Grapevine leafroll disease</i> | |
| GVNV00 | <i>Grapevine vein necrosis virus</i> | | |
| GVNV00 | | <i>Grapevine vein necrosis disease</i> | |
| GVA000 | <i>Grapevine virus A</i> | | |
| GVA000 | | <i>Grapevine corky bark closterovirus</i> | |
| GVA000 | | <i>Grapevine corky bark disease</i> | |
| GVA000 | | <i>Grapevine corky bark virus</i> | |
| GVA000 | | <i>Grapevine stem pitting disease</i> | |
| GVA000 | | <i>Grapevine stem pitting virus</i> | |
| GVA000 | | <i>Grapevine stem pitting-associated closterovirus</i> | |
| GVA000 | | <i>Grapevine stem-pitting virus</i> | |
| HDRSV0 | <i>Hydrangea ringspot virus</i> | | |
| HDRSV0 | | <i>Hydrangea ringspot potexvirus</i> | |
| INSV00 | <i>Impatiens necrotic spot virus</i> | | |
| INSV00 | | <i>Impatiens necrotic spot tospovirus</i> | |
| INSV00 | | <i>Tomato spotted wilt tospovirus str. impatiens</i> | |
| ICRSV0 | <i>Indian citrus ringspot virus</i> | | |
| ICRSV0 | | <i>Citrus ring spot virus</i> | |
| ICRSV0 | | <i>Citrus ringspot virus</i> | |
| ICRSV0 | | <i>Indian citrus ring spot virus</i> | |
| ICRSV0 | | <i>Indian citrus ringspot mandarivirus</i> | |
| IFMV00 | <i>Iris fulva mosaic virus</i> | | |
| IFMV00 | | <i>Iris fulva mosaic potyvirus</i> | |
| IMMV00 | <i>Iris mild mosaic virus</i> | | |
| IMMV00 | | <i>Iris mild mosaic potyvirus</i> | |
| IMMV00 | | <i>Iris latent mosaic virus</i> | |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|--------------------------------------|--|---------------------------|
| IMMV00 | | <i>Iris mosaic virus</i> | |
| ISMV00 | <i>Iris severe mosaic virus</i> | | |
| ISMV00 | | <i>Bearded iris mosaic virus</i> | |
| ISMV00 | | <i>Iris grey virus</i> | |
| ISMV00 | | <i>Iris grijs (grey) virus</i> | |
| ISMV00 | | <i>Iris severe mosaic potyvirus</i> | |
| ISMV00 | | <i>Iris stripe virus</i> | |
| ISMV00 | | <i>Iris yellow mosaic virus</i> | |
| LBVV00 | <i>Lettuce big-vein virus</i> | | |
| LBVV00 | | <i>Lettuce big-vein varicosavirus</i> | |
| LMV000 | <i>Lettuce mosaic virus</i> | | |
| LMV000 | | <i>Lactuca virus 1</i> | |
| LMV000 | | <i>Lettuce mosaic potyvirus</i> | |
| LMV000 | | <i>Lettuce virus 1</i> | |
| LMV000 | | <i>Marmor lactucae</i> | |
| VML000 | <i>Lily mottle virus</i> | <i>Virus mosaico del lilium</i> | |
| VML000 | | <i>Lily mosaic virus</i> | |
| VML000 | | <i>Lily mottle potyvirus</i> | |
| VML000 | | <i>Tulip breaking virus</i> | |
| LRV000 | <i>Lily rosette virus</i> | <i>Lily rosette disease virus</i> | |
| LCV000 | <i>Little cherry virus</i> | <i>Cherry little cherry disease</i> | |
| LCV000 | | <i>Cherry little cherry virus</i> | Nemeth, 1986 |
| LCV000 | | <i>K & S disease</i> | Reeves et al., 1955 |
| LCV000 | | <i>K & S little cherry</i> | Reeves et al., 1955 |
| LCV000 | | <i>Little cherry disease virus</i> | Wilks & Welsh, 1961 |
| LCV000 | | <i>Sour cherry decline</i> | Milbrath & Williams, 1956 |
| MMV000 | <i>Maple mosaic disease</i> | | |
| MMV000 | | <i>Maple mosaic virus</i> | |
| MMV000 | | <i>Maple variegation disease</i> | |
| MNSV00 | <i>Melon necrotic spot virus</i> | | |
| MNSV00 | | <i>Melon necrotic spot carmovirus</i> | |
| NMV000 | <i>Nandina mosaic virus</i> | | |
| NMV000 | | <i>Nandina mosaic potexvirus</i> | |
| NRMV00 | <i>Narcissus mosaic virus</i> | | |
| NRMV00 | | <i>Narcissus mosaic potexvirus</i> | |
| NRMV00 | | <i>Narcissus mild mosaic virus</i> | |
| NRMV00 | | <i>Ichnis (?) potexvirus</i> | |
| NYSV00 | <i>Narcissus yellow stripe virus</i> | | |
| NYSV00 | | <i>Narcissus yellow stripe potyvirus</i> | |
| NYSV00 | | <i>Narcissus degeneration virus</i> | |
| NYSV00 | | <i>Narcissus yellow streak virus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|-------------------------------------|---|--|
| ORSV00 | <i>Odontoglossum ringspot virus</i> | | |
| ORSV00 | | <i>Odontoglossum ringspot tobamovirus</i> | |
| ORSV00 | | <i>Tobacco mosaic virus str. orchid</i> | |
| OYDV00 | <i>Onion yellow dwarf virus</i> | | |
| OYDV00 | | <i>Allium virus 1</i> | |
| OYDV00 | | <i>Garlic mosaic virus</i> | |
| OYDV00 | | <i>Garlic yellow streak virus</i> | |
| OYDV00 | | <i>Garlic yellow stripe virus</i> | |
| OYDV00 | | <i>Marmor cepae</i> | |
| OYDV00 | | <i>Onion yellow dwarf potyvirus</i> | |
| PV1000 | <i>Paeonia virus 1</i> | | |
| PV1000 | | <i>Tobacco rattle virus*</i> | |
| PEMV10 | <i>Pea enation mosaic virus-1</i> | | |
| PEMV10 | | <i>Pea enation mosaic enamovirus-1</i> | |
| PEMV10 | | <i>Pea enation mosaic penamovirus</i> | |
| PEMV10 | | <i>Pea enation mosaic virus 'group'</i> | |
| PSTV00 | <i>Pea streak virus</i> | <i>Alfalfa enationstrain</i> | |
| PSTV00 | | <i>Alfalfa latent virus</i> | |
| PSTV00 | | <i>Pea (Wisconsin) streak virus</i> | |
| PSTV00 | | <i>Pea streak (New Zealand) virus</i> | |
| PSTV00 | | <i>Pea streak carlavirus</i> | |
| PSTV00 | | <i>Steinklee Virus</i> | |
| PSTV00 | | <i>Wisconsin pea streak virus</i> | |
| PRMV00 | <i>Peach rosette mosaic virus</i> | | |
| PRMV00 | | <i>Grape decline virus</i> | |
| PRMV00 | | <i>Grapevine degeneration virus</i> | |
| PRMV00 | | <i>Peach rosette mosaic nepovirus</i> | |
| PRMV00 | | <i>Rosette mosaic virus</i> | |
| PSV000 | <i>Peanut stunt virus</i> | | |
| PSV000 | | <i>Black locust true mosaic virus</i> | |
| PSV000 | | <i>Clover blotch virus</i> | |
| PSV000 | | <i>Groundnut stunt virus</i> | |
| PSV000 | | <i>Peanut common mosaic virus</i> | |
| PSV000 | | <i>Peanut stunt cucumovirus</i> | |
| PSV000 | | <i>Robinia mosaic virus</i> | |
| PBDD00 | <i>Pear bud drop disease</i> | | |
| PBDD00 | | <i>Pear bud drop agent</i> | |
| PLCV00 | <i>Pelargonium leaf curl virus</i> | | |
| PLCV00 | | <i>Pelargonium leaf crinkle virus</i> | |
| PLCV00 | | <i>Pelargonium leaf curl tombusvirus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | |
|--------|---|--|
| PRSV00 | <i>Cucumber mosaic virus</i> | |
| PRSV00 | <i>Banana infectious chlorosis virus</i> | |
| PRSV00 | <i>Banana mosaic virus</i> | |
| PRSV00 | <i>Coleus mosaic virus</i> | |
| PRSV00 | <i>Common mosaic virus</i> | |
| PRSV00 | <i>Cowpea banding mosaic virus</i> | |
| PRSV00 | <i>Cowpea ringspot virus</i> | |
| PRSV00 | <i>Cucumber mosaic cucumovirus</i> | |
| PRSV00 | <i>Cucumber yellow mosaic virus</i> | |
| PRSV00 | <i>Cucumis virus 1</i> | |
| PRSV00 | <i>Lily ringspot virus</i> | |
| PRSV00 | <i>Pea top necrosis virus</i> | |
| PRSV00 | <i>Peanut yellow mosaic virus</i> | |
| PRSV00 | <i>Peperomia ring spot virus*</i> | |
| PRSV00 | <i>Peperomia ringspot virus*</i> | |
| PRSV00 | <i>Southern celery mosaic virus</i> | |
| PRSV00 | <i>Soybean stunt virus</i> | |
| PRSV00 | <i>Spinach blight virus</i> | |
| PRSV00 | <i>Tomato fern leaf virus</i> | |
| PMMOVO | <i>Pepper mild mottle virus</i> | |
| PMMOVO | <i>Bell pepper mottle virus</i> | |
| PMMOVO | <i>Capsicum mosaic virus</i> | |
| PMMOVO | <i>Pepper mild mosaic virus</i> | |
| PMMOVO | <i>Pepper mild mottle tobamovirus</i> | |
| PMMOVO | <i>Pepper mild tigre begomovirus</i> | |
| PMMOVO | <i>Pepper mild tigre virus</i> | |
| PMMOVO | <i>Pepper mosaic virus</i> | |
| | <i>Samsun latent strain of tobacco mosaic virus</i> | |
| PMMOVO | <i>Pepper mottle virus</i> | |
| PMOV00 | <i>Pepper mottle potyvirus</i> | |
| PMOV00 | <i>Chilli mottle virus</i> | |
| PPV000 | <i>Plum pox virus</i> | |
| PPV000 | <i>Annulus pruni</i> | |
| PPV000 | <i>Plum pox potyvirus</i> | |
| PPV000 | <i>Prunus virus 7</i> | |
| PPV000 | <i>Sharka virus</i> | |
| PVA000 | <i>Potato virus A</i> | |
| PVA000 | <i>Potato A potyvirus</i> | |
| PVA000 | <i>Marmor solani</i> | |
| PVA000 | <i>Potato mild mosaic virus</i> | |
| PVA000 | <i>Potato virus P</i> | |
| PVA000 | <i>Solanum virus 3</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--------------------------------------|--|--|
| PBRSV0 | <i>Potato black ringspot virus</i> | | |
| PBRSV0 | | <i>Andean potato calico str. Tobacco ringspot virus</i> | |
| PBRSV0 | | <i>Potato Andean calico virus</i> | |
| PBRSV0 | | <i>Potato black ringspot nepovirus</i> | |
| PBRSV0 | | <i>Potato calico str. Tobacco ringspot virus</i> | |
| PBRSV0 | | <i>Tobacco ringspot nepovirus (Andean potato calico)</i> | |
| PBRSV0 | | <i>Tobacco ringspot nepovirus str. Potato calico</i> | |
| PBRSV0 | | <i>Tobacco ringspot virus str. Andean potato calico</i> | |
| PDMV00 | <i>Potato deforming mosaic virus</i> | | |
| PDMV00 | | <i>Potato deforming mosaic begomovirus?</i> | |
| PDMV00 | | <i>Potato deforming mosaic disease</i> | |
| PDMV00 | | <i>Potato mosaic deformante virus</i> | |
| PDMV00 | | <i>Potato mosaico deformante disease</i> | |
| PDMV00 | | <i>Potato mosaico deformante virus</i> | |
| PLV000 | <i>Potato latent virus</i> | | |
| PLV000 | | <i>Potato latent carlavirus</i> | |
| PLRV00 | <i>Potato leafroll virus</i> | | |
| PLRV00 | | <i>Potato leafroll luteovirus</i> | |
| PLRV00 | | <i>Potato phloem necrosis virus</i> | |
| PVM000 | <i>Potato virus M</i> | | |
| PVM000 | | <i>Potato interveinal mosaic virus</i> | |
| PVM000 | | <i>Potato leaf rolling mosaic virus</i> | |
| PVM000 | | <i>Potato leaf rolling virus</i> | |
| PVM000 | | <i>Potato M carlavirus</i> | |
| PVM000 | | <i>Potato M carlavirus</i> | |
| PVM000 | | <i>Potato paracrinkle virus</i> | |
| PVM000 | | <i>Potato virus E</i> | |
| PVM000 | | <i>Potato virus K</i> | |
| PVM000 | | <i>Solanum virus 11</i> | |
| PVM000 | | <i>Solanum virus 7</i> | |
| PMTV00 | <i>Potato mop-top virus</i> | | |
| PMTV00 | | <i>Potato mop-top furovirus</i> | |
| PMTV00 | | <i>Potato mop-top pomovirus</i> | |
| PMTV00 | | <i>Mop top virus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|----------------|
| PVT000 | <i>Potato virus T</i> | | |
| PVT000 | | <i>Potato T capillovirus</i> | |
| PVT000 | | <i>Potato T trichovirus</i> | |
| PVS000 | <i>Potato virus S</i> | | |
| PVS000 | | <i>Pepino latent virus</i> | |
| PVS000 | | <i>Potato S carlavirus</i> | |
| PVS000 | | <i>Potato S carlavirus</i> | |
| PVX000 | <i>Potato virus X</i> | | |
| PVX000 | | <i>Potato latent carlavirus*</i> | |
| PVX000 | | <i>Potato mild mosaic virus</i> | |
| PVX000 | | <i>Potato virus B</i> | |
| PVX000 | | <i>Potato virus D</i> | |
| PVX000 | | <i>Potato X potexvirus</i> | |
| PVY000 | <i>Potato virus Y</i> | | |
| PVY000 | | <i>Brinjal mosaic virus</i> | |
| PVY000 | | <i>Datura 437 virus</i> | |
| PVY000 | | <i>Marmor upsilon</i> | |
| PVY000 | | <i>Potato acropetal necrosis virus</i> | |
| PVY000 | | <i>Potato severe mosaic virus</i> | |
| PVY000 | | <i>Potato virus 20</i> | |
| PVY000 | | <i>Potato Y potyvirus</i> | |
| PVY000 | | <i>Potato Y potyvirus str. tuber necrosis</i> | |
| PVY000 | | <i>Solanum virus 2</i> | |
| PVY000 | | <i>Tabakrippenbraune Virus</i> | |
| PVY000 | | <i>Tobacco vein banding mosaic virus</i> | |
| PVY000 | | <i>Tobacco veinal necrosis virus</i> | |
| PVY000 | | <i>Tobacco vein-banding virus</i> | |
| PYDV00 | <i>Potato yellow dwarf virus</i> | | |
| PYDV00 | | <i>Potato yellow dwarf nucleorhabdovirus</i> | |
| PYVV00 | <i>Potato yellow vein virus</i> | | |
| PYVV00 | | <i>Potato vein-yellowing disease</i> | |
| PYVV00 | | <i>Potato yellow vein crinivirus</i> | |
| PYVV00 | | <i>Potato yellow vein disease</i> | |
| PIVV00 | <i>Privet infectious variegation disease</i> | <i>Privet infectious variegation disease</i> | |
| PIVV00 | | <i>Privet infectious variegation virus</i> | |
| PIVV00 | | <i>Ligustrum mosaic disease</i> | |
| PDV000 | <i>Prune dwarf virus</i> | | Saponari Maria |
| PDV000 | | <i>Cherry ring mottle</i> | |
| PDV000 | | <i>Cherry chlorotic necrotic ringspot virus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---------------------------------------|---|--|
| PDV000 | | <i>Cherry chlorotic ringspot virus</i> | |
| PDV000 | | <i>Chlorogenus cerasae virus</i> | |
| PDV000 | | <i>Muir peach dwarf virus</i> | |
| PDV000 | | <i>Peach stunt virus</i> | |
| PDV000 | | <i>Prune dwarf ilarvirus</i> | |
| PDV000 | | <i>Prunus chlorotic necrotic ringspot virus</i> | |
| PDV000 | | <i>Sour cherry yellows virus</i> | |
| PNRSVO | <i>Prunus necrotic ringspot virus</i> | | |
| PNRSVO | | <i>Cherry line pattern virus</i> | |
| PNRSVO | | <i>European plum line pattern virus</i> | |
| PNRSVO | | <i>Hop B virus</i> | |
| PNRSVO | | <i>Hop C virus</i> | |
| PNRSVO | | <i>North American plum line pattern virus</i> | |
| PNRSVO | | <i>Peach ringspot virus</i> | |
| PNRSVO | | <i>Plum (North American) line pattern virus</i> | |
| PNRSVO | | <i>Plum line pattern virus (in part)</i> | |
| PNRSVO | | <i>Prunus necrotic ringspot ilarvirus</i> | |
| PNRSVO | | <i>Prunus ringspot virus</i> | |
| PNRSVO | | <i>Rose chlorotic mottle virus</i> | |
| PNRSVO | | <i>Rose line pattern virus</i> | |
| PNRSVO | | <i>Rose vein banding virus</i> | |
| PNRSVO | | <i>Rose yellow mosaic virus</i> | |
| PNRSVO | | <i>Rose yellow vein mosaic virus</i> | |
| PNRSVO | | <i>Sour cherry necrotic ringspot virus</i> | |
| RBDV00 | <i>Raspberry bushy dwarf virus</i> | | |
| RBDV00 | | <i>Loganberry degeneration virus</i> | |
| RBDV00 | | <i>Raspberry bushy dwarf idaeovirus</i> | |
| RBDV00 | | <i>Raspberry line-pattern virus</i> | |
| RBDV00 | | <i>Raspberry yellows virus</i> | |
| RLCV00 | <i>Raspberry leaf curl virus</i> | | |
| RLCV00 | | <i>American raspberry leaf curl</i> | |
| RLCV00 | | <i>Raspberry curl</i> | |
| RLCV00 | | <i>Raspberry leaf curl luteovirus</i> | |
| RPRSV0 | <i>Raspberry ringspot virus</i> | | |
| RPRSV0 | | <i>Raspberry ringspot nepovirus</i> | |
| RPRSV0 | | <i>Raspberry Scottish leaf curl virus</i> | |
| RPRSV0 | | <i>Red currant ringspot virus</i> | |
| RPRSV0 | | <i>Redcurrant ringspot virus</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|--|---|--|
| RCVMV0 | <i>Red clover vein mosaic virus</i> | | |
| RCVMV0 | | <i>Red clover vein mosaic carlavirus</i> | |
| RCVMV0 | | <i>Marmor trifolii</i> | |
| RCVMV0 | | <i>Clover (red) vein mosaic virus</i> | |
| RCVMV0 | | <i>Pea stunt virus</i> | |
| RCVMV0 | | <i>Vein mosaic virus of red clover</i> | |
| RBSDV0 | <i>Rice black streaked dwarf virus</i> | | |
| RBSDV0 | | <i>Rice black-streaked dwarf fijivirus</i> | |
| RBSDV0 | | <i>Rice black streak virus</i> | |
| RBSDV0 | | <i>Rice streak (dwarf) virus</i> | |
| RBSDV0 | | <i>Black streaked dwarf disease</i> | |
| RHBV00 | <i>Rice hoja blanca virus</i> | | |
| RHBV00 | | <i>Echinochloa hoja blanca virus</i> | |
| RHBV00 | | <i>Rice hoja blanca tenuivirus</i> | |
| RSV000 | <i>Rice stripe virus</i> | | |
| RSV000 | | <i>Rice stripe tenuivirus</i> | |
| RXV000 | <i>Rose X disease</i> | | |
| RXV000 | | <i>Rose X (RX) disease</i> | |
| RXV000 | | <i>Rose X agent</i> | |
| RXV000 | | <i>Rose X (RX) agent</i> | |
| RXV000 | | <i>Rose X virus</i> | |
| SYNV00 | <i>Sonchus yellow net virus</i> | | |
| SYNV00 | | <i>Sonchus yellow net nucleorhabdovirus</i> | |
| SQMV00 | <i>Squash mosaic virus</i> | | |
| SQMV00 | | <i>Cucurbit ring mosaic virus</i> | |
| SQMV00 | | <i>Muskmelon mosaic comovirus</i> | |
| SQMV00 | | <i>Muskmelon necrotic mosaic virus</i> | |
| SQMV00 | | <i>Pumpkin mosaic virus</i> | |
| SQMV00 | | <i>Squash mosaic comovirus</i> | |
| SCRV00 | <i>Strawberry crinkle virus</i> | | |
| SCRV00 | | <i>Crinkle disease of strawberry</i> | |
| SCRV00 | | <i>Strawberry crinkle cytorhabdovirus</i> | |
| SCRV00 | | <i>Strawberry crinkle rhabdovirus</i> | |
| SCRV00 | | <i>Strawberry latent virus A</i> | |
| SCRV00 | | <i>Strawberry latent virus B</i> | |
| SCRV00 | | <i>Yellow edge crinkle virus</i> | |
| STLCV0 | <i>Strawberry latent C virus</i> | | |
| STLCV0 | | <i>Strawberry latent C disease</i> | |
| STLCV0 | | <i>Strawberry latent C rhabdovirus?</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|---|---|--|
| STLCV0 | | <i>Strawberry crinkle virus str. Strawberry latent virus A*</i> | |
| STLCV0 | | <i>Strawberry crinkle virus str. Strawberry latent virus B*</i> | |
| SLRSVO | <i>Strawberry latent ringspot virus</i> | | |
| SLRSVO | | <i>Aesculus line pattern virus</i> | |
| SLRSVO | | <i>Rhubarb virus 5</i> | |
| SLRSVO | | <i>Strawberry latent ringspot nepovirus</i> | |
| SMYEVO | <i>Strawberry mild yellow edge virus</i> | <i>Strawberry mild yellow edge lateovirus</i> | |
| SMYEVO | | <i>Pseudomild yellow edge</i> | |
| SMYEVO | | <i>Strawberry mild yellow edge associated virus</i> | |
| SMYEVO | | <i>Strawberry mild yellow edge disease</i> | |
| SMYEVO | | <i>Strawberry mild yellow edge potexvirus</i> | |
| SMYEVO | | <i>Strawberry virus 2</i> | |
| SMYEVO | | <i>Strawberry xanthosis</i> | |
| SMYEVO | | <i>Strawberry yellow edge</i> | |
| SMYEVO | | <i>Yellow edge virus</i> | |
| SMOV00 | <i>Strawberry mottle virus</i> | | |
| SMOV00 | | <i>Strawberry mottle disease</i> | |
| SMOV00 | | <i>Strawberry mild crinkle virus</i> | |
| SMOV00 | | <i>Strawberry virus 1</i> | |
| SPMYEV | <i>Strawberry pseudo mild yellow edge virus</i> | | |
| SPMYEV | | <i>Strawberry pseudo mild yellow edge carlavirus</i> | |
| SVBV00 | <i>Strawberry vein banding virus</i> | | |
| SVBV00 | | <i>Strawberry vein banding caulimovirus</i> | |
| SVBV00 | | <i>Strawberry veinbanding caulimovirus</i> | |
| SVBV00 | | <i>Strawberry virus 5</i> | |
| SBV000 | <i>Sugarcane bacilliform virus</i> | | |
| SBV000 | | <i>Sugarcane bacilliform badnavirus</i> | |
| SGCST0 | <i>Sugarcane chlorotic streak virus</i> | | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|--------|------------------------------------|---|--|
| SGCST0 | | <i>Sugarcane chlorotic streak disease</i> | |
| SGCST0 | | <i>Sugarcane chlorotic streak agent</i> | |
| FDV000 | <i>Fiji disease virus</i> | | |
| FDV000 | | <i>Sugarcane Fiji disease virus</i> | |
| FDV000 | | <i>sugarcane Fiji disease fijivirus</i> | |
| FDV000 | | <i>Sugarcane fiji virus</i> | |
| FDV000 | | <i>Sugarcane Fiji virus</i> | |
| FDV000 | | <i>Saccharum virus 2</i> | |
| FDV000 | | <i>Galla fijiensis</i> | |
| FDV000 | | <i>Fiji disease phytoreovirus</i> | |
| FDV000 | | <i>Sugarcane Fiji disease fijivirus</i> | |
| SGS000 | <i>Sugarcane sereh disease</i> | | |
| SGS000 | | <i>Sugarcane sereh virus</i> | |
| SGS000 | | <i>Sugarcane sereh agent</i> | |
| SSTV00 | <i>Sugarcane streak virus</i> | | |
| SSTV00 | | <i>Sugarcane streak disease</i> | |
| SSTV00 | | <i>Sugarcane streak mastrevirus</i> | |
| SSTV00 | | <i>Sugarcane streak monogeminivirus</i> | |
| SYLV00 | <i>Sugarcane yellow leaf virus</i> | | |
| SYLV00 | | <i>Sugarcane yellow leaf polerovirus</i> | |
| TEV000 | <i>Tobacco etch virus</i> | | |
| TEV000 | | <i>Datura Z potyvirus</i> | |
| TEV000 | | <i>Tobacco etch potyvirus</i> | |
| TEV000 | | <i>Tobacco severe etch potyvirus</i> | |
| TEV000 | | <i>Tomato etch potyvirus</i> | |
| TEV000 | | <i>Tomato etch virus</i> | |
| TMV000 | <i>Tobacco mosaic virus</i> | | |
| TMV000 | | <i>Tobacco mosaic virus str. U1</i> | |
| TMV000 | | <i>Tobacco mosaic tobamovirus</i> | |
| TMV000 | | <i>Virus mosaique de tabac</i> | |
| TNV000 | <i>Tobacco necrosis virus</i> | | |
| TNV000 | | <i>Bean stipple streak virus</i> | |
| TNV000 | | <i>Chenopodium necrosis necrovirus</i> | |
| TNV000 | | <i>Cucumber systemic necrosis virus</i> | |
| TNV000 | | <i>Euonymus mosaic virus</i> | |
| TNV000 | | <i>Strawberry necrotic rosette virus</i> | |
| TNV000 | | <i>Tobacco necrosis necrovirus</i> | |
| TNV000 | | <i>Tulip Augusta disease virus</i> | |
| TNV000 | | <i>Tulip necrosis virus</i> | |
| TRV000 | <i>Tobacco rattle virus</i> | | |
| TRV000 | | <i>Aster ringspot virus</i> | |
| TRV000 | | <i>Belladonna mosaic virus</i> | |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|-------------------------------|--|--|
| TRV000 | | <i>Fraxinus virus</i> | |
| TRV000 | | <i>Oregon yellow virus</i> | |
| TRV000 | | <i>Paeony mosaic virus</i> | |
| TRV000 | | <i>Paeony ringspot virus</i> | |
| TRV000 | | <i>Peony mosaic virus</i> | |
| TRV000 | | <i>Peony ringspot virus</i> | |
| TRV000 | | <i>Potato corky ringspot virus</i> | |
| TRV000 | | <i>Potato stem mottle virus</i> | |
| TRV000 | | <i>Ratel virus</i> | |
| TRV000 | | <i>Spinach yellow mottle</i> | |
| TRV000 | | <i>Spinach yellow mottle virus</i> | |
| TRV000 | | <i>Tabakmauche Virus</i> | |
| TRV000 | | <i>Tabakstreifen- und Kra</i> | |
| TRV000 | | <i>Tobacco rattle tobaviruses</i> | |
| TRV000 | | <i>Tulip white streak virus</i> | |
| TRSV00 | <i>Tobacco ringspot virus</i> | | |
| TRSV00 | | <i>Anemone necrosis virus</i> | |
| TRSV00 | | <i>Blueberry necrotic ringspot virus</i> | |
| TRSV00 | | <i>Nicotiana virus 12</i> | |
| TRSV00 | | <i>Soybean bud blight virus</i> | |
| TRSV00 | | <i>Tobacco Brazilian streak virus</i> | |
| TRSV00 | | <i>Tobacco ringspot nepovirus</i> | |
| TRSV00 | | <i>Tobacco ringspot virus No. 1</i> | |
| TSV000 | <i>Tobacco streak virus</i> | | |
| TSV000 | | <i>Annulus orae</i> | |
| TSV000 | | <i>Asparagus stunt virus</i> | |
| TSV000 | | <i>Asparagus stunt virus</i> | |
| TSV000 | | <i>Black raspberry latent ilarvirus</i> | |
| TSV000 | | <i>Black raspberry latent virus</i> | |
| TSV000 | | <i>Datura quercina virus</i> | |
| TSV000 | | <i>New logan virus</i> | |
| TSV000 | | <i>Nicotiana virus 8</i> | |
| TSV000 | | <i>Nicotiana virus vulnerans</i> | |
| TSV000 | | <i>Strawberry necrotic shock virus</i> | |
| TSV000 | | <i>Tobacco streak ilarvirus</i> | |
| TSV000 | | <i>Tractus orae</i> | |
| TAV000 | <i>Tomato aspermy virus</i> | | |
| TAV000 | | <i>Tomato aspermy cucumovirus</i> | |
| TAV000 | | <i>Chrysanthemum aspermy virus</i> | |
| TAV000 | | <i>Chrysanthemum mild mottle virus</i> | |
| TAV000 | | <i>Chrysanthemum mosaic virus</i> | |
| TAV000 | | <i>Lycopersicon virus 7</i> | |

**ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ**

| | | | |
|--------|----------------------------------|---|--|
| TAV000 | | <i>Cucumis virus 1 str. Chrysanthemum</i> | |
| TBRV00 | <i>Tomato black ring virus</i> | | |
| TBRV00 | | <i>Bean ringspot virus</i> | |
| TBRV00 | | <i>Beet ringspot virus</i> | |
| TBRV00 | | <i>Lettuce ringspot virus</i> | |
| TBRV00 | | <i>Potato bouquet virus</i> | |
| TBRV00 | | <i>Potato pseudo-aucuba virus</i> | |
| TBRV00 | | <i>Tomato black ring nepovirus</i> | |
| TBSV00 | <i>Tomato bushy stunt virus</i> | | |
| TBSV00 | | <i>Tomato bushy stunt tombusvirus</i> | |
| TOMOTV | <i>Tomato mottle virus</i> | | |
| TOMOTV | | <i>Tomato mottle begomovirus</i> | |
| TORSVO | <i>Tomato ringspot virus</i> | | |
| TORSVO | | <i>Blackberry (Himalaya) mosaic virus</i> | |
| TORSVO | | <i>Euonymus chlorotic ringspot virus</i> | |
| TORSVO | | <i>Euonymus ringspot virus</i> | |
| TORSVO | | <i>Grape yellow vein virus</i> | |
| TORSVO | | <i>Grapevine yellow vein virus</i> | |
| TORSVO | | <i>Nicotiana 13 virus</i> | |
| TORSVO | | <i>Peach stem pitting virus</i> | |
| TORSVO | | <i>Prune brown line virus</i> | |
| TORSVO | | <i>Prunus stem pitting virus</i> | |
| TORSVO | | <i>Red currant mosaic virus</i> | |
| TORSVO | | <i>Tobacco ringspot virus 2</i> | |
| TORSVO | | <i>Tomato ringspot nepovirus</i> | |
| TORSVO | | <i>Winter peach mosaic virus</i> | |
| TSWV00 | <i>Tomato spotted wilt virus</i> | | |
| TSWV00 | | <i>Dahlia oakleaf virus</i> | |
| TSWV00 | | <i>Dahlia ringspot virus</i> | |
| TSWV00 | | <i>Dahlia yellow ringspot virus</i> | |
| TSWV00 | | <i>Groundnut ringspot virus</i> | |
| TSWV00 | | <i>Mung bean leaf curl virus</i> | |
| TSWV00 | | <i>Pineapple yellow spot virus</i> | |
| TSWV00 | | <i>Tomato spotted wilt tospovirus</i> | |
| TSWV00 | | <i>Tomato spotted wilt virus group</i> | |
| TBV000 | <i>Tulip breaking virus</i> | | |
| TBV000 | | <i>Marmor tulipae</i> | |
| TBV000 | | <i>Tulip breaking potyvirus</i> | |
| TBV000 | | <i>Tulip mosaic virus</i> | |
| TBV000 | | <i>Tulipa virus 1</i> | |
| TBV000 | | <i>Tulipaviridis vulgare</i> | |

ГЛАВНОЕ УПРАВЛЕНИЕ ПО БЕЗОПАСНОСТИ РАСТЕНИЙ
УПРАВЛЕНИЕ ФИТОСАНИТАРНОГО РЕГУЛИРОВАНИЯ

| | | | |
|---|--------------------------------|----------------------------------|-------------------|
| WMV000 | Watermelon mosaic potyvirus-II | | Wang et al., 1993 |
| WMV000 | | Vanilla necrosis potyvirus | |
| WMV000 | | Vanilla necrosis virus | |
| WMV000 | | Watermelon mosaic virus II | |
| WMV000 | | Watermelon mosaic virus 2 | |
| WMV000 | | Watermelon mosaic 2 potyvirus | |
| WMV000 | | Watermelon mosaic potyvirus 2 | |
| WSMV00 | Wheat streak mosaic virus | | |
| WSMV00 | | Wheat viruses 6 & 7 | |
| WSMV00 | | Wheat streak mosaic potyvirus? | |
| WSMV00 | | Wheat streak mosaic rymovirus? | |
| WSMV00 | | Wheat streak mosaic tritimovirus | |
| НЕ ВОШЕДШИЕ НИ В ОДНУ ГРУППУ | | | |
| LYD000 | Lavender yellow decline (MLO) | | |
| LYD001 | | Lavender yellow decline | |
| LYD002 | | Lavender Yellow Decline MLO | |
| ROW000 | Rose wilt disease | | |
| ROW000 | | Rose dieback | |
| ROW000 | | Rose leaf curl | |
| ROW000 | | Rose little leaf | |
| ROW000 | | Rose spring dwarf | |
| ROW000 | | Rose stunt | |
| ROW000 | | Rose Wilt Disease | |
| CSB000 | Citrus blight disease | | |
| CSB000 | | Blight | |
| CSB000 | | Citrus blight agent | |
| CSB000 | | Virus blight | |
| CSI000 | Citrus impietratura disease | | Ruggieri, 1955 |
| CSI000 | | Citrus impietratura agent | |
| CSI000 | | Citrus impietratura virus | |

Примечание: Источник, откуда были взяты аббревиатуры – EPPO (Европейская и Средиземноморская Организация по карантину и защите растений)