

List of quarantine organisms
Liste des organismes de quarantaine
لائحة الافات الحجرية

Pest الافة	Absence (غياب (A1)	Present موجود		
		Widely في كل الانحاء	in some area في	but managed (A2) ولكن تحت
Apple rubbery wood MLO	✓			
Apricot chlorotic leafroll MLO	✓			
Arracacha B virus, oca strain nepovirus	✓			
Artichoke italian latent nepovirus	✓			
Avocado sun blotch viroid	✓			
Banana bract mosaic disease	✓			
Banana bunchy top virus	✓			
Barley stripe mosaic virus	✓			
Beet leaf curl rhabdovirus	✓			
Beet necrotic yellow vein furovirus	✓			
Blueberry leaf mottle nepovirus	✓			
Broccoli necrotic yellows rhabdovirus	✓			
Cherry little cherry disease	✓			
Citrus cristacortis disease	✓			
Citrus enation disease	✓			
Andean potato mottle comovirus	✓			
Citrus impietrature disease	✓			
Apple chat fruit diseases	✓			
Citrus leporosis rhabdovirus (Eppo A1)	✓			
Citrus lime witches broom MLO	✓			
Citrus tatter leaf capillovirus (Eppo A1)	✓			
Cowpea aphid-borne mosaic virus	✓			
Grapevine flavescence doree	✓			
Grapevine italian latent virus	✓			
Grapevine line pattern ilarvirus	✓			
Grapevine yellow speckle viroid	✓			
Lettuce infectious yellows virus (Eppo A1)	✓			
lucerne Australian latent nepovirus	✓			
Maize dwarf mozaic potyvirus	✓			
Maize streak geminivirus	✓			
Olive latent 2 ourmiavirus	✓			
Olive latent ringspot nepovirus	✓			

Olive vein yellowing associated virus	✓			
Onion yellow dwarf potyvirus	✓			
Palm lethal yellowing MLO	✓			
Papaya bunchy top MLO	✓			
Pea early browning tobnavirus	✓			
Peach phony rickettsia	✓			
Peach rosette MLO	✓			
Peach X disease MLO	✓			
Peach yellow MLO	✓			
Pear decline MLO	✓			
Pepper mild tiger gemivirus	✓			
Plum american line pattern ilavirus	✓			
Apple green crinkle disease	✓			
Potato purple-top wilt MLO	✓			
Potato splind tuber viroid	✓			
Potato T virus (Eppo A1)	✓			
Potato virus S carlavirus	✓			
Potato yellow dwarf rhabdovirus (Eppo A1)	✓			
Potato yellow vine disease (Eppo A1)	✓			
Rose wilt virus	✓			
Satsuma dwarf nepovirus (Eppo A2)	✓			
Southern bean mosaic sobemovirus	✓			
Strawberry crinkle rhabdovirus	✓			
Strawberry latent C rhabdovirus	✓			
Strawberry vein banding caulimovirus	✓			
Apple proliferation MLO	✓			
Strawberry witches broom MLO	✓			
Tobacco necrosis necrovirus	✓			
Tobacco streak ilavirus	✓			
Tomato streak virus	✓			
Wheat streak mosaic ryovirus	✓			
American plum line pattern virus	✓			
Andean potato latent tymovirus	✓			
Apple dimple fruit viroid	✓			
Apple scar skin viroid	✓			
Apple stem pitting virus	✓			
Apricot latent virus	✓			
Apricot ringpox disease	✓			
Arabis mosaic virus	✓			
Banana bunchy top virus	✓			
Banana streak badna virus	✓			

Banana streak badnavirus	✓			
Barley stripe mosaic virus	✓			
Barley yellow striate mosaic virus	✓			
Bean golden mosaic geminivirus	✓			
Bean yellow dwarf virus	✓			
Beet curl top virus	✓			
Beet leaf curl virus (A2)	✓			
Beet mild yellowing virus	✓			
Beet mosaic virus	✓			
Beet necrotic yellow vein virus (Eppo A2)	✓			
Beet soil-borne mosaic virus	✓			
Beet soil-borne virus	✓			
Beet western yellows virus	✓			
Beet yellows virus	✓			
Bermuda grass etched-line virus	✓			
Blue berry leaf mottle virus (Eppo A2)	✓			
Blue berryscortch (Eppo A2)	✓			
Broadbean true mosaic virus	✓			
Cauliflower mosaic virus	✓			
Cereal cholrotic mottle virus	✓			
Cereal yellow dwarf virus	✓			
Cherry green ring mottle virus	✓			
Cherry leaf roll virus	✓			
Cherry necrotic rusty mottle disease	✓			
Chickpea chlorotic dwarf virus	✓			
Citrus bent leaf viroid	✓			
Citrus concave gum disease	✓			
Citrus exocortis viroid	✓			
Citrus mosaic virus	✓			
Citrus psorosis virus	✓			
Citrus variegation virus	✓			
Citrus viroid III	✓			
Citrus viroid IV	✓			
cucumber leaf spot virus	✓			
cucumber soil-borne virus	✓			
Cucurbit aphid-borne yellows virus	✓			
Cynodon chlorotic streak virus	✓			
Fig leaf mottle associate virus 1	✓			
Fig leaf mottle associate virus 2	✓			
Grapevine asteriod mosaic-associated virus	✓			

Grapevine chrome mosaic nepovirus	✓			
Grapevine leafroll virus associate 4	✓			
Grapevine leafroll virus associate 5	✓			
Grapevine leafroll virus associate 6	✓			
Grapevine leafroll virus associate 8	✓			
Grapevine leafroll virus associate 9	✓			
Grapevine red globe virus	✓			
Grapevine rupestrise stem pitting virus	✓			
Grapevine rupestrise vein feathering virus virus	✓			
Grapevine Thisian ringsopt virus	✓			
Grapevine virus C	✓			
Grapevine virus D	✓			
Grapevine yellows disease	✓			
Hop stunt viroid	✓			
Ipmatients necrotic spot virus (Eppo A2)	✓			
Maize dwarf mosaic virus	✓			
Maize mosaic virus	✓			
Maize rough dwarf virus	✓			
Maize streak virus	✓			
Maize yellow stripe virus	✓			
Melon necrotic spot virus	✓			
Melon rugose mosaic virus	✓			
Moroccan watermelon mosaic virus	✓			
Olive latent ringspot virus	✓			
Olive latent virus 1	✓			
Olive latent virus 2	✓			
Olive leaf yellowing-associated virus	✓			
Papaya mosaic virus	✓			
Pea early browning virus	✓			
Pea enation mosaic virus	✓			
Peach latent mosaic viroid	✓			
Peach rosette mosaic nepovirus (Eppo A1)	✓			
Potato aucuba mosaic virus	✓			
Potato spindel tuber viroid (Eppo A2)	✓			
Potato stolbur MLO	✓			
Potato virus M	✓			
Potato virus S	✓			
Potato yellow dwarf virus	✓			
Radish mosaic virus	✓			

Raspberry ringspot virus (Eppo A2)	✓			
Satsuma dwarf virus	✓			
Soybean dwarf virus	✓			
Strawberry latent ringspot virus	✓			
Strawberry ringspot virus (Eppo A2)	✓			
Strawberry vein banding virus (Eppo A2)	✓			
Sugercane mosaic virus	✓			
Sugercane streak virus	✓			
Tomato apical stunt viroid	✓			
Tomato chlorosis virus	✓			
Tomato chlorosis virus (Eppo A2)	✓			
Tomato infectious chlorosis virus	✓			
Tomato infectious chlorosis virus (Eppo A2)	✓			
Turnip mosaic virus	✓			
Wheat streak mosaic virus	✓			
Zea mosaic virus	✓			
Zucchini yellow fleck virus	✓			
Alfalfa mosaic virus				✓
Apple chorotic leafspot virus				✓
Apple mosaic virus				✓
Apple stem grooving virus				✓
Arabis mosaic virus				✓
Barley yellow dwarf virus				✓
Bean common mosaic virus				✓
Bean leafroll virus				✓
Bean yellow mosaic virus				✓
Broadbean mottle virus				✓
Broadbean stain virus				✓
Broadbean wilt virus				✓
Cherry raspe leaf virus (Eppo A2)				✓
Chickpea bushy stunt virus				✓
Chickpea western yellows virus				✓
Citrus tristeza closterovirus (Eppo A2)				✓
Cowpea mild mottle virus				✓
Cucumber green mottle mosaic tobamovirus				✓
Cucumber mosaic virus				✓
Cucumber vein yellowing virus (Eppo A2)				✓
Cucurbit yellow stunting disorder virus (Eppo A2)				✓

eggplant mottle dwarf virus				✓
Fababeab necrotic yellows virus				✓
Grapevine fanleaf virus				✓
Grapevine fleck virus				✓
Grapevine leafroll associate7				✓
Grapevine leafroll virus associate 1				✓
Grapevine leafroll virus associate 2				✓
Grapevine leafroll virus associate 3				✓
Grapevine virus A				✓
Grapevine virus B				✓
Lettuce mosaic virus				✓
Papaya ringspot virus				✓
Pea seedborne mosaic virus				✓
Peach necrotic ringspot virus				✓
Pepper veinal mottle virus				✓
Plum Pox virus (Eppo A2)				✓
Potato leafroll virus				✓
Potato leafroll virus				✓
Potato virus A				✓
Potato virus X				✓
Potato virus Y				✓
Prune dwarf virus				✓
Prunus necrotic ringsopt virus				✓
Squash leaf curl geminivirus (Eppo A1)				✓
Squash mosaic virus				✓
Strawberry latent ringspot virus				✓
Tobacco etch virus				✓
Tobacco mosaic virus				✓
Tobacco rattel virus				✓
Tobacco ringspot virus (Eppo A2)				✓
Tomato aspermy virus				✓
Tomato black ring virus				✓
Tomato bushy stunt virus				✓
Tomato mosaic virus				✓
Tomato ringsopt virus				✓
Tomato ringspot virus (Eppo A2)				✓
Tomato spotted wilt tospovirus (Eppo A2)				✓
Tomato yellow leaf curl virus (Eppo A2)				✓
Turnip mosaic virus				✓
Watermelon chlrotic stunt virus				✓

Watermelon mosaic virus				✓
Zucchini yellow mosaic virus				✓

List of quarantine organisms
Liste des organismes de quarantaine
لائحة الافات الحجرية

Pest الافة	Absence A1 غير موجود	Present موجود		
		Widely في كل الانحاء	in some area في بعض الاماكن	but managed A2 ولكن تحت المكافحة
Acroptilon repens (= Centaurea picris, C. repens)	✓			
Ageratum conyzoides , A. Houstonianum(= A. mexicanum)	✓			
Ambrosia artimisiifolia	✓			
Alectra spp.	✓			
Ammophila arenaria	✓			
Amorpha fruticosa	✓			
Arceuthobium species	✓			
Argemone mexicana	✓			
Avena fatua	✓			
Axonopus compressus	✓			
Azolla filiculoides A. pinnata (mosquito fern, water velvet)	✓			
Bellis perennis	✓			
Berberis vulgaris (European barberry)	✓			
Bidens frondosa	✓			
Bidens pilosa	✓			
Brassica tournefortii	✓			
Brachiaria mutica(= Panicum purpurascens)	✓			
Bunias orientalis	✓			
Butomus umbellatus (aquatic plant)	✓			
All Cabomba spp	✓			
Campylopus introflexus	✓			
Caulerpa taxifolia. Mediterranean strain (killer algae)	✓			
Cenchrus echinatus... (= C. Pungens, C. Brevisetus, C. viridis, C. quinquecalvis), Cenchrus	✓			
incertus, C. longispinus, C. ciliaris	✓			
Chromolaena odorata(= Eupatorium odoratum)	✓			
Chrysopogon aciculatus	✓			
Cirsium arvense	✓			

Cistanche species	✓			
Commelina benghalensis , C. diffusa (= C. nudiflora, Murdannia nodiflora, Aneilema nudiflorum,	✓			
aneilema malabaricum)	✓			
Crassula helmsii	✓			
Cyperus difformis, C. iria, other Cyperus species	✓			
All Cuscuta spp	✓			
Digitaria scalarum (D. chinensis, D. henryi, D. marginata)	✓			
Echinocystis lobata	✓			
Egeria densa	✓			
Eichhornia crassipes, E. azurea (anchored waterhyacinth, rooted waterhyacinth)	✓			
Elodea canadensis, E. mutellii	✓			
Emex australis	✓			
Epilobium ciliatum, Epilobium hirsutum	✓			
Equisetum arvense, E. palustre	✓			
Euphorbia hirta (= E. pilulifera)	✓			
Fimbristylis miliacea (= F. Littoralis, F. Annau, F. Dyphilla, F. Longispica, Scirpus annus, S.	✓			
dichotomous)	✓			
Galinsoga parviflora, G. quadraradiata	✓			
Glyceria maxima	✓			
Halophila stipulacea	✓			
Heliotropium inidcum	✓			
Helianthus ciliaris	✓			
Hydrilla verticillata (hydrilla)	✓			
Hydrocharis morsus-ranae	✓			
Hygrophila polysperma	✓			
Ipomoea aquatica (water-spinach, swamp morning-glory), I. Hederacea, I. Triloba, I. turbinata	✓			
Iris pseudocarus	✓			
Ischaemum ragosum	✓			
Iva (Cyclachaena) xanthiifolia	✓			
Lagarosiphon major	✓			
Leptochloa panicea(= L.filiformis, L.chinensis)	✓			
Limnophila sessiliflora (ambulia)	✓			

Lythrum salicaria	✓			
Marsilea quadriflora	✓			
Mekania cordata, M.scandens, M. Micrantha	✓			
Melaleuca quinquenervia (broadleaf paper bark tree).	✓			
Mimosa invisa, M. pudica	✓			
Monochoria vaginales, M. Hastata, (= M. hostifolia)	✓			
Myriophyllum aquaticum, all Myriophyllum spp.	✓			
Myosotis scorpioides	✓			
Najas minor	✓			
Nymphoides peltata	✓			
All Orobanche spp.	✓			
Ottelia alismoides	✓			
Oxalis pes-carpi	✓			
Panicum maximum	✓			
Parthenium hysterophorus	✓			
Paspalum dilatatum, P. Paspalodes (=P. distichum), P. Conjugatum, P. scrobiculatum	✓			
Pennisetum clandestinum	✓			
Pennistum purpureum, P. Polystachyon, P. Pedicellatum	✓			
Pistia startiotes	✓			
Polygonum argyrocoleon, P. pennsylvanicum	✓			
Potamogeton crispus	✓			
Rorippa species	✓			
Rottboelia exaltata	✓			
Rhus radicans, (= Toxicodendron radicans), R. toxicodendron	✓			
Sagittaria japonica, S. sagittifolia (arrowhead)	✓			
Salvinia auriculata, Salvinia spp. (giant salvinias)	✓			
Senecio inaequidens	✓			
Setaria pallide-fusca	✓			
Sida acuta, S. spinosa	✓			
Solanum tampicense (wetland nightshade) , S. carolinense, S. sarrachoides, S. torvum	✓			
Solidago canadensis	✓			
Sparganium erectum (exotic bur-reed)	✓			

Sphenoclea zeylanica	✓			
All Striga lutea (= S. asiatica), Striga spp	✓			
Thevetia peruviana	✓			
Thesium humile	✓			
All Trapa species	✓			
Typha gracilis, T. laxmanii, T. Minima	✓			
Viscum album	✓			
Acacia longifolia, A. mearnsii, A. saligna				✓
Aegilops triuncialis				✓
Agropyron repens				✓
Amaranthus hybridus, A. spinosus				✓
Ammophila arenaria				✓
Anagallis arvensis				✓
Arundo donax				✓
Bidens pilosa				✓
Capsilla pursa pastoris				✓
Ceratophyllum demersum				✓
Chenopodium album				✓
Convolvulus arvensis				✓
Cyperus rotundus, C. esculentus				✓
Cynodon dactylon				✓
Dactyloctenium aegyptium				✓
Dalbergia sissoo				✓
Digitaria sanguinalis				✓
Echinochloa crusgalli				✓
Echinochloa colonum				✓
Eclipta prostrata				✓
Eleusine indica				✓
Erodium cicutarium				✓
Eupatorium cannabinum				✓
Galium aparine				✓
Hedera helix				✓
Hypericum perforatum				✓
Hypnea musciformis (algae)				✓
Imperata cylindrica				✓
Iris pseudacorus				✓
Landoltia punctata (aquatic plant)				✓
Lantana camara				✓
Lepidium latifolium				✓
Leersia hexandra				✓

Lolium temulentum				✓
Lythrum salicaria (aquatic plant, herb)				✓
Melilotus alba				✓
Nicotiana glauca				✓
Oxalis corniculata				✓
Panicum repens				✓
Phragmites australis (= P. communis), P. karka				✓
Pittosporum undulatum				✓
Plantago major, P. lanceolata				✓
Polygonum convolvulus				✓
Portulaca oleracea				✓
All Prosopis spp.				✓
Ranunculus ficaria				✓
Rhamnus alaternus				✓
Rumex crispus. R. obtusifolius				✓
Sagittaria sagittifolia				✓
Setaria viridis, S. Setaria verticillata				✓
Solanum nigrum				✓
Sonchus oleraceus				✓
Spergula arvensis				✓
Sorghum halepense				✓
Stellaria media				✓
Syzygium cumini				✓
Tamarix parviflora				✓
Teribulus terrestris, T. cistoides				✓
Vulpia bromoides				✓
Xanthium spinosum, X. strumarium				✓
Ziziphus mauritiana				✓

List of quarantine organisms
Liste des organismes de quarantaine
لائحة الافات الحجرية

Pest الافة	Absence (A1) غير موجود	Present موجود		
		Widely في كل الانحاء	in some area في بعض الاماكن	but managed(A2) ولكن تحت المكافحة
<i>Aphelenchoides besseyi</i>	✓			
<i>Aphelenchoides fragariae</i>	✓			
<i>Aphelenchoides ritzemabosi</i>	✓			
<i>Belonolaimus longicaudatus</i>	✓			
<i>Bursaphelenchus xylophilus</i>	✓			
<i>Globodera pallida</i>	✓			
<i>Globodera rostochiensis</i>	✓			
<i>Heterodera spp.</i>	✓			
<i>Longidorus spp.</i>	✓			
<i>Meloidogyne spp</i>	✓			
<i>Nacobbus aberrans</i>	✓			
<i>Paralongidorus spp. 2</i>	✓			
<i>Paratrichodorus spp. 2</i>	✓			
<i>Pratylenchus spp. 4</i>	✓			
<i>Rhadinaphelenchus cocophilus</i>	✓			
<i>Radopholus citrophillus</i>	✓			
<i>Radopholus similis</i>	✓			
<i>Rotylenchulus reniformis</i>	✓			
<i>Scutellonema bradys</i>	✓			
<i>Trichodorus spp. 2</i>	✓			
<i>Xiphinema spp. 2</i>	✓			
<i>Anguina tritici</i>				✓
<i>Ditylenchus destructor</i>				✓
<i>Ditylenchus dipsaci</i>				✓
<i>Heterodera goettingiana</i>				✓
<i>Heterodera latipons</i>				✓
<i>Heterodera schachtii</i>				✓
<i>Longidorus africanus</i>				✓
<i>Longidorus laevicapitatus</i>				✓
<i>Longidorus siddiqi</i>				✓
<i>Longidorus vineacola</i>				✓
<i>Meloidogyne arenaria</i>				✓
<i>Meloidogyne incognita</i>				✓
<i>Meloidogyne javanica</i>				✓

<i>Paratrichodorus minor</i>				✓
<i>Pratylenchus neglectus</i>				✓
<i>Pratylenchus penetrans</i>				✓
<i>Pratylenchus thornei</i>				✓
<i>Trichodorus sparsus</i>				✓
<i>Tylenchulus semipenetrans</i>				✓
<i>Xiphinema index</i>				✓
<i>Xiphinema ingens</i>				✓
<i>Xiphinema insigne</i>				✓
<i>Xiphinema pachtaicum</i>				✓
<i>Xiphinema vuittenezi</i>				✓

List of quarantine organisms
Liste des organismes de quarantaine
لائحة الافات الحجرية

Pest الافة	Absence (A1) غير موجود	Present موجود		
		Widely في كل الانحاء	in some area في بعض الاماكن	but managed (A2) ولكن تحت
<i>Acleris variana</i>	✓			
<i>Acleris gloverana</i>	✓			
<i>Acrobasis pirivorella</i>	✓			
<i>Aculops fuchsiae</i>	✓			
<i>Adoxophyes orana</i>	✓			
<i>Aeolesthes sarta</i>	✓			
<i>Aleurocanthus spiniferus</i>	✓			
<i>Aleurocanthus destructor</i>	✓			
<i>Aleurodicus dispersus</i>	✓			
<i>Amauomyza maculosa</i>	✓			
<i>Anastrepha fraterculus</i>	✓			
<i>Anastrepha grandis</i>	✓			
<i>Anastrepha ludens</i>	✓			
<i>Anastrepha obliqua</i>	✓			
<i>Anastrepha serpentina</i>	✓			
<i>Anastrepha suspense</i>	✓			
<i>Anoplophora spp.</i>	✓			
<i>Anthonomus pyri</i>	✓			
<i>Anthonomus bisignifer</i>	✓			
<i>Anthonomus eugenii</i>	✓			
<i>Aonidiella citrina</i>	✓			
<i>Bactrocera aquilions</i>	✓			
<i>Bactrocera correcta</i>	✓			
<i>Bactrocera cucumis</i>	✓			
<i>Bactrocera cucurbitae</i>	✓			
<i>Bactrocera diversa</i>	✓			
<i>Bactrocera dorsalis (Dacus dorsalis)</i>	✓			
<i>Bactrocera minax</i>	✓			
<i>Bactrocera jarvisi</i>	✓			
<i>Bactrocera neoliumberlandis</i>	✓			
<i>Bactrocera tau</i>	✓			
<i>Bactrocera musae (Dacus musae)</i>	✓			
<i>Bactrocera tryoni</i>	✓			

<i>Bactrocera tsuneonis</i>	✓			
<i>Bactrocera zonata</i>	✓			
<i>Carpophilus dimidiatus</i>	✓			
<i>Carposina niponesis</i>	✓			
<i>Castina licus</i>	✓			
<i>Ceratitis rosa</i>	✓			
<i>Ceratitis cosyra</i>	✓			
<i>Ceratitis quinaria</i>	✓			
<i>Chaetanaphothrips signipennis</i>	✓			
<i>Chilo</i> spp. (19/7/2012)	✓			
<i>Cicadulina mblia</i>	✓			
<i>Coccus viridis</i>	✓			
<i>Colapsis hypochlora</i>	✓			
<i>Colomerus vitis</i>	✓			
<i>Conotrachelus nenuphar</i>	✓			
<i>Corryra cephalonica</i>	✓			
<i>Cryptobalbes gnidiella</i>	✓			
<i>Cryptoletes ferrugineus</i>	✓			
<i>Cryptophlebia leucotreta</i>	✓			
<i>Cosmopolites minutus</i>	✓			
<i>Cosmopolites sordidus</i>	✓			
<i>Cydia funebrana</i>	✓			
<i>Cydia molesta</i>	✓			
<i>Cydia inopinata</i>	✓			
<i>Cydia packardi</i>	✓			
<i>Cydia prunivora</i>	✓			
<i>Dendroctonus frontalis</i>	✓			
<i>Diaphorina citri</i> (Vector of citrus greening)	✓			
<i>Diaprepes abbreviatus</i>	✓			
<i>Diatraea saccharalis</i>	✓			
<i>Drosophila suzukii</i>	✓			
<i>Eutetranychus lewisi</i> (mite)	✓			
<i>Epiphyas postvittana</i>	✓			
<i>Epichoristodes acerbella</i>	✓			
<i>Epitrix subcrinita</i> , <i>E. Tuberis</i> , <i>E. Cucumeris</i>	✓			
<i>Eupoecilia ambiguella</i>	✓			
<i>Frankliniella occidentalis</i>	✓			
<i>Gonipterus scutellatus</i> , <i>G. gibberus</i> .	✓			
<i>Gonterus gibberrus</i>	✓			

<i>Helicoverpa zea</i>	✓			
<i>Hyphantria cunea</i>	✓			
<i>Icerya aegyptica</i>	✓			
<i>Ips amitinus</i>	✓			
<i>Ips calligraphus</i>	✓			
<i>Ips cembrae</i>	✓			
<i>Ips confusus</i>	✓			
<i>Ips duplicatus</i>	✓			
<i>Ips grandicollis</i>	✓			
<i>Ips lecontei</i>	✓			
<i>Ips pini</i>	✓			
<i>Ips plastographus</i>	✓			
<i>Ips sexdentatus</i>	✓			
<i>Ipsn tryptographus</i>	✓			
<i>Leptinotarsa decemlineata</i>	✓			
<i>Leucinodes orbonalis</i>	✓			
<i>Limonius californicus</i>	✓			
<i>Malacosoma disstria</i> (forest tree leaf defoliater)	✓			
<i>Margarodes prieskaensis, M vitis, M vredendalensis</i>	✓			
<i>Melanotus communis</i>	✓			
<i>Metamasius spp.</i>	✓			
<i>Monochamus spp.</i> (vectors of <i>B. xylophilus</i> nematode)	✓			
<i>Myndus crudus</i> (vector of palm lethal yellowing phytoplasma)	✓			
<i>Nacoleia octasema</i>	✓			
<i>Naupactus leucoloma</i>	✓			
<i>Nemorimyza (Amauromyza) maculosa</i>	✓			
<i>Neoleucinodes elegantalis</i> (small tomato borer)	✓			
<i>Odioporus longicollis</i>	✓			
<i>Oligonychus perditus</i> (mite)	✓			
<i>Pissodes spp.</i> <i>P. nemoorensis</i> <i>P. strobe, P. terminalis</i>	✓			
<i>Planococcus (= Pseudococcus) kenyae</i>	✓			
<i>Planococcus lilacinus</i>	✓			
<i>Planococcus minor</i>	✓			
<i>Popillia japonica</i>	✓			

<i>Prays endocarpa</i>	✓			
<i>Premnotrypes</i> spp. (Andean)	✓			
<i>Prostephanus truncatus</i>	✓			
<i>Pseudopityophthorus</i> spp. Vector of <i>Ceratocystis fagacearum</i>	✓			
<i>Quadraspidiotus perniciosus</i>	✓			
<i>Rhagoletis cerasi</i>	✓			
<i>Rhagoletis cingulata</i> , <i>R. indifferens</i>	✓			
<i>Rhagoletis copmleta</i> , <i>R. saavis</i>	✓			
<i>Rhagoletis fausta</i>	✓			
<i>Rhagoletis. indifferens</i>	✓			
<i>Rhagoletis pomonella</i>	✓			
<i>Rhizoecus hibisc</i>	✓			
<i>Rhynchophorus ferrugineus</i>	✓			
<i>Rhynchophorus palmarum</i>	✓			
<i>Rhynchophorus phoenicis</i>	✓			
<i>Singhiella simplex</i> (ficus whitefly)	✓			
<i>Scirtothrips aurantii</i>	✓			
<i>Spodoptera eridania</i>	✓			
<i>Spodoptera fruigperda</i>	✓			
<i>Sternochetus mangifera</i>	✓			
<i>Tecia solanivora</i>	✓			
<i>Tetranychus evansi</i>	✓			
<i>Tetropium gracilicorne</i>	✓			
<i>Thrips palmi</i>	✓			
<i>Toxoptera citricidus</i>	✓			
<i>Toxoptera odinae</i>	✓			
<i>Unaspis citri</i>	✓			
<i>Cacoecimorpha pronubana</i>				✓
<i>Ephestia vapidella</i>				✓
<i>Frankliniella occidentalis</i>				✓
<i>Icerya aegyptica</i>				✓
<i>Liriomyza huidobrensis</i>				✓
<i>Liriomyza sativae</i>				✓
<i>Liriomyza trifolii</i>				✓
<i>Opogona sacchari</i>				✓
<i>Parabemisia myricae</i>				✓
<i>Rhynchophorus ferrugineus</i>				✓

List of quarantine organisms
Liste des organismes de quarantaine
لائحة الافات الحجرية

Pest الافة	Absence (A1) غير موجود	Present موجود		
		Widely في كل الانحاء	in some area في بعض الاماكن	but managed(A2) ولكن تحت المكافحة
<i>Apiosporina morbosa</i>	✓			
<i>Atropellis pinicola</i>	✓			
<i>Atropellis piniphila</i>	✓			
<i>Ceratocystis fagacearum</i>	✓			
<i>Guignardia citricarpa</i>	✓			
<i>Gymnosporangium clavipes</i>	✓			
<i>Gymnosporangium globosum</i>	✓			
<i>Gymnosporangium juniperi-virginianae</i>	✓			
<i>Gymnosporangium yamadae</i>	✓			
<i>Phaeoramularia angolensis</i>	✓			
<i>Phellinus weirii</i>	✓			
<i>Phoma andigena</i>	✓			
<i>Phyllosticta solitaria</i>	✓			
<i>Phymatotrichopsis omnivora</i>	✓			
<i>Puccinia hemerocallidis</i>	✓			
<i>Puccinia pittieriana</i>	✓			
<i>Septoria lycopersici var. malagutii</i>	✓			
<i>Thecaphora solani</i>	✓			
<i>Tilletia indica</i>	✓			
<i>Cryphonectria parasitica</i>				✓
<i>Didymella ligulicola</i>				✓
<i>Fusarium foetens</i>				✓
<i>Fusarium oxysporum f.sp. albedinis</i>				✓
<i>Gibberella circinata</i>				✓
<i>Melampsora medusae</i>				✓
<i>Monilinia fructicola</i>				✓
<i>Monilinia fructigena,</i>				✓
<i>Monilinia laxa</i>				✓
<i>Mycosphaerella dearnessii</i>				✓
<i>Mycosphaerella pini</i>				✓

<i>Phialophora cinerescens</i>				✓
<i>Phoma tracheiphila</i>				✓
<i>Deuterophoma tracheiphila</i>				✓
<i>Phytophthora fragariae</i> var. <i>fragariae</i>				✓
<i>Phytophthora fragariae</i> var. <i>rubi</i>				✓
<i>Phytophthora lateralis</i>				✓
<i>Puccinia horiana</i>				✓
<i>Stenocarpella macrospora</i>				✓
<i>Stenocarpella maydis</i>				✓
<i>Synchytrium endobioticum</i>				✓
<i>Verticillium albo-atrum</i>				✓
<i>Verticillium dahliae</i>				✓

List of quarantine organisms
Liste des organismes de quarantaine
لائحة الافات الحجرية

Pest الافة	Absence (A1) غير موجود	Present موجود		
		Widely في كل الانحاء	in some area في بعض الاماكن	but managed (A2) ولكن تحت المكافحة
Citrus huanglongbing (citrus greening). Candidates Liberibacter asiaticus	✓			
Xanthomonas axonopodis pv. citri (Xanthomonas campestris pv. citri)	✓			
Xylella fastidiosa (and vectors Carneocephala fulgida, Draeculacephala minerva)	✓			
Burkholderia caryophylli	✓			
Clavibacter michiganensis subsp. michiganensis (Corynebacterium michiganensis subsp. michiganensis)	✓			
Clavibacter michiganensis subsp. Sepedonicus (Corynebacterium michiganensis subsp. sepedonicum)	✓			
Curtobacterium flaccumfaciens pv. flaccumfaciens (Corynebacterium flaccumfaciens pv. flaccumfaciens)	✓			
Ralstonia solanacearum R. solanacearum race 1 R. solanacearum race 2 R. solanacearum race 3 (Pseudomonas solanacearum)	✓			
Xanthomonas arboricola pv. poinsettiicola (Xanthomonas campestris pv. Poinsettiicola)	✓			
Xylophilus ampelinus	✓			
Erwinia tracheiphila	✓			
Dickeya solani	✓			
Peach X-disease phytoplasma	✓			

Peach yellows phytoplasma	✓			
Phytoplasma solani (Stolbur), Aster yellow Potato stolbur phytoplasma Tomato stolbur MLO Classical stolbur MLO	✓			
Rhizobium rhizogenes (Agrobacterium rhizogenes)				✓
Rhizobium radiobacter[(Agrobacterium tumefaciens)				✓
Rhizobium vitis (Agrobacterium vitis)				✓
Rhizobium rubi (Agrobacterium rubi)				✓
Burkholderia cepacia (Pseudomonas cepacia)				✓
Pseudomonas cichorii				✓
Pseudomonas syringae pv. tabaci				✓
Pantoea stewartii subsp. stewartii (Erwinia stewartii subsp. stewartii)				✓
Erwinia amylovora				✓
Pectobacterium carotovorum pv. carotovorum.(Erwinia carotovora pv. carotovora)				✓
Pectobacterium atrosepticum (Erwinia atroseptica				✓
Dickeya (Erwinia) chrysanthemi pv. Chrysanthemi				✓
Pseudomonas marginalis pv. marginalis (Pseudomonas marginalis)				✓
Pseudomonas syringae pv. Lachrymans				✓
Pseudomas syringae pv. pisi				✓
Pseudomonas syringae pv. tomato				✓
Pseudomonas savastoni pv. Phaseolicola (Pseudomas syringae pv. Phaseolicola)				✓
Pseudomonas syringae pv. Syringae				✓
Pseudomomas syringae pv. Morsprunorum				✓

Pseudomonas savastoni pv. savastoni (Pseudomonas syringae pv. savastoni)				✓
Xanthomonas axonopodis pv. Phaseoli - Xanthomonas axonopodis pv. Fuscans - (Xanthomonas campestris pv. Phaseoli)				✓
Xanthomonas vesicatoria (Xanthomonas campestris pv. vesicatoria)				✓
Xanthomonas campestris pv. Campestris				✓
Xanthomonas hortorum pv. carotae (Xanthomonas campestris pv. carotae)				✓
Pseudomonas syringae pv. Persicae				✓
Xanthomonas arboricola pv. pruni (Xanthomonas campestris pv. pruni)				✓
Xanthomonas axonopodis pv. Dieffenbachiae (Xanthomonas campestris pv. dieffenbachiae)				✓
Xanthomonas arboricola pv. fragariae (Xanthomonas campestris pv. fragariae)				✓
Xanthomonas translucens pv. translucens (Xanthomonas campestris pv. translucens)				✓
Xanthomonas arboricola pv. juglandis (Xanthomonas campestris pv. juglandis)				✓
Xanthomonas hortorum pv. hederiae (Xanthomonas campestris pv. hederiae)				✓
Xanthomonas axonopodis pv. begonia (Xanthomonas campestris pv. begonia)				✓
Xanthomonas hortorum pv. pelargonii (Xanthomonas campestris pv. pelargonii)				✓
Burkholoderia gladioli pv.. gladioli (Pseudomonas gladioli pv.. gladioli)				✓
Burkholoderia gladiolii pv. allicola (Pseudomonas gladioli pv. allicola)				✓

Streptomyces scabies - Streptomyces ipomoeae				✓
---	--	--	--	---